CORROSION ABSTRACTS

As Published in

CORROSION

Volume 15–1959

Official Publication

NATIONAL ASSOCIATION OF CORROSION ENGINEERS

1061 M & M Building, Houston 2, Texas

PAGE NUMBERS BY MONTHS

Pages (a)	
1a- 18a	January
19a- 28a	February
29a- 54a	March
55a- 86a	April
87a-100a	May
101a-126a	June
127a-150a	July
151a-168a	August
169a-196a	September
197a-222a	October
223a-244a	November
245a-256a	December

INDEX TO TECHNICAL AND TECHNICAL TOPICS SECTIONS

CORROSION

VOLUME 15

JANUARY 1—DECEMBER 31

1959

CONTENTS

Tables of Contents
Alphabetical Subject Index
Alphabetical Index to Authors

PAGE NUMBERS BY MONTHS

Pages		Pages	
1t- 48t	January	239t-394t	July
49t-100t	February	395t-446t	August
101t-166t	March	447t-502t	September
167t-220t	April	503t-556t	October
221t-282t	May	557t-618t	November
283t-338t	June	619t-646t	December

Tables of Contents

CORROSION Technical and Technical Topics Sections, Volume 15, 1959

January

Topic of the Month—Corrosion of Valve Seat Ring Results in Flexible Metal by J. E. Prior 1t

Corrosion of Steel Weldments by J. U. MacEwan and H. H. Yates 2t

High Temperature Corrosion Product Films on Aluminum by V. H. Troutner. 7t

Observations on the Mechanisms and Kinetics of Aqueous Aluminum Corrosion (Part 1—Role of the Corrosion Product Film in the Uniform Aqueous Corrosion of Aluminum) by V. H. Troutner 9t
Discussion: Page 642t

Observations on the Mechanisms and Kinetics of Aqueous Aluminum Corrosion (Part 2—Kinetics of Aqueous Aluminum Corrosion) by R. L. Dillon 13t
Discussion: Page 642t

Precautionary Procedures in Chemical Cleaning—A Contribution to the Work of NACE Technical Unit Committee T-8A on Chemical Cleaning by Robert A. Stander. Publication 59-1 ..... 17t

Aluminum Cooling Towers and Their Treatment by A. J. Haygood and J. Dean Minford 20t

A Critical Analysis of Pitting Corrosion by N. D. Greene and M. G. Fontana 25t

An Electrochemical Study of Pitting Corrosion in Stainless Steels (Part 1—Pit Growth) by N. D. Greene and M. G. Fontana 32t

An Electrochemical Study of Pitting Corrosion in Stainless Steels (Part 2—Polarization Measurements) by N. D. Greene and M. G. Fontana 39t

Deterioration of Wood by Marine Boring Organisms by H. Hochman 45t

Technical Topics

Underground Corrosion—A Summary of 45 Years of NBS Research 107

Rubber-Base Transformer Finish for Severe Environments by Ralph Hockridge .. 111

Recovery of Graphitically Embrittled Nickel by Walter A. Szymanski 112

February

Mechanical Properties and Corrosion Resistance of Oil Well Tubing by F. A. Prange 49t

Influence of Service Temperature on the Resistance of Wrought Aluminum-Magnesium Alloys to Corrosion by E. H. Dix, Jr., W. A. Anderson and M. Byron Shumaker 55t

An Electrochemical Study of Aluminum and Aluminum Alloys by E. M. Khairy and M. Kamal Hussein 63t

Topic of the Month—Uses for Varistors with Direct Current Corrosion Meters by W. Searle Woodward 68t

Chloride Stress Corrosion Cracking of the Austenitic Stainless Steels—A Contribution to the work of NACE Task Group T-8A on Chemical Cleaning by J. P. Engle, G. L. Floyd and R. B. Rosene. Publication 59-5 ..... 69t

Well Completion and Corrosion Control of High Pressure Gas Wells—A Status Report of NACE Task Group T-1B-1 on High Pressure Well Completion and Corrosion Mitigation Procedure. Publication 59-6 ..... 73t

Behavior of AZ 63 Alloy and Magnesium —1 Percent Manganese Alloy Anodes in Sodium Chloride Electrolyte by J. H. Greenblatt and E. Zinck 76t
Discussion: Page 643t.

Corrosivity of Soil by N. D. Tomashov and Y. N. Mikhailovsky 77t

Variable Interaction: A Statistical Solution by H. C. Bowen, C. Groot and J. L. Jaech 83t

Effect of Molten Boron Oxide on Selected High Temperature Alloys by David Roller and C. R. Andrews 85t

February—Continued

Developments in Cooling Tower System Treatments (Part 1—Polyvalent Ion-Polyphosphate Inhibitors) by J. I. Bregman and T. R. Newman 97t

Technical Topics

Cathodic Protection for Naval Vessels—Experimental Studies by L. J. Waldron, M. H. Peterson and M. C. Bloom 87

Advantages of Reinforced Polyesters for Use on Highway Tank Trucks by James M. Brady 94

Applications of Lead-Acid Brick Systems in Chemical Plants by E. J. Mullarkey .. 98

March

Equipment and Procedure for Evaluation of Stress Corrosion Susceptibility of a Wrought Copper Base Alloy by G. B. Smith 101t

The Corrosion of Zirconium in Hydrochloric Acid at Atmospheric Pressure by W. E. Kuhn 103t

Corrosion in the Corn Wet Milling Industry by Richard Benes, Fred J. Holsinger and Russell E. Pierson 113t

Application Techniques, Properties and Chemical Resistance of Polyethylene Coatings—A Report of NACE Task Group T-6A-5 on Polyethylene. Publication 59-7 ..... 117t

Amount of Annual Purchases of Corrosion Resistant Materials by Various Industries—A Report of NACE Technical Unit Committee T-3C on Annual Losses Due to Corrosion. Publication 59-8 ..... 121t

Cathodic Protection of Process Equipment—A Report Prepared by NACE Task Group T-3G-3 on Cathodic Protection of Process Equipment. Publication 59-9 ..... 123t

Iso-Corrosion Rate Curves for High Temperature Hydrogen-Hydrogen Sulfide—A Contribution to the Work of NACE Technical Group Committe T-8 by E. B. Backensto and J. W. Sjoberg. Publication 59-10 ..... 125t

The Evaluation of Certain Organic Nitrogen Compounds as Corrosion Inhibitors by E. J. Schwoegler and L. U. Berman. 128t

Corrosion Inhibitor Testing Inside a Products Pipe Line by Robert H. Meyer 131t

Factors Influencing the Rate-of-Pickling Test on Tin-Plate Steel by R. M. Hudson and G. L. Stragand 135t

High Temperature Oxidation of Chromium-Nickel Steels by D. Caplan and M. Cohen 141t

Comparative Corrosion Resistance of 200 and 300 Series Stainless Steels in Chemical Manufacturing Processes by A. C. Hamstead and L. S. Van Delinder 147t

Control of Internal Corrosion of Petroleum Products Pipelines With Oil Soluble Inhibitors by M. R. Barusch, L. G. Haskell and R. L. Piehl 158t

Technical Topics

Behavior of Tin Alloys in Atmospheric Exposures by Robert T. Gore 113

Improved Methods Plus Hot Spray Speed Application of Saran Coatings by Harland A. Morley 116

Bridge Caulking Technique Helps Solve Aerial Pipeline Crossing Problem by Gordon Davis 118

April

Topic of the Month—Automotive Corrosion Resistance—Past and Present by Leonard C. Rowe 167t

Corrosion Problems Associated With Uranium Refining by F. H. Meyer, Jr., F. J. Podlipec and T. R. Kato 168t

April—Continued

Oil Refinery Applications of Thick-Film Synthetic Coatings by R. W. Maier, W. B. Cook and R. B. MacQueen 171t
Discussion: Page 642t.

Corrosion Rate Measurement by Hydrogen Effusion in Dynamic Aqueous Systems at Elevated Temperature and Pressure by M. Krulfeld, M. C. Bloom and R. E. Seebold 179t

Visual Observations on the Water Stream in an Elevated Temperature High Velocity Loop by R. E. Seebold 183t

Minimum Corrosion for Butane Isomerization Units—A Contribution to the Work of NACE Group Committee T-8 on Refining Industry Corrosion by J. F. Mason, Jr., and C. M. Schillmoller. Publication 59-11 ..... 185t

Corrosion of Refinery Equipment by Aqueous Hydrogen Sulfide—A Contribution to the Work of NACE Group Committee T-8 on Refining Industry Corrosion by Roy V. Comeaux. Publication 59-12 ..... 189t

Some Experiments on Internal Oxidation of Nickel Chromium Alloys by H. R. Copson and F. S. Lang 194t

Identification of Corrosion Products on Copper and Copper Alloys—A Report of NACE Technical Unit Committee T-3B on Corrosion Products. Publication 59-13. 199t

Evaluation of Steam Resistant Coatings for Carbon Steel Hospital Ware by E. G. Bobalek, W. R. R. Park, E. G. Bell and W. R. Dawson 202t

Delayed Failure of High Strength Steels by Alexander R. Troiano 207t

The Effect of Sigma Phase vs Chromium Carbides on Intergranular Corrosion of Type 316 and 316L Stainless Steel (Part 1—A Survey of the Literature) by Donald Warren 213t

Technical Topics

Materials Selection and Design Problems in a Nickel-Cobalt Extraction Plant by C. S. Simons 95

New Formulations Give Versatility to Urethane Coatings by Barnard Goodman 100

Glass Fiber Reinforcement for Coatings —Characteristics and Cost Factors by B. A. Graham 102
Discussion: Page 106 of December 1959 issue.

May

The Effect of Sigma Phase vs Chromium Carbides on the Intergranular Corrosion of Type 316 and 316L Stainless Steel (Part 2—Laboratory Investigation) by Donald Warren 221t

Selecting Corrosion and Scale Inhibitors for Cooling Water by Hobart Shields, L. V. Sorg and R. L. Stutz 233t

Summary of Questionnaire Replies on Corrosion in HF Alkylation Units—A Report of NACE Task Group T-5A-6 on HF Corrosion. Publication 59-14 .... 237t

Corrosion Prevention in Tankers and Storage Tanks by Fogging or Flotation With an Inhibitor Solution by J. C. D. Oosterhout, M. E. Stanley and W. S. Quimby 241t

Study of Chemical Factors Affecting Corrosion of Carbon Steel AISI 1020 by Liquid-Phase Fuming Nitric Acid by John B. Rittenhouse and David M. Mason 245t

Photoelectric Information Selector by R. N. Ride and P. J. Knuckey 251t

Classification of Topics Relating to Corrosion by Miss D. M. Brasher 254t

Laboratory Methods for Determining Corrosion Rates Under Heat Flux Conditions by A. O. Fisher and F. L. Whitney, Jr. 257t

Influence of Temperature on Corrosion Fatigue by I. Cornet and Simcha Golan. 262t

May—Continued

Erosion of Materials by Cavitation Attack by D. Peckner....269t

Acetylenic Alcohol-Inhibited Pickling Bath as a Pretreatment Prior to Lining Steel Pipe by K. N. Edwards, L. J. Nowacki and E. R. Mueller....275t

Evaluating the Economy of Reconditioning and Coating Underground Steel Pipe by George M. Pemberton....279t

Technical Topics

High Temperature, High Pressure Testing of Organic Coatings for Oil and Gas Well Tubing by Cordell Garner....121

Solving Some Oil Ash Corrosion Problems by R. S. Norris....126

Comparative Effectiveness of Coatings for Offshore Drilling Structures by C. G. Munger....131

June

Impedance Characteristics of Isolated Aluminum Oxide Films by D. F. MacLennan....283t
Discussion: Page 643t.

Rates of Dissolution and Passivation of Hafnium-Free Zirconium in Hydrofluoric Acid by M. E. Straumanis, W. J. James and A. S. Neiman....286t

Performance of Organic Coatings in Tropical Environments by A. L. Alexander, B. W. Forgeson and C. R. Southwell....291t
Discussion: Page 643t.

Stress Corrosion Crack Paths in Alpha Aluminum Bronze in Ammonia and Steam Atmospheres by J. F. Klement, R. E. Maersch and P. A. Tully....295t

Factors Affecting the Corrosion of Steel by Oil-Brine-Hydrogen Sulfide Mixtures by Donald W. Shannon and James E. Boggs....299t

An Analytical Procedure for Testing the Effectiveness of Hydrogen Sulfide Corrosion Inhibitors by Donald W. Shannon and James E. Boggs....303t

A Laboratory Method for Evaluating Corrosion Inhibitors for Secondary Recovery by T. R. Newman....307t

Wash Primer Development and Characteristics by L. R. Whiting....311t

Evaluation of Protective Coatings for Ship Bottoms by J. R. Brown....315t

Evaluation of Organic Corrosion Inhibitors for Special Applications in Petroleum Refining by R. B. Thompson, R. F. Stedman, Charles Wankat and R. C. Henry....321t

Topic of the Month—Effect of Velocity on Life Expectancy of Steel Pipelines in Commercial Strengths of Sulfuric Acid by T. F. Degnan....326t

Corrosion of Die Casting Alloys in Detergent Solutions Measured by Electrical Resistance Method by H. J. Smith and R. L. Hadley....327t

Progress Report on Inhibiting the Corrosion of Steel in a Reinforced Concrete Bridge by R. F. Stratfull....331t

DISCUSSIONS

Development of the Redox Probe Field Technique: L. P. Sudrabin, Page 335t; Reply by F. E. Costanzo....335t

Coatings for Underwater Metal Surfaces in Fresh Water Exposures: Warren D. Palmer, Page 335t; Reply by S. M. Gleser....335t

Failure of Type 316 Stainless Steel Autoclave Components: C. P. Dillon, Page 336t; Reply by J. P. Hugo and L. G. Nel....336t

Observations on the Mechanisms and Kinetics of Aqueous Aluminum Corrosion: George Panter, Page 336t; Reply by R. L. Dillon....336t

Influence of Service Temperature on the Resistance of Wrought Aluminum-Magnesium Alloys to Corrosion: S. K. Nowak, Page 337t; Reply by E. H. Dix, Jr., W. A. Anderson and M. Byron Shumaker....338t

June—Continued

Technical Topics

Solving Corrosion Problems at Electrical Generating Plants by L. Baskette....95

Five Case Histories on Corrosion Problems in Nitric Acid and Ammonium Nitrate Production and Storage by D. M. Carr....99

Methods of Testing Characteristics of Polyethylene Jackets for Steel Pipe by H. M. McDaniel....100

Corrosion Keeps Knife Sharp on Fruit Canning Machine by S. H. Creed....100

Industrial Coating Performance Improved by Good Design by C. G. Munger....102

July

Comparisons of Wagner's Analysis of Cathodic Protection With Operating Data for Ships by J. H. Greenblatt....339t

Corrosion Resistance of Titanium and Zirconium in Chemical Plant Exposures by P. J. Gegner and W. L. Wilson....341t
Discussion: Page 643t.

Corrosion of Types 316 and 317 Stainless Steel by 75 Percent and 85 Percent Phosphoric Acid by Albert R. Morgan, Jr....351t
Discussion: Page 644t.

Summary of Replies to Questionnaire on Handling of Chlorine Mixtures—A Report of NACE Task Group T-5A-4 on Chlorine, Publication 59-15....355t

Corrosion in Sour Water Strippers by J. F. Mason, Jr., and C. M. Schillmoller....358t

Corrosion Protection Features of the Hyperion Ocean Outfall by Harry J. Keeling....363t

The Classical Potentiostat: Its Application to the Study of Passivity by N. D. Greene....369t

Mechanism of Stress Corrosion of Austenitic Stainless Steels in Chloride Waters by R. W. Staehle, F. H. Beck and M. G. Fontana....373t

Corrosion of Reinforcing Steel in Concrete in Marine Atmospheres by D. A. Lewis and W. J. Copenhagen....382t

Cathodic Protection of Lead Cable Sheath by W. H. Bruckner and Ole G. Jansson....389t
Discussion: Page 644t.

Technical Topics

A Field Method for Screening Inhibitors for Prevention of Water Flood Corrosion by Charles C. Wright....97

Use of Plastics and Synthetic Elastomers for Underground Coatings by E. G. Partridge....101

Mechanism of Stress Corrosion Cracking by Hugh L. Logan....106

Coatings Engineers Help in Power Plant Planning by W. J. Prather....107

August

Corrosion of Aluminum Alloy in Glycol-Water Cooling Systems by N. S. Dempster....395t

Notch Sensitivity Effects in Stress Corrosion and Hydrogen Embrittlement Tests on High Strength Steels by B. F. Brown....399t

Uses and Abuses of Aluminum in Wooden-Hulled, Aluminum-Frame Minesweepers by T. H. Rogers and W. K. Chinn....403t

Zinc in Marine Environments by E. A. Anderson....409t

Corrosion Problems Associated With Sour Gas Condensate Production by D. R. Fincher....413t

The Internal Cathodic Protection of Large Steel Pipes Carrying Sea Water by John H. Morgan....417t

Duct Anode Development and Experience in Protection of Underground Cables From Corrosion by J. E. Johnson....423t
Discussion: Page 646t.

August—Continued

Anchor Pattern Profile and Its Effect on Paint Performance by Joseph Bigos...428t

Probability as Related to Stress Corrosion Cracking of Copper Alloys by D. H. Thompson....433t

Stress Corrosion Cracking of Oil Country Tubular Goods by R. L. McGlasson and W. D. Greathouse....437t
Discussion: Page 646t.

Corrosion of Type 310 Stainless Steel by Synthetic Fuel Oil Ash by Hugh L. Logan....443t

Technical Topics

Filming Amines Control Corrosion in Utility Plant Condensate System by Edward E. Galloway....99

Offshore Platform Shows Corrosion Rate of Carbon Steel in Gulf of Mexico Exposure by Dean Patterson....103

Material Selection in Chemical Milling Process by W. C. Rockwell....105

Recent Developments in Applying Polyvinylchloride Plastisols by J. Watson Pedlow....107

Nickel Alloy Lining Cuts Costs in a Refinery Isomerization Unit by John F. De Lorenzo....109

September

Corrosion Inhibitors for Carbon Tetrachloride—Water Vapor Atmospheres by K. W. Calkins and R. W. Hawley....447t

Evaluation of Performance of Screening Tests of Inhibitors to Prevent Chloride Stress Corrosion by J. H. Phillips and W. J. Singley....450t

Factors Influencing Corrosion by G. V. Akimov....455t

Action of the XO^{n-}_4 Inhibitors by G. H. Cartledge....469t

Design and Materials for Reduced Pump Corrosion by Jack E. Piccardo....473t

Corrosion Processes in Carbonated Beverage Cans by E. L. Koehler, J. J. Daly, Jr., H. T. Francis and H. T. Johnson....477t

Principles and Criteria for Cathodic Protection of Steel in Sea Water—A Review by M. H. Peterson....483t

Planning a Maintenance Coating Program for a Pulp and Paper Plant by M. W. Belue, Jr....488t

Four-Tower Water Treatment Test Facility by R. G. Murray and M. E. Tester....492t

Use of Magnesium for Cathodic Protection of Pipe Lines in High Resistivity Soil by A. W. Peabody....497t

Technical Topics

Mechanisms and Some Theoretical Aspects of Stress Corrosion Cracking of Austenitic Stainless Steels by W. B. Brooks....103

Methods of Installing Cathodic Protection Anodes for Offshore Structures by Wayne A. Johnson and James T. Condry....112
Discussion: Page 106 of December 1959 issue.

Rapid Field Measurement of Sub-Surface Corrosion of Aluminum by Hugh P. Godard....114

Case Histories of Differential Aeration Corrosion in Underground Telephone Cables by David T. Jones....116

October

Engineering Approach to a Paint Testing Program—Justification and Economics by D. A. Ballard and V. B. Volkening....503t

Methods for Investigating the Characteristics of Reactive Coatings by Max Kronstein....508t

Analysis of Industrial Roof Construction and Maintenance by J. C. Lemmon and W. G. Craig....513t

Corrosion Inhibitor Evaluation From Cathodic Polarization Measurements by R. A. Legault and Norman Hackerman....517t

October—Continued

Some Fundamental Aspects of Materials Deterioration IN THE ATMOSPHERE

Mechanisms by Which Ferrous Metals Corrode in the Atmosphere by C. P. Larrabee 526t

Mechanism by Which Non-Ferrous Metals Corrode in the Atmosphere by P. M. Aziz and H. P. Godard 529t

Principles and Procedures Employed in the Design and Interpretation of Atmospheric Corrosion Tests by H. R. Copson 533t

Deterioration of Materials in Polluted Atmospheres by John E. Yocom 541t

Recent Metals Corrosion Articles Published in CORROSION 546t

Corrosion Experience Associated With Hydrometallurgical Refining of Nickel at Sherritt Gordon Mines by R. B. McIntosh 547t

Simple Screening Test for Determination of Inhibitor Film Persistence by John A. Knox and Roy Stout 554t

Technical Topics

A Resume of Procedures for Testing and Evaluating Chemical Resistant Coatings and Linings by R. S. Foster and V. B. Volkening 85

New Bonding Process Gives Added Versatility to Cladding by R. A. Davis 88

Potentialities and Applications of Special Corrosion Resistant Refractories by Roy W. Brown and H. G. Noble 92

November

Controlling Internal Corrosion of Tank Ships by J. Franklin Koehler 557t
Discussion: Page 560t.

New Instruments and Techniques for Ultransonic Measurement of Tank Ship Corrosion Losses by Dwight J. Evans ... 561t

Effects of Foreign Metals on Corrosion of Titanium in Boiling 2M Hydrochloric Acid by Roger Buck, III, Billy W. Sloope and Henry Leidheiser, Jr. ... 566t

Instruments for Measurements in Underground Corrosion Work by K. G. Compton 571t

Equivalent Electrical Circuit Analogy of Structure-to-Soil Potentials by Roy O. Dean 576t

Service Experience With Lead-Silver Alloy Anodes in Cathodic Protection of Ships by K. N. Barnard, G. L. Christie and D. G. Gage 581t

November—Continued

Electrical Bonding of Cathodically Protected to Unprotected Ships by Cdr. G. A. Bennett, N. S. Dempster and A. J. Wallace 587t

Studies on the Susceptibility of Cathodically Protected Steel to Hydrogen Embrittlement by W. H. Bruckner and K. M. Myles 591t

Some Platinum Anode Designs for Cathodic Protection of Active Ships by H. S. Preiser and B. H. Tytell 596t

The Residual Oil Ash Corrosion Problem—A Review—by C. J. Slunder 601t

Electrical Resistance Method for Studying Corrosion Inhibitors in Automotive Anti-Freezes by J. C. Cessna 607t

Effect of Silicon on High Temperature Oxidation of Stainless Steels by John F. Radavich 613t

Technical Topics

Accumulated Residues Attack Chemical Distilling Column by H. Gilman 11-99

Can Corrosion Problems by J. J. Daly, Jr. 11-100

Some Properties and Uses of Chlorinated Polyether by C. S. Miller and J. B. Martin 11-108

December

Corrosion in a Hydrocarbon Conversion System by F. A. Prange 619t

An Industrial Experience of Attack on Metals by Synthesis Gas From Methane-Oxygen Combustion by F. Eberle and R. D. Wylie 622t

High Temperature Deterioration in Atmospheres Containing Carbon-Monoxide and Hydrogen by W. B. Hoyt and R. H. Caughey 627t

Corrosion of Metals at Mandapam Camp, India by K. S. Rajagopalan, M. Sundaram and P. L. Annamalai 631t

Case Histories and Ratings vs Corrosives of Polyester Fiber Glass Equipment by Robert E. Barnett and Thomas F. Anderson 635t

DISCUSSIONS

Observations on the Mechanisms and Kinetics of Aqueous Aluminum Corrosion. (Part 1—Role of the Corrosion Product Film in Uniform Aqueous Corrosion of Aluminum; Part 2—Kinetics of Aqueous Aluminum Corrosion): P. M. Aziz and Hugh P. Godard; Page 642t; Reply by R. L. Dillon, Page 642t.

Oil Refinery Applications of Thick-Film Synthetic Coatings: Charles M. Stanbury, Emile E. Habib, Austin K. Long, DuWayne Christofferson, Page 642t; Replies by R. W. Maier, Page 642t.

Impedance Characteristics of Isolated Aluminum Oxide Films: F. E. DeBoer, Page 643t; Reply by D. F. MacLennan, Page 643t.

Behavior of AZ 63 Alloy and Magnesium—1 Percent Manganese Alloy Anodes in Sodium Chloride Electrolyte: J. L. Robinson, 643t; Reply by J. H. Greenblatt, Page 643t.

Performance of Organic Coatings in Tropical Environments; Seymour J. Fiebach, Page 643t; Reply by A. L. Alexander, Page 643t.

Corrosion Resistance of Titaninum and Zirconium in Chemical Plant Exposures: E. G. Brink, Wayne H. Keller, Page 643t; Milton Stern and Claude R. Bishop, Page 644t; Replies by P. J. Gegner, Pages 643t and 644t.

Corrosion of Types 316 and 317 Stainless Steel by 75 Percent and 85 Percent Phosphoric Acid: C. M. Schillmoller, Page 644t; Reply by A. R. Morgan, Page 644t.

Cathodic Protection of Lead Cable Sheath: R. B. Mears, L. C. Eddy, Page 644t; Vernon B. Pike, Frank E. Kulman, J. J. Pokorny, Page 645t; Replies by W. H. Bruckner, Pages 644t, 645t, 646t.

Duct Anode Development and Experience in Protection of Underground Cables from Corrosion: David T. Jones, Page 646t.

Stress Corrosion Cracking of Oil Country Tubular Goods: H. Lee Craig, Jr., Joe Chittum, Page 646t; Reply R. L. McGlasson, Page 646t.

Technical Topics

Characteristic Properties of Polyurethane Protective Coatings by E. R. Wells 93

Corrosion Control Practices in the Wilmington Water Flood Operation by C. H. Jones, Jr. 99

Cathodic Protection of Southern Pacific's High-Pressure Products Pipe Line—Whole System Installed in Nine months by D. N. Miller 104

Technical Topics Discussions

Glass Fiber Reinforcement for Coatings: Austin K. Long, Sol M. Gleser, Page 106; Replies by B. A. Graham, Page 106.

Methods of Installing Cathodic Protection Anodes for Offshore Structures: Dean C. Glass, Robert L. Davis, Page 106; Replies by Wayne A. Johnson, Page 106.

ERRATA—CORROSION, Volumes 14 and 15

Comparison of Corrosion Engineering or Materials Engineering Functions in Various Chemical Plants by L. W. Gleekman. Corrosion, Vol. 14, 540t (1958) Nov.

Entry under heading "Investigates Paint Problems" for General Chemical Div., Allied Chemical & Dye, Camden, New Jersey, should read:

$$\frac{X}{\text{instead of } \frac{}{No}}$$

The letter "X" will indicate that this company *does* investigate paint problems.

Zinc in Marine Environments by E. A. Anderson. Corrosion, Vol. 15, No. 8, 409t-412t (1959) August.

On page 411t, Tables 10 and 11 at bottom of this errata page should be substituted for Tables 10 and 11.

On page 411t, column 1, second line from the bottom should be changed to read:

vanized sheets were perforated after 26

Design and Materials for Reduced Pump Corrosion by Jack E. Piccardo. Corrosion, Vol. 15, No. 9, 473t-476t (1959) September.

Page 476t, middle column, first two lines of J. E. Piccardo's reply to A. V. Morrison should read as follows:

1. Cavitation erosion is a dynamic action within the fluid and cannot be over-

Effects of Foreign Metals on Corrosion of Titanium in Boiling 2M Hydrochloric Acid by Roger Buck, III, Billy W. Sloope and Henry Leidheiser, Jr. Corrosion, Vol. 15, 566t-570t (1959) Nov.

On page 570t, column 3, two sets of numbered references appear. The top set, numbered one through seven with all numbers in parenthesis, apply to Table 4 of the article rather than to the text. The six references immediately below this group apply to the text.

Abstract Section. Pages of the Corrosion Abstracts section in the January and February 1959 issues were numbered incorrectly in the lower outside margins where the "a" series numbers are carried. The January issue should have begun with 1a and ended with 18a. The February issue should have begun with 19a and ended with 28a. Corrected numbers are reproduced below for pasteup correction of these two issues:

1a	2a	3a	4a	5a	6a	7a
8a	9a	10a	11a	12a	13a	14a
15a	16a	17a	18a	19a	20a	21a
22a	23a	24a	25a	26a	27a	28a

TABLE 11—Calculated and Observed Coating Life

Location	Weight of Coating (a)	Time to 100% Rust—Years		Time to Perforation of Black Iron—Years
		Observed	Calculated	
Key West	2.5	>26	99	..
Key West	2.0	>26	79	..
Key West	1.5	>26	60	..
Key West	1.25	>26	50	..
Key West	0.75	>26	30	..
Key West	None	....	..	3.9
Sandy Hook	2.5	>25	30	..
Sandy Hook	2.0	>25	24	..
Sandy Hook	1.5	17.9	18	..
Sandy Hook	1.25	15.2	15	..
Sandy Hook	0.75	11.3	9	..
Sandy Hook	None	....	..	7.3 (b)
State College	2.5	>32	50	..
State College	2.0	>32	40	..
State College	1.5	>32	30	..
State College	1.25	>32	25	..
State College	0.75	23.5	15	..
State College	None	....	..	26

(a) In ounces per square foot of sheet.
(b) Average of sheets showing failure—final average may be higher.

TABLE 10—Atmospheric Corrosion of Corrugated Galvanized Sheets

Location	Steel Gauge	Weight of Coating (a)	Time in Years To—				
			First Rust	100% Rust	Sheet Perforation	Rust (b) Spots	Perforation from Below (b)
Key West	22	None	.....	.....	3.9	.....	.....
Key West	16	2.5	>26	>26	>26	>26	21.9->26
Key West	22	2.5	>26	>26	>26	25.5	24.3->26
Key West	22	2.0	>26	>26	>26	22.8	25.5
Key West	22	1.5	>26	>26	>26	19.8	21.5
Key West	22	1.25	21.5->26(c)	>26	>26	19.8	22.8
Key West	22	0.75	18.3(d)	>26	>26	12.5(d)	17.5(d)
Key West	28	0.75	18.7(d)	>26	>26	13.1(d)	18.9(d)
Sandy Hook	22	None	.....	.....	7.3(d)	(e)	(e)
Sandy Hook	16	2.5	11.8	>25	>25	(e)	(e)
Sandy Hook	22	2.5	13.1	>25	>25	(e)	(e)
Sandy Hook	22	2.0	9.9	>25	>25	(e)	(e)
Sandy Hook	22	1.5	7.6	17.9	>25	(e)	(e)
Sandy Hook	22	1.25	6.8	15.2	>25	(e)	(e)
Sandy Hook	22	0.75	4.8	11.3	>25	(e)	(e)
Sandy Hook	28	0.75	4.9	11.1	>25	.....	.....
State College	22	None	.....	.....	26	(e)	(e)
State College	16	2.5	24.6	>32	>32	(e)	(e)
State College	22	2.5	26.3(d)	>32	>32	(e)	(e)
State College	22	2.0	22.5	>32	>32	(e)	(e)
State College	22	1.5	17.1	>32	>32	(e)	(e)
State College	22	1.25	14.6	>32	>32	(e)	(e)
State College	22	0.75	10.0	23.5	>32	(e)	(e)
State College	28	0.75	11.1	24.0	>32	(e)	(e)

(a) In ounces per square-foot of sheet coated both side.
(b) Rust spots and perforation due to corrosion from below penetration zinc coating on upper side.
(c) Only one sheet showed first rusting—remaining 16 showed no rust in 32 years.
(d) Average of sheets showing failure—final average may be higher.
(e) Corrosion from below did not occur at this site.

REPRINTS

Of Articles Published In Corrosion

Remittances must accompany all orders for literature the aggregate cost of which is less than $5. Orders of value greater than $5 will be invoiced if requested. Add 65c per package to the prices given below for Book Post Registry to all addresses outside the United States, Canada and Mexico. Send orders and remittances to NACE, 1061 M&M Bldg., Houston 2, Texas.

Aluminum

The Performance of Alcan 65S-T6 Aluminum Alloy Embedded in Certain Woods Under Marine Conditions by T. E. Wright, H. P. Godard and I. H. Jenks ..... .50

Application of Statistical Theory of Extreme Values to the Analysis of Maximum Pit Depth Data for Aluminum by R. M. Aziz ..... .50

Mechanism of Inhibiting Effect of Hydrofluoric Acid in Fuming Nitric Acid on Liquid-Phase Corrosion of Aluminum and Steel Alloys by Davis M. Mason and John B. Rittenhouse ..... .50

An Eddy Current Gauge for Measuring Aluminum Corrosion by W. E. Ruther .. .50

The Corrosion Behavior of Aluminum by Hugh P. Godard ..... .50

Aqueous Corrosion of Aluminum—Part 2—Methods of Protection Above 200 C by J. E. Draley and W. E. Ruther ..... .50

Compatibility of Aluminum With Alkaline Building Products by C. J. Walton, F. L. McGeary and E. T. Englehart ..... .50

Structural Features of Corrosion of Aluminum Alloys in Water at 300 C by Kurt M. Carlsen ..... .50

The Static Electrode Potential Behavior of Aluminum and the Anodic Behavior of the Pure Metal and Its Alloys in Chloride Media by E. M. Khairy and M. Kamal Hussein ..... .50

Reaction of Certain Chlorinated Hydrocarbons with Aluminum by A. C. Hampstead, G. B. Elder and J. C. Canterbury ..... .50

Effects of Cold Working on Corrosion of High Purity Aluminum in Water at High Temperatures by M. J. Lavigne ..... .50

Cathodic Protection and Pipe Lines

Cathodic Protection of Internals of Ships by L. P. Sudrabin ..... .50

Cathodic Protection of Oil Well Casings at Kettleman Hills, California by J. K. Ballou and F. W. Schremp ..... .50

Cathodic Protection of an Active Ship Using Zinc Anodes by B. H. Tytell and H. S. Preiser ..... .50

Polarization in the Corrosion of Ice Breakers by J. H. Greenblatt ..... .50

The Application of Cable in Cathodic Protection—Part I by M. A. Riordan and Part II by R. G. Fisher ..... .50

Economic Considerations in Pipe Line Corrosion Control by L. G. Sharpe ..... .50

Application of Cathodic Protection to 48 Well Casings and Associated Production Facilities at Waskom Field by G. L. Doremus, W. W. Mach and J. J. Lawnick .50

Potential Criteria for the Cathodic Protection of Lead Cable Sheath by K. G. Compton ..... .50

Current Requirement for Cathodic Protection of Oil Well Casing by E. W. Haycock ..... .50

Electrochemical Deterioration of Graphite and High-Silicon Iron Anodes in Sodium Chloride Electrolytes by S. Tudor, W. L. Miller, A. Ticker and H. S. Preiser ..... .50

The Use of Magnesium for the External Cathodic Protection of Marine Vessels by C. F. Schriber ..... .50

Cathodic Protection of Lead Cable Sheath in the Presence of Alkali from Deicing Salts by Walter H. Bruckner and W. W. Lichtenberger ..... .50

Microbiological Deterioration of Buried Pipe and Cable Coatings by F. E. Kulman .... .50

Electrical Measurements and Their Interpretation in Underground Cable Corrosion Problems by K. G. Compton ..... .50

Coatings

How to Determine a 'Comparable Cost' for Paints by V. B. Volkening and J. T. Wilson, Jr. ..... .50

Testing of Coal Tar Coatings (11)—Field Exposure in Cold Climates by W. F. Fair, Jr., C. U. Pittman and M. G. Sturrock ... .50

Inhibitors

Evaluation of Refinery Corrosion Inhibitors by A. J. Freedman and A. Dravnieks .50

Developments in Cooling Tower System Treatments (Part 1 — Polyvalent Ion-Polypho:phate Inhibitors) by J. I. Bregman and T. R. Newman ..... .50

Corrosion Inhibitor Testing Inside a Products Pipe Line by Robert H. Meyer ... .50

Dicyclohexylammonium Nitrite, a Volatile Corrosion Inhibitor for Corrosion Preventive Packaging by A. Wachter, T. Skei and N. Stillman ..... .50

Inhibiting a Cooling Water Tower System by F. L. Whitney, Jr. ..... .50

Some Experiences with Sodium Silicate as a Corrosion Inhibitor in Industrial Cooling Waters by J. W. Wood, J. S. Beecher and P. S. Laurence ..... .50

Non-Chemical Factors Affecting Inhibitor Selection and Performance in Air Conditioning Cooling Waters by Sidney Sussman. .50

Inhibiting Effect of Hydrofluoric Acid in Fuming Nitric Acid by David M. Mason, Lois L. Taylor and John B. Rittenhouse .. .50

Nitrite Inhibition of Corrosion: Some Practical Cases by T. P. Hoar ..... .50

Study of the Compatability of Floating-Type Inhibitors and Cathodic Protection by E. R. Streed ..... .50

Miscellaneous

The Corrosion of Steel in a Reinforced Concrete Bridge by R. F. Stratfull ..... .50

Some Aspects of the Corrosion Processes of Iron, Copper and Aluminum in Ethylene Glycol Coolant Fluids by P. F. Thompson (Deceased) and K. F. Lorking ..... .50

Corrosion Control by Magic—It's Wonderful by H. H. Uhlig ..... .50

Why Metals Corrode by H. H. Uhlig ..... .50

The Relation of Thin Films to Corrosion by Thor N. Rhodin ..... .50

Fundamentals of Liquid Metal Corrosion by W. D. Manly ..... .50

The Oxidation of Molybdenum by E. S. Jones, Capt. J. F. Mosher, Rudolph Speiser and J. W. Spretnak ..... .50

Corrosion and Metal Transport in Fused Sodium Hydroxide (Part 2—Corrosion of Nickel-Molybdenum-Iron Alloys) by G. Pedro Smith and Eugene E. Hoffman .... .50

Corrosion and Metal Transport in Fused Sodium Hydroxide—Part 3—Formation of Composite Scales on Inconel by G. Pedro Smith, Mark E. Steidlitz and Eugene E. Hoffman ..... .50

Some Concepts of Experimental Design by J. D. Hromi ..... .50

The Growth of Ferrous Sulfide on Iron, by R. A. Jeussner and C. E. Birchenall ..... .50

Standardization in the Field on Corrosion and Corrosion-Protection in Germany by Henry Hives ..... .50

A Kinetic Study of Acid Corrosion of Cadmium by Henry Weaver, Jr. and Cecil C. Lynch ..... .50

Cavity Formation in Iron Oxide by D. W. Juenker, R. A. Meussner and C. E. Birchenall ..... .50

Relation of Corrosion to Business Costs by Aaron Wachter ..... .50

The Corrosion of Iron in High-Temperature Water. Part I—Corrosion Rate Measurements by D. L. Douglas and F. C. Zyzes .. .50

Corrosion Studies in High Temperature Water by a Hydrogen Effusion Method by M. C. Bloom, Krulfeld, W. A. Fraser and Vlannes ..... .50

Corrosion of Metals in Tropical Environments. Part 1—Five Non-Ferrous Metals and a Structural Steel, by B. W. Forgeson, C. R. Southwell, A. L. Alexander, H. W. Mundt and L. J. Thompson ..... .50

Prevention of Localized Corrosion in Sulfuric Acid Handling Equipment by G. A. Nelson ..... .50

High Temperature Oxidation of Iron-Nickel Alloys by M. J. Brabers and C. E. Birchenall ..... .50

Controlling Corrosion in Coal-Chemical Plants by C. P. Larrabee and W. L. Mathay ..... .50

Corrosion and the Destination of Corrosion Products in a High Pressure Power Plant by Ross C. Tucker ..... .50

Methods for Increasing the Corrosion Resistance of Metal Alloys by N. D. Tomashov ..... .50

Corrosion of Zinc by Differential Aeration by G. Bianchi ..... .50

SYMPOSIUM ON CORROSION BY HIGH PURITY WATER

Introduction, John F. Eckel

Corrosion of Structural Materials, A. H. Roebuck, C. R. Breden and S. Greenburg.

Corrosion Engineering Problems, D. J. DePaul.

Importance of Data to Industrial Application. W. Z. Friend. Per Copy $1.50

Petroleum Production and Storage

Naphthenic Acid Corrosion—An Old Enemy of the Petroleum Industry by W. A. Derungs ..... .50

Analysis of Corrosion Pitting by Extreme Value Statistics and Its Application to Oil Well Tubing Caliper Surveys by G. C. Eldredge ..... .50

Interpretation of Tubing Caliper Surveys by Victor W. Maxwell and Ben D. Park .... .50

A Laboratory Study of N-Oleoyl Sarcosine as a Rust Inhibitor in Some Petroleum Products by Robert M. Pines and John D. Spivack ..... .50

Sulfide Corrosion Cracking of High Strength Bolting Materials by Donald Warren and G. W. Beckman ..... .50

Corrosion in Amine Gas Treating Solutions by F. S. Lang and J. F. Mason, Jr. ..... .50

Corrosion Products of Mild Steel in Hydrogen Sulfide Environments by F. H. Meyer, O. L. Riggs, R. L. McGlasson and J. D. Sudbury ..... .50

An Electrical Resistance Method of Corrosion Monitoring in Refinery Equipment by A. J. Freedman, E. S. Troscinski and A. Dravnieks ..... .50

THREE PAPERS ON SULFIDE CORROSION

A Note on the Value of Ammonia Treatment for Tank and Casing Annulus Corrosion by Hydrogen Sulfide by Walter F. Rogers

Use of Ammonia to Prevent Casing Corrosion by H. E. Greenwell, Rado Loncaric and Harry G. Byars

Electrochemical Studies of the Hydrogen Sulfide Corrosion Mechanism by Scott P. Ewing 1.00

Stainless Steel, Titanium

Effect of Sigma Phase vs Chromium Carbides on the Intergranular Corrosion of Type 316 and 316L Stainless Steel (Part 1—A Survey of the Literature) by Donald Warren ..... .50

The Effect of No, HNO_2, and HNO_3 on Corrosion of Stainless Steel by H_2SO_4 by W. P. McKinnell, Jr., L. F. Lockwiid, R. Speiser, F. H. Beck and M. G. Fontana .50

Inhibiting Effect of Hydrofluoric Acid in Fuming Nitric Acid on Corrosion of Austenitic Chromium-Nickel Steels, by Clarence Levoe, David Mason and John Rittenhouse ..... .50

Alphabetical Subject Index

CORROSION Technical and Technical Topics Sections, Volume 15, 1959

NOTE: The index is being expanded this year to include Technical Topics as well as Technical Section articles. Designation of Technical Section articles will be made by the appropriate "t" number as has been the custom in the past. For Technical Topics articles both the issue number of Corrosion and the page number will be given. For example, the notation 9-116 would mean September issue (9th month) of Corrosion, page 116. The notation 10-101 would mean October issue, page 101.

A

Abrasion, starch granules vs hard rubber and resins, 113t

Abrasion resistance, plastics, 11-108

" ", refractories, 10-92

Abrasives, anchor pattern profile in blast cleaning related to, 428t

Abstract cards, 254t

" ", photoelectric information selector used with, 251t

Abstracts, metals corrosion articles recently published in CORROSION, 546t

Accelerated testing, steel reinforced by mortar in salt spray, 382t

" ", atmospheric corrosion of metals, 533t

Acetals, production of, 311t

Acetylenic alcohol-inhibited pickling bath for steel pipe, 275t

ACID
- Acetic, stainless steel (200 and 300 series) vs, 147t
- ", " " (Types 316 and 316L) vs, 221t
- Benzoic, inhibition of hydrogen sulfide with, 303t
- Carbonic, iron vs, 526t
- Chromic, inhibiting effect of on aluminum, 7t
- ", wash primers formed from, 311t
- Citric, stainless steel (Types 316 and 316L) vs, 221t
- Formic, stainless steel (Types 316 and 316L) vs, 221t
- Hydrochloric, austenitic stainless steel equipment chemically cleaned with, 69t
- ", butane isomerization units vs, 185t
- ", high nickel-molybdenum alloys in starch production vs, 113t
- ", mild steel vs, 517t
- ", mill scale removed with, 17t
- ", nickel tubing vs, 1-112
- ", organic coatings for oil well tubing tested in, 5-121
- ", pumping of into sour gas wells, 413t
- ", titanium and zirconium resistance to, 341t
- ", titanium coupled to foreign metals in, 566t
- ", zirconium at atmospheric pressure vs, 103t
- Hydrofluoric, fuming nitric acid corrosion of AISI 1020 affected by, 245t
- ", in HF alkylation units, 237t
- ", rates of dissolution and passivation of hafnium-free zirconium in, 286t

A—Continued

- Nitric, passivation of hafnium-free zirconium in HF after addition of, 286t
- ", production and storage of, 6-99
- ", stainless steel (200 and 300 series) vs, 147t
- ", " " (Type 304) vs, 257t
- ", " " (Types 316 and 316L) vs, 221t
- ", titanium and zirconium resistance to, 341t
- Nitric (fuming), carbon steel AISI 1020 vs, 245t
- Oxalic, stainless steel (Type 316 and 316L) vs, 221t
- Perchloric, effect of in corrosion of AISI 1020 by fuming nitric acid, 245t
- Phosphoric, aluminum alloys tested in, 63t
- ", inhibiting effect of on aluminum, 7t
- ", ship bottom coatings exposed to, 315t
- ", stainless steel (Type 316) vs, 257t
- ", " " (Types 316 and 316L) vs, 221t
- ", " " (Types 316 and 317) vs, 351t
- ", wash primers formed from, 311t
- Sulfuric, aluminum oxide films formed in presence of, 283t
- ", effect of in corrosion of AISI 1020 by fuming nitric acid, 245t
- ", lead-acid brick vs, 2-98
- ", material in nickel extraction plant vs, 4-95
- ", starch production equipment vs, 113t
- ", stainless steel (Types 316 and 316L) vs, 221t
- ", titanium and zirconium resistance to, 341t
- ", titanium coupled to foreign metals in, 566t
- ", valve seat ring (Type 316 SS) vs in water treating system, 1t
- ", velocity of in steel pipe lines, 326t
- Sulfurous, stainless steel (Type 304) vs, 113t

Acid cleaning of scale and corrosion products, 17t

Acid stripper tower, HF vs, 237t

Acid theory of pitting corrosion, 25t

Acidic environments, inhibitors for steel in, 321t

Acidization of sour gas wells, 413t

ACIDS
- Intergranular attack of stainless steels in, 213t
- Mineral, polyurethane coatings vs, 12-93

A—Continued

ACIDS (Continued)
- Organic, stainless steels vs, 147t
- Polyesters vs, 635t
- Polyethylene coatings vs, 117t
- Refractories used in, 10-92

Additives, oil ash corrosion from fuel reduced by use of, 5-126

", oil ash corrosion reduced with, 601t

Adhesive pipe-plastic coating, 6-100

Admiralty metal, ammonia and hydrogen sulfide vs, 321t

" ", cooling waters vs, 233t

" ", inhibited cooling tower water vs, 97t

" ", inhibitors to protect, 321t

Admiralty tubes, HF vs, 237t

Admiralty tubing, stress corrosion cracking of, 433t

Adsorbed films in pipe lines, behavior of, 158t

Adsorbed particles in inhibitors, 469t

Adsorption, inhibitor film persistence related to, 554t

Adsorption theory of pitting corrosion, 25t

Adsorptive power of nitrogen compound inhibitors, 128t

Aeration, phosphoric acid attack of stainless steel measured under conditions of, 351t

", soil corrosivity to buried metals affected by, 1-107

", stress corrosion cracking of copper alloys related to, 433t

Aerial pipe line crossing, corrosion problems of, 3-118

Aging of wash primers, 311t

Air, nickel-chromium alloys oxidized in, 194t

Air observation of products pipe line, 12-104

Air oxidation, aqueous corrosion of aluminum related to, 9t

Air pollution, 541t

Air preheater tubes, deposits on, 5-126

Aircraft, high strength steels for, 207t

Aircraft fuels, inhibitors for in pipe lines, 158t

Aircraft industry, materials selection in chemical milling process, 8-105

Aircraft oil cooler, aluminum tubing corrosion of, 395t

Alclad, good resistance of to perforation in cooling towers, 20t

Alcohols, acetylenic, inhibiting of pickling bath with, 275t

Aldehydes, stainless steels vs, 147t

Alkalies, polyesters vs, 635t

", polyethylene coatings vs, 117t

", refractories used in, 10-92

Alkaline solution vs lead, 389t

Alkyd-melamine coating, chemical resistance of at ambient temperatures, 1-111

A—Continued

Alkyd-phenolic resins, tropical environments vs, 291t

Alkyds, high-film-build, application of, 171t

Alkyds, steam resistance of, 202t

Alkylation units, HF, corrosion in, 237t

Alloying, steel for industrial and marine atmospheres, 526t

", stainless steel, resistance to pitting affected by, 25t

ALLOYS
- Aluminum, aqueous corrosion of, 9t, 13t
- ", electrochemical study of, 63t
- ", high purity water in at temperatures above 150 C, 7t
- ", milling process use of, 113t
- ", nuclear reactors of in low purity water, 83t
- ", selection of for cooling towers, 20t
- Aluminum-magnesium (wrought), temperature vs, 337t
- Aluminum bronze, stress corrosion crack paths in, 295t
- " ", wrought, testing of for stress corrosion cracking susceptibility, 101t
- AZ 63 and Mg—1 percent Mn anodes in NaCl electrolyte, 76t
- Chrome-nickel, tubes of for dehydrogenation, 619t
- Copper, identification of corrosion products on, 199t
- ", stress corrosion cracking resistance of, 433t
- Die casting, detergent solutions vs, 327t
- Heterophase and monophase, 455t
- High nickel-molybdenum vs HCl, 113t
- Lead-silver, ship anodes of, 581t
- Molten boron oxide vs at high temperatures, 85t
- Nickel-chromium, internal oxidation of, 194t
- Nickel-chromium - iron - molybdenum, for heat exchangers, 9-103
- Nickel-copper, atmospheric corrosion of, 533t
- ", titanium coupled with in HCl, 566t
- Oil ash corrosion resistant, 601t
- Sour water stripper components, selection of materials for, 358t
- Tin, atmospheric exposure of, 3-113
- Wrought aluminum - magnesium, influence of service temperature on, 55t

Alpha aluminum bronze, stress corrosion crack paths in, 295t

Alumina, bonded fused and fused-cast beta, high temperatures vs, 10-92

", insulating brick of, 10-92

A—Continued

Aluminizing for high temperature exposure, 10-92

Aluminizing vs oil ash corrosion, 601t

ALUMINUM

Alloy of in glycol-water cooling systems, 395t

Alloys containing vs molten boron oxide, 85t

Anti-freezes vs, 607t

Appearance of in corrosion product formed when AZ 63 exposed to NaCl, 76t

Aqueous corrosion of, 336t, 642t

Atmospheric corrosion of, 529t

Compounds of added to residual fuel oil, 601t

Corrosion of in India, 631t

Electrochemical study of, 63t

Fencing material of for marine atmospheres, 6-95

High temperature corrosion product films on, 7t

Magnesium alloying of vs temperature, 55t

Mechanisms and kinetics of aqueous corrosion of, 9t, 13t

Milling system for, 8-105

Minesweeper with frames of, 403t

Pitting corrosion of, 25t

Sour water stripper components made of vs hydrogen sulfide, 358t

Sub-surface corrosion measurements on, 9-114

Sulfur dioxide vs, 541t

Stress corrosion of, 455t

Titanium coupled with in HCl, 566t

2S, in oxygen-saturated water at 50C, 13t

Aluminum-magnesium alloys (wrought), service temperatures affect, 337t

Aluminum alloy, M-388, deionized water vs, 13t

Aluminum alloys, detergent solutions and tap water vs, 327t

" ", M-388 for nuclear reactors, 83t

" ", X2219 for nuclear reactors, 83t

" ", 1245 for nuclear reactors, 83t

Aluminum brass tubing, stress corrosion cracking of, 433t

Aluminum bronze, alpha, stress corrosion crack paths in, 295t

" ", sulfurous acid vs, 113t

" ", wrought alloys of vs stress corrosion cracking, 101t

Aluminum cooling towers and their treatment, 20t

Aluminum oxide films, impedance characteristics of, 283t

Aluminum oxide films, isolated, 643t

Aluminum tanks, ammonium nitrate stored in, 6-99

Amine inhibitors in water flood operation, 12-99

Amine scrubber unit, inhibitors in, 189t

Amines, filming, in utility plant condensate system, 8-99

", ", sour water strippers protected with, 358t

Amines, glycol-water solution inhibited with, 607t

Amines as inhibitors, 517t

Ammonia, leach solutions of, 547t

", stress corrosion crack paths of alpha aluminum bronze in atmosphere of, 295t

", stress corrosion cracking of copper alloys in, 433t

A—Continued

Ammonia leach process in nickel refining, 547t

Ammonium fluoride, addition of affects dissolution rate of Zr in HF, 286t

Ammonium nitrate, production and storage of, 6-99

Analysis of variance in determining effects of low purity water in nuclear reactors, 83t

Anchor pattern profile, effect of on paint performance, 428t

Annealing, lag time of tin-plate steel influenced by, 135t

Annealing, stress corrosion cracking of copper alloys affected by, 433t

", weldments, steel, affected by, 2t

Annealing temperature of zirconium influences corrosion rate in HCl, 103t

Anode assemblies, reinforced concrete bridges having, 331t

Anode beds, magnesium, 497t

Anode cathode relationship between welds and their parent metals, 2t

ANODES

AZ 63 alloy and Mg—1 percent Mn alloy in NaCl electrolyte, 76t

Duct, underground, 423t

Graphite, duct, 646t

", failure of at lead wire connection, 12-106

", for ships, 581t

", products pipe line protected with, 12-104

", underground cable protected with, 423t

Lead-silver alloy for ships, 581t

Magnesium for ships, 581t

", in high resistivity soil, 497t

", naval vessels protected with, 2-87

", steel process equipment protected with, 123t

", tank ship, 557t

Magnesium-manganese, 643t

Offshore structure installation of, 9-112

Platinum, for ships, 581t, 596t

", submarine protected with, 2-87

Sacrificial, steel pipe sewer outfall in ocean unsuitable for, 363t

Ship, 339t, 581t, 587t

Silicon iron, underground cable protected with, 423t

Steel, for ships, 581t

Steel pipe protected with inside mounting of, 417t

Zinc, chemical process equipment protected with, 123t

" (sacrificial), aluminum frame minesweeper use of, 403t

", pipe line in ocean protected with during installation, 363t

Anodic behavior, aluminum alloys tested by repetitive oscillographic method, 63t

Anodic reactions in pitting of metals, 25t

Anti-freezes, automobile, inhibition of, 607t

Antimony, titanium coupled with in HCl, 566t

APPLICATION

Chlorinated polyether, 11-108

Coal tar-epoxy resins for underground pipe, 7-101

Coatings on steel structures, 6-102

Hot spray coating of Saran, 3-116

A—Continued

APPLICATION (Continued)

Polyvinylchloride plastisols, 8-107

Pulp plant coatings, 488t

Steam resistant coatings to carbon steel hospital ware, 202t

Thick-film synthetic coatings in oil refineries, 171t

Application techniques, polyethylene coatings, 117t

Applied potential, effect of on corroding aluminum, 9t

Aqueous corrosion, aluminum, 642t

" ", aluminum and its alloys, 7t, 9t, 13t

Aqueous hydrogen sulfide vs refinery equipment, 189t

Aqueous uranyl nitrate vs stainless steels, 168t

Aqueous systems, dynamic, hydrogen effusion measurements in, 179t

Aromatics, polyethylene vs, 6-100

Arsenic, flood water inhibited with, 12-99

Artificial pit specimens, use of in pitting studies on stainless steels, 32t

Artificial pits, use of in study of pitting corrosion, 25t

Asphalt coatings, underground pipe, 7-101

Asphalt emulsion, offshore structure use of, 5-131

Asphalt mastic, rubberized, coatings of on offshore drilling structures, 5-131

Asphalt roofing, 513t

Atmosphere, industrial and marine vs ferrous metals, 526t

", inland, organic coatings vs in tropics, 291t

", marine, organic coatings vs in tropics, 291t

Atmospheres, carbon monoxide and hydrogen containing, metals vs, 627t

", polluted, materials deterioration in, 541t

ATMOSPHERIC CORROSION

Coatings selection against, 10-85

Ferrous metals vs, 526t

Industrial, reinforced concrete cracks in, 382t

Inhibitors to combat, 447t

Materials deterioration from, 541t

Tests, 533t

Tin alloys, 3-113

Titanium, zirconium and other metals, 341t

Zinc and galvanized steel, 409t

Zinc, copper and mild steel in India, 631t

Atmospheric corrosivity in different countries, 533t

Atmospheric salinity, metals corrosion related to, 631t

Augelite forms as corrosion product on aluminum alloys, 7t

Autocatalytic nature of pitting process in metals, 25t

Autoclave, oxidation, lead-acid brick used to reline, 2-98

Autoclaves, leaching, Type 316 stainless steel, 547t

Automobile anti-freezes, inhibition of, 607t

Automobile paint, air pollution vs, 541t

Automotive corrosion resistance, 167t

AZ 63 alloy and Mg—1% Mn alloy anodes in NaCl electrolyte, 76t

B

Backfill, gypsum moulding plaster, 497t

Bacteria, underground corrosion accelerated by, 1-107

Bactericides, aluminum compatible with in cooling towers, 20t

Baffles, reaction gases vs, 622t

Baking, hydrogen eliminated from high strength steels by, 207t

Bentonite clay emulsions for industrial roofing, 513t

Bibliography, abstracts of metals corrosion articles recently published in CORROSION, 546t

Biological corrosion, marine boring organisms vs wood, 45t

Bismuth, titanium coupled with in HCl, 566t

Bitumen, roofing of, 513t

Bitumens, tropical environments vs, 291t

Bituminous coatings, steam resistance of, 202t

Blast cleaning rates on steel, 428t

Bleed steam system, materials selection for, 4-95

Boehmite, formation of in anodized aluminum, 283t

Boehmite forms as corrosion product film on aluminum alloys, 7t

Boiler, waste heat type, 622t

Boiler water, inhibition of, 450t

Boilers, alkalies vs, 455t

", oil ash corrosion problems in, 601t, 5-126

Bolts, aluminum, sea water exposure of, 403t

Bonding, electrical, of ships, 587t

", lead to steel, 4-95

Bonding process, cladding versatility increased by, 10-88

Borax, inhibition of anti-freezes with, 607t

Boron oxide, molten, high temperature alloys vs, 85t

Brass, anti-freezes vs, 607t

", atmospheric corrosion of, 533t

", cast high tensile, erosion resistance of, 269t

Breakaway corrosion, zirconium in HCl, 103t

Breaks in rate curves related to stainless steel scaling, 141t

Brick, bubble alumina insulating, 10-92

", lead-acid, in chemical plants, 2-98

", paving, impingement tests on, 10-92

Bridge caulking technique solves aerial pipe line crossing problem, 3-118

Bridges, reinforcing steel in concrete corrodes in marine atmospheres, 382t

Brine, flood water containing, 307t

Brine-hydrogen sulfide systems, stress corrosion cracking in, 437t

Brine-oil-hydrogen sulfide mixtures vs steel, 299t, 303t

Brine solution, corrosion fatigue of steel in, 262t

Brittle fracture, pipe at low temperature, 591t

Bronze, alpha aluminum, stress corrosion crack paths in, 295t

", aluminum alloyed, wrought, stress corrosion cracking of, 101t

", atmospheric corrosion of, 533t

Bronze compared to copper under nickel/chromium, 3-113

Bronze under copper and nickel, resistance of, 3-113

Bubble caps, residues vs, 11-99

B—Continued

Buffering in inhibitor evaluation, 517t

Building materials vs sulfur dioxide, 541t

Bulk and barrier films, aluminum in aqueous solutions related to, 9t

Bunker-C oil, oil ash corrosion problems involving, 601t

Butane dehydrogenation process, 619t

Butane isomerization units, minimum corrosion for, 185t

Butoxy resins, underground pipe protected with, 7-101

Butyl rubber, underground pipe coated with, 7-101

C

"C" factor in inhibitor evaluation inside pipe lines, 131t

Cable sheath, lead, cathodic protection of, 389t

", measurements on, 571t

Cables, bare, in sea water, coatings for, 7-101

", underground, differential aeration on, 9-116

", ", duct anodes to protect, 423t

Cadmium, synergized polyphosphate containing, 97t

", plating of on aircraft steels, 207t

", tin as undercoat on, 3-113

", titanium coupled with in HCl, 566t

Calcium, compounds of added to residual fuel oil, 601t

Calcium chloride, titanium and zirconium resistance to, 341t

Calcium phosphate, deposition of in cooling tower water, 97t

Canned product processing, 11-100

Canned-motor type centrifugal pump, 473t

Canning, fruit, cutter blade sharpened by corrosion, 6-100

Cans, carbonated beverage, 477t

", corrosion of, 11-100

Carbide precipitation, intergranular corrosion of stainless steels related to, 213t

Carbon dioxide and atmospheric corrosion, 541t

Carbon dioxide in electric utility plants, 8-99

Carbon monoxide as a hydrogen sulfide inhibitor, 303t

Carbon monoxide, atmospheres containing, metals vs, 627t

" ", internal oxidation of nickel-chromium alloys in, 194t

" ", lag time of tin-plate steel influenced by, 135t

Carbon pick up, avoiding of on clad sheet welding, 10-88

Carbon tetrachloride-water vapor atmospheres, inhibitors for, 447t

Carbonated beverage cans, 477t

Carburization attack, tubing affected by, 627t

Carburization in methane-oxygen combustion, 622t

Carburization in 80-20 nickel chromium, 194t

Cargo tanks, protection of, 557t

Casing, high pressure gas well, materials for, 73t

Catalytic reforming process, hydrogen sulfide vs steels in, 125t

Catalytic reforming units, inhibiton of, 189t

C—Continued

Catalyst cured phenolics and epoxies in refinery applications, 171t

Catalyst cured epoxy-modified phenolics, refinery applications of, 171t

Catalyst tube, materials selection for, 619t

Cathode electrode area, polarization characteristics of pit specimens related to, 39t

Cathode ray tube, ultrasonic resonance device, 561t

Cathodic inhibitors, cooling tower water treated with, 97t

CATHODIC PROTECTION

- AZ 63 alloy and Mg-1% Mn alloy anodes in NaCl electrolyte, 76t
- Duct anode development, 646t
- Duct anodes for underground cable, 423t
- High pressure products pipe line, 12-104
- Inhibitor evaluation from measurements from, 517t
- Lead cable sheath, 389t, 644t
- Minesweepers, aluminum - frame, 403t
- Naval vessels, 403t, 2-87
- Offshore structures, 9-112
- Pipe lines in high resistivity soil, 497t
- Pipe lines in soil, 335t
- Process equipment, 123t
- Reinforcing steel in concrete, 382t
- Ship operating data compared with Wagner's analysis, 339t
- Ships, 339t, 403t, 483t, 557t, 581t, 587t, 596t, 2-87
- Soil corrosivity measurements, methods used in making, 77t
- Steel in reinforced concrete bridge, 331t
- Steel in sea water, 483t
- Steel pipes carrying sea water, 417t
- Steel pipe sewer outfall in ocean, 363t
- Stray current potentials measured, 68t
- Stress corrosion cracking of magnesium alloy stopped by, 7-106
- Structure-to-soil potentials, 576t
- Tank ships, 557t
- Underground corrosion reduced by (NBS summary), 1-107
- Underground telephone cables, 9-116

Cathodically protected steel, hydrogen embrittlement of, 591t

Cations, metallic, effect of on potential of titanium in HCl, 566t

Caulking materials, application of, 3-118

Causes of underground corrosion, NBS investigations of, 1-107

Caustic embrittlement, iron and steel, 455t

Cavitation attack, erosion of materials by, 269t

Cells, corrosion, peculiarities of, 76t

Cement mortar, steel pipe sewer outfall in ocean coated with, 363t

Cement ratio to water, variation of for reinforced steel, 382t

Central point anode system in coated pipe, 417t

Centrifuging of fuel reduces oil ash corrosion, 5-126

Ceramic coatings vs fuel oil ash corrosion, 601t

C—Continued

Ceramic materials, wood and glass, annual purchases of by industries, 121t

Ceramic-ware vs chlorine mixtures, 355t

Ceramics, special corrosion resistant refractories, 10-92

", valve trim, 4-95

Characteristics of reactive coatings, 508t

Chemical and process industry, pumps for, 473t

Chemical cleaning, safety in, 17t

Chemical distilling column, accumulated residues attack, 11-99

Chemical industry, annual purchase of corrosion resistant materials by, 121t

" ", cathodic protection of process equipment in, 123t

Chemical injection, in flood water, 7-97

" ", in sour gas wells, 413t

Chemical manufacturing processes, 200 and 300 series stainless steels in, 147t

Chemical milling, materials selection in, 8-105

Chemical plants, lead-acid brick systems in, 2-98

" ", paint testing program in, 503t

" ", titanium and zirconium resistance in, 341t

Chemical stability of metals, 455t

Chemical treatment, water flooding, 12-99

Chemical treatment of filled cans, 11-100

Chloride ions in pitting of metals, 25t

Chloride ions, aluminum alloy behavior in presence of, 63t

Chloride stress corrosion cracking, stainless steel, 69t, 450t

CHLORIDES

- Aluminum aircraft cooler vs, 395t
- Austenitic stainless steel, stress cracking in, 373t
- Heat exchanger tubing exposed to, 6-99
- Heat exchangers vs, 9-103
- Sour water strippers vs, 358t
- Stainless steel tank vs, 547t
- Stainless steels (200 and 300 series) vs, 147t
- Steel-reinforced concrete vs, 382t
- Uranium refining corrosion associated with, 168t

Chlorimet 3, chemical plant exposures vs, 341t

Chlorinated polyether, properties of, 11-108

Chlorinated rubber mastic for offshore structures, 5-131

Chlorinated rubber over wash primers, 311t

Chlorinated rubber, properties of, 12-93

Chlorine, hot, silicon carbide vs, 10-92

", titanium and zirconium vs, 341t

Chlorine mixtures, materials used to handle, 355t

Chloroprene rubber paint, resin-modified, on transformers, 1-111

Chlorosulphonated polyethylene, underground pipe coatings of, 7-101

" ", pump linings of, 473t

Chromate type inhibitors, 469t

C—Continued

CHROMATES

- Aluminum cooling towers inhibited with, 20t
- Cooling waters inhibited with, 233t
- Inhibiting effect of on aluminum, 7t
- Inhibition with, 455t
- Pitting attack inhibited with, 269t
- Reactive coatings based on, 508t

Chrome magnesia, high temperatures vs, 10-92

Chromic phosphate in PVB forms wash primers, 311t

Chromizing alloys vs oil ash corrosion, 601t

Chromium, oxidation of in nickel alloys, 194t

Chromium alloying of steel, 526t

Chromium carbides, stainless steel (Types 316 and 316L) affected by, 213t, 221t

Chromium enrichment in metal-oxide interface on stainless steel, 613t

Chromium-nickel alloys, high temperature vs, 619t

Chromium-nickel steels, high temperature oxidation of, 141t

Citrates enhance corrosion of aluminum in water, 9t

Clad material, Type 316 ELC, 547t

Clad plate, size and thickness of, 10-88

Clad platinum anodes for ships, 596t

Cladding, new bonding process in, 10-88

Cladding materials, new types of available, 10-88

Classification of topics relating to corrosion, 254t

Clay-bonded silicon carbide liners, 10-92

Cleaning, chemical, HCl vs stainless steel, 69t

Cleaning, lag time of tin-plate steel influenced by, 135t

Climatic conditions, metals testing related to, 631t

Cleaning techniques for steel to be painted, 428t

Coal tar and asphalt coatings, glass fiber reinforcement of, 4-102

COAL TAR

- Enamel for steel pipe in ocean, 363t
- Epoxies, underground corrosion of pipe reduced with, 7-101
- Linings for water tanks, 12-99
- Systems in tropical sea water, 291t
- Underground corrosion reduced with, 7-101
- Wrap, offshore drilling structures coated with, 5-131

Coal-to-oil synthesis plant, corrosion in, 627t

COATINGS

- Aerial pipe line crossing, problems in, 3-118
- Aluminum box for sea water exposure, 403t
- Annual purchases of by industries, 121t
- Baked phenolic, 1-107
- Baked phenolic-epoxy, on oil wells, 49t
- Bituminous, underground tests on, 1-107
- Carbonated beverage can interior, 477t

C—Continued

COATINGS (Continued)

Cement-mortar on steel pipe in ocean, 363t

Chemical resistant, testing of, 10-85

Chlorinated polyether, properties of, 11-108

Coal tar enamel with fiber glass reinforcing, 368t

Concrete reinforced with steel, 382t

Design factors on structures improve efficiency of, 6-102

Economics of paint test program, 503t

Enamel, underground corrosion tests on, 1-107

Epoxy-phenolic for steel pipe, 275t

Fuel oil ash corrosion attack reduced by, 601t

Galvanized on buried iron and steel, 1-107

Glass fiber reinforcement of, 4-102

Gunite on sour water strippers, 358t

High pressure products pipe line, 12-104

Hot spray, Saran, shipyard application of, 3-116

Maintenance of in chemical milling process, 8-105

Metallic, mild steel sterilizers tested having, 202t

", steel in industrial and marine atmospheres, 3-113

", zinc and aluminum, aqueous hydrogen sulfide vs, 189t

Offshore drilling structure, 5-131

Oil-modified phenolic, transformers using, 1-111

Organic, for oil and gas well tubing, 5-121

", in tropical environments, 291t

", polyethylene vs acids, alkalies and salts, 117t

Plastics and synthetic elastomers for underground coatings, 7-101

Plastics for high pressure gas well tubing, 73t

Polyethylene jackets for steel pipe, 6-100

Polyurethane, properties of, 12-93

Polyvinylchloride plastisols, 8-107

Power generating plant equipment, 6-95

Power plant, 7-107

Pulp and paper plant, 488t

Pump, 473t

Reactive, characteristics of, 508t

Resistances of on pipe lines in high resistivity soils, 497t

Rubber, underground corrosion tests on, 1-107

Ship bottom, 315t

Ship hull, 483t, 587t

Sprayed, 12-106

Sprayed zinc in marine environments, 409t

Steam-resistant for carbon steel hospital ware, 202t

Steel pipe interior for carrying sea water, 417t

Synthetic rubber and vinyl, 643t

Tank ship internal structure, 557t

Thick-film, 642t

", synthetic, oil refinery, 171t

Tin coated plate, 11-100

Underground steel pipe, cost of, 279t

Underwater metal for fresh water exposure, 335t

Urethane, 4-100

Water storage tank, 12-99

Coatings engineers, role of in power plant designing, 7-107

Coatings plus cathodic protection, potential profiles of, 576t

Cobalt, titanium coupled with in HCl, 566t

Cobalt-base alloys, Stellite 25 vs molten boron oxide at 1957F, 85t

Coding of corrosion information, 251t, 254t

Coils, carbon steel, in nickel refining, 547t

Columbium, nickel chromium alloys containing, 194t

Completion methods on sour gas wells, 413t

Completion practices in high pressure gas wells, 73t

Composite coatings for offshore drilling structures, 5-131

Compounding, polyethylene coatings modified by, 117t

Compression of sour gases, 413t

Concrete, leaching of, 547t

Concrete, steel reinforced, 331t

", sulfur dioxide fumes vs, 113t

Concrete flooring, epoxies for, 12-106

Concrete liners at source wells, 12-99

Concrete pipe in power plants, 6-95

Concrete reinforced with steel, 382t

Condensate, sour gas, 413t

Condensate system, utility plant, filming amines used in, 8-99

Condenser tube corrosion, 6-95

Condenser tubes, steel, water contaminated with hydrogen sulfide vs, 189t

" ", stress corrosion cracking of, 433t

Conductor pipe, steel, offshore platform, 8-103

Conduit systems, telephone cable, 9-116

Contactor shells, HF vs, 237t

Conversion system, hydrocarbon, 619t

Cooling system, glycol-water, aluminum alloy in, 395t

" ", minesweeper, metals selection for, 403t

" ", nuclear fuel element jacketing of, 83t

Cooling towers, aluminum, treatment of, 21t

" ", polyvalent ion - polyphosphate inhibitors in, 97t

" ", thick-film synthetic coatings for, 171t

Cooling water, 233t, 413t, 417t, 547t, 9-103

COPPER

Anti-freezes vs, 607t

Atmospheric corrosion of, 529t

Canned goods containing, 11-100

Corrosion of in India, 631t

Corrosion products identified on, 199t

Deposits of on aluminum aircraft cooler, 395t

Filming amines used to protect in condensate cycle, 8-99

High temperature gases vs, 622t

Steels containing for atmospheric exposure, 533t

Sulfides vs, 529t

Sweet corrosion cracking of, 437t

Titanium coupled with in HCl, 566t

Copper alloying of steel, 526t

Copper alloys, soils vs, 1-107

" ", stress corrosion cracking of, 101t, 433t

Copper containing compounds vs marine borers, 45t

Copper evaporator tubes, failure of in starch production service, 113t

Copper heating coils in zinc chloride concentrating tanks, 123t

Copper ion displacement test, inhibitor rating by, 554t

Copper removal in nickel refining, 547t

Copper tubing, water tower, 492t

Corn wet milling industry, corrosion in, 113t

Corrosion fatigue, 262t, 455t

Corrosion product films on aluminum, 7t, 9t

Corrosion products on copper alloys, identification of, 199t

Corrosivity of soil, 77t

Couples, titanium-foreign metals in HCl, 566t

Crack growth behavior of modified Type 422 steel, 399t

Crack initiation, mechanism of for austenitic stainless steels in chlorides, 373t

" ", propagation and fracture in high strength steels, 207t

Crack propagation pattern, stressed austenitic stainless steel in chlorides, 373t

Cracking, notch specimens of high strength steels, 207t

", reinforced concrete in marine atmospheres, 382t

", transgranular, austenitic stainless steels in chlorides, 69t

", tube sheets, 6-99

Creep data for chlorinated polyether, 11-108

Creosoting of wood to reduce marine borer attack, 45t

Crevice corrosion, Type 316 stainless steel in starch, 113t

Crevices, elimination of in designing industrial structures, 6-102

CRITERIA

Anode design for ships, 596t

Cathodic protection, cement mortar coated steel pipe in ocean, 363t

" ", pipe lines in high resistivity soils, 497t

" ", process equipment, 123t

" ", ships, 581t

" ", steel pipe carrying sea water, 417t

" ", steel pipe in sea water, 483t

Crude and refined petroleum products industry, annual purchase of corrosion resistant materials by, 121t

Crude petroleum and natural gas production industry, annual purchase of corrosion resistant materials by, 121t

Crystalline structures of corrosion product films on aluminum, 7t

Crystallization of barrier films in air on aluminum, 9t

Cupro nickel (70-30), stress corrosion cracking, 433t

Curing of cement for reinforcing steel, 382t

Current measurement, underground corrosion, 571t

Current shields, polychloroprene, on ships, 581t

Cyanides in chemical cleaning, dangers from, 17t

Cycling oxidation and reduction, 622t

D

Data, corrosion, classification of, 254t

", ", photoelectric selector used for, 251t

DC technique, ship bottom coatings evaluated by, 315t

Debutanizer systems, HF vs, 237t

Dehydration of sour gases in processing plants, 413t

Dehydrogenation process, butane, 619t

Delayed failure of high strength steels, 207t

Denison method, soil corrosivity measured by, 77t

Depropanizer system, HF vs, 237t

DESIGN

Cathodic protection system for pipe lines, 497t

Coating efficiency on structures in connection with, 6-102

Heat exchanger tubing, 6-99

Heat exchangers, 9-103

Offshore drilling platforms, 6-102

Platinum anodes for ships, 596t

Power plant, role of coatings engineers in, 7-107

Pump, 473t

Refinery isomerization unit, nickel alloy lining for, 8-109

Sour gas plant, 413t

Streamlining reduces cavitation attack, 269t

Tank truck reinforcement, 2-94

Design factors in chloride stress corrosion of austenitic steel, 69t

Design problems, in high pressure gas well installation, 73t

" ", in nickel-cobalt extraction plant, 4-95

Detergent solutions, die casting alloys in, 327t

Detinning, internal, 11-100

Dew point, depressing of in Diesel engine fuel, 5-126

Dezincification of brass, 455t

Diaphragm type pumps, 473t

Diamine, cyclic, preparation of, 147t

Dichromate sealer, 508t

Diesel engines, oil ash corrosion of, 5-126

Diesel fuel, oil ash corrosion problems of, 601t, 5-126

Die casting alloys in detergent solutions, 327t

Diethanolamine, hydrogen sulfide stripped from solutions of, 358t

Diethylenetriamine as a hydrogen sulfide inhibitor, 303t

Differential aeration corrosion in underground telephone cables, 9-116

Differential aeration, metal surface in soil, 77t

Dimensional stability of chlorinated polyether, 11-108

Dip coating of polyvinylchloride plastisols, 8-107

Dispersants, inhibitor, flue gas used as, 241t

Dissolution and passivation of hafnium-free zirconium in HF, 286t

D—Continued

Distilling column, chemical, residues vs, 11-99

DK alloy (aluminum), electrode potential behavior of in buffer solutions, 63t

Docks and piers, boring organisms vs, 45t

Dolomite, oil ash corrosion reduced by addition of, 601t

Drainage, atmospheric corrosion testing, 533t

Drilling mud (high pH), organic coating for tubing tested in, 5-121

Drums, propane, lining of, 171t

Drydock variables affect ship bottom coatings, 315t

Duct anodes, graphite, 646t

Duct anodes, underground cables protected with, 423t

Ductility, transverse, relationship of to failure of oil well tubing strings, 49t

Ductwork, polyester fiber glass for, 635t

Duomeen 12 D as a hydrogen sulfide inhibitor, 303t

Duplex corrosion films on oxidized aluminum, 9t

Duralumin, atmospheric corrosion of, 533t

", electrode potential behavior of in phosphoric acid and buffer solution, 63t

Duranickel bolting, HF vs, 237t

Duriron, high temperature vs, 619t

Dust, red oxide, in dehydrogenation process, 619t

Dye, Azo, effect of on corrosiveness of soft drinks, 11-100

Dyes, ozone vs, 541t

Dynamic aqueous systems, hydrogen effusion measures corrosion rate in, 179t

E

ECONOMICS

Annual purchases of corrosion resistant materials by industries, 121t

Anode installations for destroyers, 581t

Boiler fouling and corrosion, 5-126

Cathodic protection of process equipment, 123t

Coatings and linings, 10-85

Coatings for underground pipes, 7-101

Engineering approach to a paint testing program, 503t

Glass fiber reinforcement for coatings, 4-102

High pressure gas well completion methods, 73t

Industrial roofing replacement vs maintenance, 513t

Internal cathodic protection of pipes carrying sea water, 417t

Membrane linings for brick, 2-98

Nickel alloy lining in refinery isomerization units, 8-109

Plastic reinforcement of tank trucks, 2-94

Pulp plant coating program, 488t

Reconditioning and coating underground steel pipe, 279t

Saran coating by hot spray, 3-116

Tank ship corrosion, 557t

Titanium and stainless steel pumps, 473t

E—Continued

Elastomers, air pollutants vs, 541t

", synthetic, underground coatings of, 7-101

Electric drain of stray currents, 455t

Electric furnace Mullite, high temperature vs, 10-92

Electric light and power industry, annual purchase of corrosion resistant materials by, 121t

Electric utility plant, filming amines used in condensate system of, 8-99

Electric-weld tubing, use of in oil wells, 49t

ELECTRICAL

Bonding of cathodically protetcted to unprotected ships, 587t

Characteristics of aluminum oxide films, 283t

Circuit analogy, 576t

Generating plants, 6-95

Electrical resistance method, antifreeze inhibitors studied with, 607t

" " ", die casting alloy corrosion in detergent solutions measured by, 327t

" " ", flood water corrosion inhibitors rated by, 7-97

" " ", use of to measure corrosion, 245t

ELECTROCHEMICAL

Aspects of pitting corrosion, 25t

Behavior of passive metals, 369t

Control in pitting corrosion of stainless steels, 25t

Method, soil corrosivity measured by, 77t

Reactions in aqueous hydrogen sulfide corrosion of steel, 189t

Study of aluminum and its alloys, 62t

Study of pitting corrosion in stainless steels, 32t, 39t

Theory of iron corrosion, 526t

Electrode kinetics in inhibitor study, 469t

Electrodes, calomel, offshore structure use of, 12-106

", reference, 576t

", ", on ships, 581t

", ", underground corrosion measurements involving, 571t

Electrolytic method, soil corrosivity measured by, 77t

Electron microscopy used to study corrosion product films on aluminum, 7t

Enamel lifting from cans, 11-100

Enamels, synthetic, tropical marine atmospheres vs, 291t

Energies and entropies of activation compared in aluminum corrosion, 13t

Engineering approach to a paint testing program, 503t

Epoxies, catalyzed, caulking materials of, 3-118

", concrete floors protected with, 12-106

", modified, steam resistance of, 202t

", tropical environments vs, 291t

Epoxy, amine cured, testing of for oil well tubing coating, 5-121

", catalyst cured, refinery application of, 171t

", properties of, 12-93

Epoxy coatings, catalyzed, offshore drilling structure use of, 5-131

Epoxy liner, field joints of steel pipe in ocean used with, 363t

E—Continued

Epoxy modified phenolics, catalyzed, 642t

" " ", refinery applications of, 171t

" " ", testing of for oil well tubing coating, 5-121

Epoxy resins, suitability of for reducing underground corrosion, 7-101

Epoxy-phenolic coating, starch production equipment protected with, 113t

" ", steel pipe protected with, 275t

Equivalent electrical circuit analogy of structure-to-soil potentials, 576t

Erosion of materials by cavitation attack, 269t

Erosion-corrosion, turbines in electric utility plants vs, 8-99

Esters, stainless steels with, 147t

Etchants in chemical milling process, 8-105

Ethylene diamine, brass in glycol-water solution inhibited with, 607t

Ethylene glycol vs mild steel, 607t

Evacuation system, HF vs, 237t

Evaluating inhibitors from cathodic polarization measurements, 517t

Evaluating the economy of reconditioning and coating underground steel pipe, 279t

Evaluation of organic nitrogen compounds as inhibitors, 128t

Evaluation of inhibitors inside pipe lines, 131t

Evaluation of steam resistant coatings for carbon steel hospital ware, 202t

Evaluation program, chemical resistant coatings and linings, 10-85

Exhaust fumes, lead-acid brick vs, 2-98

Extraction of nickel by Moa Bay process, 4-95

F

Fabrication, clad plate, 10-88

Fabrication procedure, nickel alloy lining for refinery isomerization unit, 8-109

Factors influencing corrosion, 455t

Factors influencing rate-of-pickling test on tin-plate steel, 135t

Fatigue, corrosion, influence of temperature on, 262t

Fatigue curves, static, high strength steel, 207t

Fence, galvanized, marine atmosphere vs, 6-95

Ferric ion concentration, pitting tendencies of with stainless steels, 32t

Ferric oxide rust on cans, 11-100

Ferrocyanide ion addition to polyphosphate for cooling tower water inhibition, 97t

Ferrous metals, atmosphere vs, 526t

" ", soils vs, 1-107

Ferrous oxide, hydrogen embrittlement in presence of, 591t

Fiber glass, polyester, 635t

Fiber types, glass, comparison of, 4-102

Field measurements of sub-surface aluminum corrosion, 9-114

Field method to screen inhibitors for water flood corrosion prevention, 7-97

Film, corrosion information recorded on for quick sorting, 251t

F—Continued

Film persistence, inhibitor, 554t

Filming amines control corrosion in utility plant condensate system, 8-99

FILMS

Aluminum oxide, 283t, 643t

Corrosion product, role of in uniform aqueous corrosion of aluminum, 9t

" ", on aluminum in high purity water, 7t

Oxide, on iron, 526t

", on stainless steels at high temperatures, 613t

Protective, phenomena on steels, 526t

Thin, on stainless steel, 613t

Zirconium in HCl forms various types of, 103t

Zirconium oxide, protective properties of in HCl, 103t

Filters, carbon steel, for nickel refining, 547t

", pipe line, 131t

Finish, rubber base, for protecting transformers, 1-111

Fireclay, high temperatures vs, 10-92

Fish oil, coatings of on offshore drilling structures, 5-131

Fitting anodes on ships, 581t

Flame cleaning of bubble caps, 11-99

Flexible metal results from corrosion of Type 316 valve seat rings, 1t

Flood waters, 12-99

Flotation, inhibition in tankers and storage tanks, 241t

Flue gas, effect of additives on in boilers, 5-126

Fluorides, uranium refining equipment vs, 168t

" (alkali), passivation of hafnium-free zirconium in HF after addition of, 286t

Fluorine, polymers containing, pipe protected with, 7-101

Fluoro chloro hydrocarbon, properties of, 11-108

Fluozirconates, solubilities of, 286t

Fogging, inhibitors in tankers and storage tanks, 241t

Food packing, can corrosion problems in, 11-100

Food processing, corn wet milling industry vs corrosion, 113t

" ", tin plate as containers in, 135t

Food product corrosivity to cans, testing of, 11-100

Foreign metal ions, titanium in boiling HCl affected by presence of, 566t

Formulations of urethane coatings, 4-100

Formvar, steam resistance of, 202t

Fouling, boiler, 5-126

", reduction of on aluminum with copper-base paints, 403t

Fracture, mechanical and stress corrosion on high strength steels, 399t

Fruit canning, cutter blade sharpened by corrosion in, 6-100

Fuel oil ash, synthetic, Type 310 stainless steel vs, 443t

Fuel oils, residual, oil ash corrosion from, 601t

Fume scrubber, polyester fiber glass, 635t

Furnace linings, 10-92

Fused-cast refractories, 10-92

G

Galvanic corrosion, aluminum aircraft oil cooler, 395t

Galvanic couple test, 533t

Galvanic current in carbonated beverage cans, 477t

Galvanic experiments made to test suitability of steel weldments for parent metals, 2t

GAS

- Atmosphere of, lag time on tinplate steel affected by, 135t
- Feed and effluent, metals vs, 627t
- Methane-oxygen combustion, metals vs, 622t
- Sniff (chlorine), materials used for handling, 355t
- Transmission line, reconditioning and coating of, 279t
- Utilities industry, annual purchase of corrosion resistant materials by, 121t
- Wet and dry, inhibitors fogged with, 241t

Gases, cell (chlorine), materials used for handling, 355t

", high temperature, refractories for handling, 10-92

Gaskets, chlorine mixtures vs materials used in, 355t

Gasoline, inhibitors used in, 158t

Gathering system for sour gas, design of, 413t

Generator, gas, 622t

Generators, steam, stress corrosion cracking of, 450t

Girbotol unit, steel equipment in corrodes, 189t

Glass, hydrogen fluoride vs, 541t

", plate, impingement tests on, 10-92

", tank, fused-cast refractory use of, 10-92

Glass-lined steel vs chlorine mixtures, 355t

Glass fiber reinforcement for coatings, 4-102

Glass probe method of testing coatings, 12-93

Glycol solutions in sour gas processing, 413t

Glycol-water cooling system, aluminum alloy in, 395t

Gold, titanium coupled with in HCl, 566t

Gradient cell, use of, 644t

Gradient test cell, cathodic protection requirements for lead cable sheath defined with, 389t

Grain boundary segregation in aluminum bronze alloys, 295t

Graphite anodes for ships, 581t

Graphitic embrittlement of nickel tubing at high temperatures, 1-112

Gravel surfacing in industrial roofing, 513t

Greases, suitability of for aluminum-frame minesweepers, 403t

Green salt process in uranium refining, 168t

Grit blasting, steel prepared for painting by, 428t

Grooving, HF alkylation units, 237t

Gunite, offshore drilling structures coated with, 5-131

", sour water strippers coated with, 358t

Gypsum moulding plaster backfill, 497t

H

Hafnium, zirconium corrosion in HCl not affected by presence of, 103t

H—Continued

Hafnium-free zirconium, rate of dissolution and passivation of in HF, 286t

Halides, pitting corrosion influenced by presence of, 25t

Harbor corrosion problems, marine borers vs wood, 45t

Hardness, effect of on accelerated testing of chromium steels, 269t

", relation of to sulfide stress corrosion cracking of steel, 437t

Hardness testing, oil well tubing evaluated by, 49t

Hastelloy A and B, HCl vs in butane isomerization units, 85t

Hastelloy C, chemical plant exposures vs, 341t

Heat effects in steel weldment related to failure, 2t

Heat exchanger, design of, 9-103

" ", nickel tube shell components fail in, 1-112

" ", nitric acid vs tubing of, 6-99

" ", tubing for, 6-95, 6-99

Heat flux conditions, determining corrosion rates under, 257t

Heat recovery problems in nickel extraction plant, 4-95

Heat-resistant alloys for use with residual fuels, 601t

Heat-shock resistance of refractories, 10-92

HEAT TREATMENT

- Alloys, 455t
- Aluminum-magnesium alloys, 337t
- Nickel tubing from heat exchangers, 1-112
- Stainless steel (Types 316 and 316L), 221t
- Stainless steel (200 and 300 series), 147t
- Steel alloys against sulfide corrosion cracking, 437t
- Valve seat ring (Type 316 SS) for water treating system, 1t

Heating, metallurgical structures of wrought aluminum-magnesium alloys affected by, 55t

Heterocyclic nitrogen compounds as corrosion inhibitors, 128t

High film-build alkyds, application of, 171t

High flow velocity loop, use of in dynamic aqueous systems, 179t

High pressure gas wells, well completion practices in, 73t

High pressure products pipe line, cathodic protection of, 12-104

High resistivity soil, magnesium anodes in, 497t

High strength steels, delayed failure of, 207t

High temperature (See Temperature, high)

High velocity loop, water stream in, 183t

Hoods, polyester, fiber glass, 635t

Hospital ware, carbon steel, steam resistant coatings for, 202t

Hot spray coatings, Saran applied in shipyards, 3-116

Hot spray vinyl coatings in refinery, 171t

Hot vinyl prime, 642t

Humidity, critical, for steel, 526t

", ", principle of, 529t

Humidity bath test of coatings, 12-93

Hydrocarbon conversion system, 619t

H—Continued

HYDROGEN

- Absorption of by steel during pickling, 135t
- Atmospheres containing vs metals, 627t
- Attack by in HF alkylation units, 237t
- Content of in tin plate steel influences lag time, 135t
- High strength steels, concentration of in, 207t
- Hydrogen sulfide determination in, 125t
- Stress corrosion cracking affected by, 9-103

Hydrogen dislocation and stress corrosion cracking, 9-103

Hydrogen effusion in dynamic aqueous systems, corrosion rate measurement by, 179t

HYDROGEN EMBRITTLEMENT

- Bend test of for acetylenic alcohol concentration, 275t
- Cathodically protected steel, 591t
- High strength steel, 207t, 399t
- Oil well tubing subjected to, 49t
- Tubing steel, oil country, 437t

Hydrogen evolution from Hf-free Zr in HF, 286t

Hydrogen fluoride, air pollution from, 541t

" ", glass vs, 541t

Hydrogen fluoride in HF alkylation units, 237t

Hydrogen peroxide vs iron, 526t

HYDROGEN SULFIDE

- Air pollution from, 541t
- Aqueous, refinery equipment vs, 189t
- Cooling water in sour gas processing, presence of in, 413t
- Disposal of in refineries after water stripping, 358t
- Iso-corrosion rate curves for at high temperatures, 125t
- Nickel vs, 529t
- Oil well tubing subjected to, 49t
- Screening of inhibitors to reduce, 303t
- Water flooding problems complicated by, 307t

Hydrogen sulfide-brine systems, stress corrosion cracking in, 437t

Hydrogen sulfide-oil-brine mixtures vs steel, 299t, 303t

Hydrogen sulfide-water mixtures, organic coatings tested in, 5-121

Hydrogen swells in cans, 11-100

Hydrometallurgical refining of nickel, 547t

Hyperion ocean outfall, corrosion protection of, 363t

Hypochlorite, titanium and zirconium resistance to, 341t

I

Identification of corrosion products on copper and its alloys, 199t

Impedance characteristics of isolated aluminum oxide films, 283t

Imperfection theory of pitting corrosion, 25t

Impressed current, naval vessels protected with, 2-87

" ", steel pipe sewer outfall in ocean protected with, 363t

" ", use of in study of pitting corrosion, 25t

Impingement tests on non-metallics, 10-92

I—Continued

INCONEL

- Chemical plant exposures vs, 341t
- Cladding, welding of, 10-88
- High temperature vs, 619t
- High temperature gases vs, 622t
- Oil ash corrosion vs, 601t
- Resistance of in hydrofluorination reactor, 168t

Index, numerical, abstract punch card, 254t

India, metals testing in, 631t

Indicators, use of in pitting corrosion studies, 25t

Indium, titanium coupled with in HCl, 566t

Industrial atmospheres, metals in, 533t

" ", non-ferrous metals vs, 529t

" ", steel vs, 526t

" ", tin alloys in, 3-113

Industrial corrosives, polyesters vs, 635t

Industrial roof construction, 513t

Influence of temperature on corrosion fatigue, 262t

Information selector, photoelectric, 251t

Inhibiting effects of phosphate on aluminum, 7t

Inhibition of pitting corrosion on stainless steels, nitrates affect, 32t

Inhibition of pitting corrosion with nitrates, 25t

INHIBITORS

- Aluminum alloy corrosion in glycol-water reduced by, 395t
- Amines (filming) used on carbon steel sour water stripper components, 358t
- Anodic and cathodic, 455t
- Automobile anti-freeze, 607t
- Carbon tetrachloride-water vapor atmospheres, 447t
- Chromates to reduce cavitation attack, 269t
- Concrete reinforced with steel, suitability for, 382t
- Cooling water, 233t
- Evaluation from cathodic polarization measurements, 517t
- Filming amines in utility plant condensate systems, 8-99
- Fogging or flotation with, in tankers and storage tanks, 241t
- High pressure gas wells treated with, 73t
- Hydrogen sulfide attack of steel reduced with, 299t, 303t
- Inside a products pipe line, 131t
- Oil soluble, 241t
- Oil soluble for petroleum products pipe lines, 158t
- Organic, colloid, 455t
- ", nitrogen compound, 128t
- ", in petroleum refining industry, 321t
- Pickling operation, 275t
- Polyvalent ion-polyphosphate for cooling tower system treatments, 97t
- Recirculating cooling waters systems treated with, 20t
- Screening of for oil field equipment, 303t
- Secondary recovery, evaluation of, 307t
- Sour gas well corrosivity reduced with, 413t
- Sour naphtha lines, use on, 189t
- Stress corrosion cracking, 450t
- Tank ship, 557t
- Water dispersable, for tankers, 241t
- Water flood, 12-99

I—Continued

INHIBITORS (Continued)

- Water flood corrosion, screening of, 7-97
- Water soluble (sodium nitrite) for pipe lines, 158t
- XON_4, action of, 469t

Inhibitor film persistence, 554t

Inhibitors for acids used in chemical cleaning, 17t

Inhibitor squeeze process, 554t

Initiation and growth during pitting corrosion, theory of, 25t

Injection water, oil well, 12-99

Injection well tubing string, 413t

Injection wells, 12-99

Inorganic zinc silicate plus vinyl mastic system protects offshore drilling structures, 5-131

Installation of anodes on offshore structures, 9-112

INSTRUMENTS

- Aluminum sub-surface corrosion measuring, 9-114
- Classical potentiostat for study of passivity, 369t
- DC corrosion meters with varistors to measure potentials in stray current areas, 68t
- Potential measuring device for pipe carrying sea water, 417t
- Ship hull potential measuring, 587t
- Soil corrosivity measuring device for field conditions, 77t
- Ultrasonic for tank ship corrosion loss measurements, 561t
- Underground corrosion measurement, 571t

Insulating materials, chloride stress corrosion cracking of austenitic stainless steel, 69t

Insulation, deterioration on for duct anodes, 423t

Interaction in analysis of variance, 83t

INTERGRANULAR CORROSION

- Aluminum-magnesium alloys at service temperatures, 55t
- Effect of sigma phase vs chromium carbides in Type 316 and 316L stainless steel, 221t
- Stainless steel (Type 316 and 316L), 213t
- " ", (200 and 300 series), 147t
- Type 302 stainless steel vessels in sulfuric-organic acid, 123t
- Valve seat ring, Type 316 SS, in water treating system, 1t

Intergranular penetration corrosion of aluminum, 9t

Internal cathodic protection of pipes carrying sea water, 417t

Internal corrosion, inhibitors inside a products pipe line, 131t

- " ", products pipe lines, 158t
- " ", tank ships, 557t

Internal oxidation of nickel chromium alloys, 194t

Ion exchange theory of pitting corrosion, 25t

Ions and molecules of Type XON_4 as inhibitors, 469t

Ions in aqueous solution affecting uniform corrosion of aluminum, 9t

IR drop method on ships, 587t

Iridium, titanium coupled with in HCl, 566t

IRON

- Alloys containing vs molten boron oxide, 85t
- Atmospheric corrosion of, 526t

I—Continued

IRON (Continued)

- Cast, buried specimens of vs soils, 1-107
- ", chlorine mixtures vs, 355t
- ", erosion resistance of, 269t
- ", molten salt vs, 257t
- Condensate cycle corrosion of, 8-99
- Hydrogen sulfide vs with respect to pH, 189t
- Inhibitors of Type XON_4 for, 469t
- Nickel chromium alloys containing, 194t
- Pure, HCl vs, 517
- Soft, corrosion fatigue of in sea water, 455t
- Stress corrosion cracking susceptibility of aluminum bronze alloys affected by content of, 295t
- Titanium coupled with in HCl, 566t
- Zirconium corrosion in HCl affected by content of, 103t

Iron-containing rolled zinc, marine environments vs, 409t

Iron content analysis, corrosion inhibitor efficiency in high pressure gas wells evaluated through, 73t

Iron in source water, 12-99

Iron phosphatizing, 508t

Iron pick up in carbonated beverage cans, 477t

Iso-corrosion rate curves for high temperature hydrogen-hydrogen sulfide, 125t

Isobutane fractionating system, HF vs, 237t

Isomerization units, butane, minimum corrosion for, 185t

" ", nickel alloy lining for, 8-109

J

J-55, oil well tubing composed of, 49t

", stress corrosion cracking tests on, 437t

Jackets, polyethylene, for steel pipe, 6-100

Joints, field, on steel pipe in ocean, 363t

K

Kel-F, steam resistance of, 202t

Kerosene, inhibitor evaluation involving use of, 517t

Kinetic constants for oxidation of aluminum, 13t

Kinetic data in terms of oxidation mechanism on aluminum, 13t

Kinetics of aqueous aluminum corrosion, 13t

K-Monel vs HF, 237t

Kyanite, converted, high temperatures vs, 10-92

L

Labor force, efficiency of in pulp plant coating program, 488t

Labor and materials costs in reconditioning underground steel pipe, 279t

Laboratory methods, determining corrosion rates under heat flux conditions, 257t

" ", identifying corrosion products on copper, 199t

Laboratory tests for intergranular corrosion of austenitic stainless steels, 213t

L—Continued

Lag time test for tin-plate steel, 135t

Laminates, polyester fiber glass, physical properties of, 635t

Leaching of chlorides onto metal surfaces, 69t

Leaching, nickel refining by, 547t

Leaching system in nickel extraction plant, 4-95

LEAD

- Cable sheaths, cathodic protection of, 389t, 423t, 644t, 9-116
- Electrode, field use of not recommended on cable sheath, 389t
- Linings, for nickel extraction plant equipment, 4-95
- Pickled panels affected by presence of, 275t
- Soils vs in burial tests, 1-107
- Titanium coupled with in HCl, 566t

Lead-acid brick systems in chemical plants, 2-98

Lead-silver alloy anodes for ships, 581t

Lead sheathed telephone cable, 9-116

Leather, sulfur dioxide vs, 541t

Library, corrosion reference, 251t, 254t

Light oil tanks, accelerated atmospheric corrosion of, 171t

Limnoria vs wood, 45t

LININGS

- Exchanger tube, 627t
- Furnace, 10-92
- Miscellaneous, annual purchases of by industries, 121t
- Nickel alloy, in refinery isomerization unit, 9-109
- Plastic, for starch production service, 113t
- Pump, 473t
- Steel pipe, pretreatment prior to, 275t
- Tank, chemical resistant, 10-85
- ", polyester, fiber glass, 635t

Liners, clay-bonded silicon carbide, 10-92

Liquid phase fuming nitric acid vs carbon steel AISI 1020, 245t

Liquid phase butane isomerization, 185t

Literature, metals corrosion articles recently published in CORROSION, abstracts of, 546t

Literature survey, sigma phase vs chromium carbides of intergranular corrosion of 316 and 316L stainless steel, 213t

Low temperature separation of sour gas, 413t

M

M22 alloy (aluminum), electrode potential behavior of in phosphoric acid, 63t

Macro-cells in corroding reinforced concrete, role of, 382t

Macro-galvanic corrosion cell in reinforced concrete bridge, 331t

Macro-and-micro-corrosion cells, corrosivity of soil related to formation of, 77t

MAGNESIUM

- Aluminum alloyed with vs temperature, 55t
- Atmospheric corrosion of, 529t

M—Continued

MAGNESIUM (Continued)

- Cathodic protection of pipe lines with, 497t
- Milling system for, 8-105
- Soluble anodes of, 643t
- Stress corrosion cracking mechanism in alloy of, 7-106

Magnesium anode/inhibitor spray system, tank ship, 557t

Magnesium-1% manganese alloy anodes in NaCl electrolyte, 76t

Magnesium sulfate, addition of to residual fuel oil, 601t

Magnetic theory of pitting corrosion, 25t

Magnetostrictive test for cavitation attack, 269t

Maintenance, industrial roofing, 513t

Maintenance coating program, pulp and paper plant, 488t

Maintenance program, power plant, 7-107

Management's role in pulp plant coating program, 488t

Management, paint testing program involving, 503t

Mandapam Camp, India, metals tested at, 631t

Manganese, effect of in low phosphorous 0.3% copper steels, 533t

Manganese phosphatizing, 508t

Manganese alloyed with magnesium, anodes of exposed to NaCl electrolyte, 76t

Manholes, telephone, drainage of, 9-116

Marine atmospheres, metals in, 533t

" ", reinforcing steel in concrete in, 382t

" ", steel vs, 526t

Marine boring organisms vs wood, 45t

MARINE ENVIRONMENT

- Carbon steel in offshore platform, 8-103
- " ", steel in sea water, 483t
- " ", vessels, naval, 2-87
- Coatings, offshore drilling structure, 5-131
- ", ship bottom, 315t
- Electrical generating plants, 6-95
- Internal corrosion of tank ships, 557t
- Lead-silver alloy anodes for ship cathodic protection, 581t
- Metals tested in, 631t
- Non-ferrous metals in, 529t
- Organic coatings tested for use in tropics, 291t
- Pipe, cement mortar coated steel for sewer outfall vs, 363t
- Rubber-base paint used to protect transformer in, 1-111
- Steel in, 526t
- Steel reinforced concrete bridge vs, 331t
- Tank ship corrosion loss measurement, 561t
- Tin alloys in, 3-113
- Wooden hulled aluminum-frame minesweepers, design of for, 403t
- Zinc in, 409t

Mask composition in chemical milling, 9-105

Mastics, annual purchase of by industries, 121t

Materials, pump, 473t

Materials deterioration in polluted atmospheres, 541t

M—Continued

Materials of construction, nickel refining process, 547t

MATERIALS SELECTION

Automobile, 167t

Chemical milling process, 8-105

Minesweeper, 403t

Nickel-cobalt extraction plant, 4-95

Oil field tubing, 437t

Mean tide exposure of organic coatings in tropics, 291t

Measurement, ship hull potentials, 587t

", tank ship corrosion losses, 561t

", underground corrosion, 571t

", underground electrical current, 576t

Measurement of anchor pattern profile on grit blasted steel, 428t

Mechanical fracture, distinguishing of from stress corrosion fracture, 399t

Mechanical properties, oil well tubing, 49t

MECHANISM

Action of XO^{N-}_4 inhibitors, 469t

Aluminum alloy corrosion from copper deposition, 395t

Aqueous aluminum corrosion, relation of to corrosion product film, 9t

" " ", by use of kinetic data, 13t

Aqueous hydrogen sulfide corrosion of steel, 189t

Atmospheric corrosion of nonferrous metals, 529t

Carbon tetrachloride-water vapor vs mild steel, 447t

Carbonated beverage can corrosion, 477t

Cavitation attack, 269t

Chloride stress corrosion cracking of austenitic stainless steel, 69t

Corrosion fatigue of steels, 262t

Ferrous metal corrosion in atmosphere, 526t

Fuming nitric acid's role in corrosion of metals, 245t

Inhibitors, oil soluble, 158t

Magnesium alloy anodes dissolved in NaOl electrolyte, 76t

Molten boron oxide vs high temperature alloys, 85t

Oil ash corrosion, 601t

Oil ash mixtures (synthetic) vs Type 310 stainless steel, 443t

Oxidation resistance of stainless steel from silicon, 613t

Passivation of hafnium-free zirconium in HF, 286t

Pitting corrosion of metals, 25t

Pitting corrosion of stainless steels, 39t

Reinforcing steel in concrete in marine atmospheres, 382t

Stress corrosion cracking, alpha aluminum bronze in ammonia and steam atmospheres, 295t

" " ", AZ31 B magnesium, 7-106

" " ", steel, austenitic stainless, 373t, 9-103

Weldments, steel, corrosion of in NaOl, 2t

Zirconium, corrosion of in HCl, 103t

Melaprene, transformers coated with, 1-111

Mercury, ammonium nitrate storage tanks contaminated with, 6-99

Metal treatment, steel reinforcing concrete in marine atmospheres, 382t

M—Continued

Metal-alcohol coating, 275t

Metal dusting, 619t, 622t, 627t

Metal finishing plating solutions, polyesters vs, 635t

Metals corrosion articles published recently in CORROSION, abstracts of, 546t

Metals, foreign, effect of on titanium corrosion in boiling HCl, 566t

Metallic cations, inhibitive effect obtained by addition of to cooling tower systems, 97t

Metallic coatings vs fuel oil ash corrosion, 601t

Metallurgical factors, pitting corrosion related to, 25t

Meters, DC corrosion, potential measurements with in stray current areas, 68t

Methane-oxygen combustion, attack on metals by synthesis gas from, 622t

Micro-chemical identification of corrosion products on copper, 199t

Mill scale, hydrogen embrittlement related to, 591t

" ", removal of from structures, 6-102

Milling, chemical, material selection in, 8-105

Mines, nickel, 547t

Minesweepers, aluminum used in, 403t

Minimum corrosion for butane isomerization units, 185t

Mixed-base alloys, Multimet N-155 vs molten boron oxide, 85t

Moa Bay Process, extraction of nickel by, 4-95

Modified disc-heat flux technique, 257t

Moisture, lag time on tin-plate steel affected by, 135t

", scaling of steels affected by, 141t

", steel reinforced concrete bridge vs, 331t

Moisture penetration of concrete reinforced with steel, 382t

Molding of chlorinated polyether, 11-108

Molten metals, refractories for, 10-92

MONEL

Atmospheric corrosion of, 533t

Cast, erosion resistance of, 269t

Chemical plant exposures vs, 341t

High temperature gases vs, 622t

HCl vs in butane isomerization units, 185t

HF vs, 237t

Sour water strippers of vs hydrogen sulfide, 358t

Monel cable for magnesium anodes, 12-106

Monoethanolamine inhibits carbon tetrachloride attack of mild steel, 447t

Morpholine, glycol-water solutions containing, 607t

Morpholine type inhibitor in sour gas processing system, 413t

Morpholines, N-substituted, effect of on inhibition, 128t

Moulds, casting of PVC in, 8-107

Mullite brick, electric furnace, high temperatures vs, 10-92

N

N-80, oil well tubing composed of, 49t

", stress corrosion cracking tests on, 437t

N—Continued

N-substituted morpholines, effect of on inhibition, 128t

Naphtha, light crude, 189t

National Bureau of Standards research on underground corrosion, 45-year summary of, 1-107

Naval vessels, cathodic protection of, 2-87

Neoprene, pipe for underground service coated with, 7-101

NICKEL

Atmospheric corrosion of, 529t, 533t

Graphitically embrittled, recovery of, 1-112

High temperature gases vs, 622t

HCl vs in butane isomerization units, 185t

Hydrometallurgical refining of, 547t

Oil ash corrosion vs, 601t

Titanium coupled with in HCl, 566t

Nickel alloy lining in refinery isomerization units, 8-109

Nickel and nickel alloys, cladding of, 10-88

Nickel and stress corrosion cracking, 9-103

NICKEL BASE ALLOYS

Hastelloy C for starch production service, 113t

Hastelloy R-235 vs molten boron oxide at 2052 F, 85t

Haynes Stellite No. 1 for corn oil processing equipment, 113t

Inco 702 vs molten boron oxide, 85t

Inconel vs molten boron oxide, 85t

Nimonic 75 vs molten boron oxide, 85t

Nickel chromium alloys, internal oxidation of, 194t

Nickel-cobalt extraction plant, materials in, 4-95

Nickel-copper alloys, atmospheric corrosion of, 533t

Ni-Resist, Type 1, hydrochloric acid vs, 185t

Nitrate additions, pit activity on stainless steels after, 32t

Nitrate concentration at various chloride levels, inhibitors related to, 450t

Nitrates, effect of on soft drink corrosivity, 11-100

", pitting corrosion inhibited with, 25t

Nitric acid recovery system, corrosion of equipment in, 168t

Nitride-bonded silicon carbide shades, 10-92

Nitrogen, zirconium corrosion in HCl exposed to, 103t

Nitrogen compounds, organic, as inhibitors, 128t

Nitrogen dioxide, effect of on corrosion of AISI 1020 by fuming nitric acid, 245t

Non-destructive testing, inspection methods used in high pressure gas wells, 73t

Non-destructive thickness measurements on tank ships, 561t

Non-ferrous metals, atmospheric corrosion of, 529t

" ", cladding of, 10-88

Non-reactive wash primers, 311t

Notch sensitivity, oil well tubing failure related to, 49t

Notch sensitivity effects in stress corrosion test on high strength steels, 399t

Notched specimens, stress corrosion cracking tests on, 437t

" ", high strength steel, testing of, 207t

N—Continued

Nylon, properties of, 11-108

Nylon rope for anodes, 12-106

O

Offshore drilling structures, coatings for, 5-131

Offshore platform, carbon steel in corrodes, 8-103

Offshore structures, cathodic protection anodes on, 9-112

" ", electrodes to check potentials on, 12-106

Oil additives, oil ash corrosion vs, 601t

Oil and gas well tubing, organic coatings for, 5-121

Oil ash, synthetic fuel, Type 310 stainless steel vs, 443t

Oil ash corrosion, 443t, 601t, 5-126

Oil-brine-hydrogen sulfide mixtures vs steel, 299t, 303t

Oil country tubular goods, stress corrosion cracking of, 437t

Oil refinery applications of thick-film synthetic coatings, 171t

Oil soluble inhibitors for product pipe lines, 131t, 158t

Ore, nickel, corrosion problems involving, 4-95

", ", refining of, 547t

Ore refinery processing of uranium, 168t

Organic coated beverage cans, 477t

Organic coatings in tropical environments, 291t

Organic materials, polyethylene coating's resistance to, 117t

Organic nitrogen compounds as inhibitors, 128t

Organo-nitrile process vs Types 201, 202, 304 and 316 stainless steel, 147t

Organo-nitrogen compounds vs stainless steels (200 and 300 series), 147t

Organized studies, aluminum and aluminum alloys, electrochemistry of, 63t

Orthophosphate to reduce corrosivity of cooling tower water, 97t

Orthophosphates, cooling water systems treated with, 20t

Oscillographic method, aluminum in chlorides studied with, 63t

Outfall, ocean, corrosion protection of, 363t

Oxidation, chromium-nickel steels at high temperatures, 141t

", high temperature, 622t

", internal, of nickel chromium alloys, 194t

", stainless steel at high temperatures, effect of silicon on, 613t

Oxidation process of aluminum in air and water, 13t

Oxide films, air-formed, on tin plate steel, 135t

" ", on iron, 526t

" ", on stainless steels at high temperatures, 613t

Oxidizing agents, polyethylene coating's chemical resistance to, 117t

OXYGEN

Atmospheric, passivation by with XO^{N-}_4 inhibitors, 469t

Carbonated beverage can corrosion related to, 477t

Condensate at electrical utility plant, content of related to corrosivity of, 8-99

Dissolved, flood water containing, 307t

", underground cables vs, 9-116

Exclusion of in canning, 11-100

High temperature water systems affected by, 183t

Influence of on corrosion, 455t

O—Continued

OXYGEN (Continued)

Soft drink corrosiveness related to, 11-100

Underground corrosion stimulated by, 1-107

Oxygen concentration, corrosion fatigue of steels related to, 262t

Oxygen content, weldment corrosion rate related to, 2t

Oxygen diffusion rate in soil influences corrosivity of soil, 77t

Oxygen reduction in pitting corrosion, 25t

Oxygen scavengers, tests with on inhibitors, 450t

Ozone and photo-chemical smog, 541t

P

Pack-calorized materials, 622t

Packing glands, pump, 473t

Paint program, pulp plant, 488t

Paint testing program, engineering approach to, 503t

PAINTS

Aluminum cooling tower components, use on, 20t

Anti-corrosive for aluminum exposed to sea water, 403t

Anchor pattern profile, effect of on performance of, 428t

Automobile, 167t, 541t

", air pollution of, 541t

Hydrogen sulfide vs, 541t

Moisture on reinforced concrete bridges reduced by, 331t

Rubber base transformers coated with, 1-111

Selection of for chemical resistance, 10-85

Ship hull, 587t

Underwater metal surfaces coated with, 335t

Zinc-rich vs sea water, 409t

Palladium, titanium containing, 644t

", titanium coupled with in HCl, 566t

Paper plant, coatings in, 488t

Paper, sulfur dioxide vs, 541t

PASSIVATION

Aluminum alloys in acid media, 63t

Austenitic stainless steel surfaces in chlorides, 69t

Carbon steel in fuming nitric acid, 245t

Hafnium-free zirconium in HF, 286t

Steel in concrete, factors affecting, 382t

Zirconium in HF, 286t

Passivity, classical potentiostat used in study of, 369t

Pearson Null Bridge, 571t

Pearson null circuit potential break curve, 576t

Penetration theory of pitting corrosion, 25t

Peptization theory of pitting corrosion, 25t

Perchlorate ion, pitting tendencies of with stainless steels, 32t

Pertechnetate ion as an inhibitor, 469t

Petroleum refining industry, annual purchase of corrosion resistant materials by, 121t

pH, aluminum alloy behavior in chlorides affected by, 63t

", effect of on corrosion, 455t

", flood water corrosivity related to, 307t

", iron in hydrogen sulfide, corrosion of related to, 189t

", metallic lead cathodic protection requirements vary with, 389t

", water, aluminum corrosion in related to, 9t

Phenol formaldehyde, testing of for oil well tubing coating, 5-121

Phenolic wastes, removal of from refineries, 358t

PHENOLICS

Baked, tubing in condensate and high pressure oil wells protected with, 49t

Catalyst-cured, refinery application of, 171t

Catalyzed, epoxy, 642t

Modified, steam resistance of, 202t

Tropical environments vs, 291t

Phosphate treated water, 492t

Phosphates, aluminum corrosion in water inhibited with, 7t, 9t

", coatings of on mild steel sterilizer shells, 202t

", cooling waters inhibited with, 233t

Phosphatizing treatments, 508t

Phosphorylated lecithin solutions, reactive coatings from, 508t

Photoelectric information selector, 251t

Physical properties of polyethylene coatings, 117t

Pickling and dipping solutions, polyesters vs, 635t

Pickling bath, pretreatment with prior to lining steel pipe, 275t

Pilot plant testing, refinery equipment for processing nickel, 547t

Pin holes, can, 11-100

PIPE

Asbestos-cement, underground corrosion vs, 1-107

Bare, cathodic protection of, 417t

Red brass, stress corrosion cracking of, 433t

Steel, cathodically protected, low temperature bend testing of, 591t

", injection systems, 12-106

", pickling bath for prior to lining, 275t

", polyethylene jackets for, 6-100

", sea water holding, cathodic protection of, 417t

", underground coatings for, 7-101

", ", evaluating economy of reconditioning and coating, 279t

PIPE LINES

Bridge caulking technique in, 3-118

Cathodic protection of in high resistivity soil, 497t

Petroleum products, 158t

Product, inhibitor testing inside, 131t

Soil corrosivity toward, 77t

Steel, effect of velocity on with sulfuric acid, 326t

Submarine, steel, sewage disposal, 363t

Piperidine, effect of on inhibition, 128t

Piping, industrial structure, coating of, 6-102

Pit growth in stainless steels, 32t

Pit inertia and pit memory on stainless steels, 32t

Pit interaction in study of pit growth on stainless steels, 32t

Pit measurement on tankers, 557t

PITTING

Aluminum 52S in glycol-water, 395t

Atmospheric corrosion test specimens, 533t

Copper tubing for recirculated water, 492t

Corrosion fatigue of steels related to, 262t

Evaluation of paints in terms of, 503t

HF alkylation units, 237t

High temperature alloys in molten boron oxide, 85t

Metals in glycol-water solution, 607t

Stainless steel, an electrochemical study of, 32t, 39t

" ", austenitic, in chlorides, 69t

" ", (Type 310), exchanger tubing of, 627t

" ", soot-blower tube of, 622t

Steel, Type 316 ELC, 547t

Zirconium in HCl, 103t

Pitting corrosion, critical analysis of, 25t

Pitting distribution and loci, 25t

PLASTICS

Chlorinated polyether, properties and uses of, 11-108

Coatings for offshore drilling structures, 5-131

Corn wet milling industry equipment protected from acids by use of, 113t

Epoxy liner for field joints of steel pipe in ocean, 363t

Linings of, annual purchases of by industries, 121t

Organic coatings for oil well tubing, testing of, 5-121

Organic coatings in tropical environments, 291t

Polyester fiber glass equipment, 635t

Polyethylene jackets for steel pipe, 6-100

Pump linings, 473t

Reinforced, sprayed resins and fibers in, 12-106

Rigid or reinforced, annual purchases of by industries, 121t

Steam resistant coatings for carbon steel hospital ware, 202t

Tank trucks reinforced with, 2-94

Thermosetting resins (reinforced) vs chlorine, 355t

Thick-film synthetic coatings, oil refinery applications of, 171t

Tubing for high pressure gas wells protected by coatings with, 73t

Underground coatings of, 7-101

Plastic cell test to evaluate water flood corrosion inhibitors, 7-97

Plastic deformation and crystal growth, 9-103

Plastic film method in tank ship corrosion measurements, 561t

Plastic rope for anodes, 12-106

Plastisols, polyvinylchloride, application of, 8-107

Plating, tin-zinc, 3-113

Platinum anodes for ships, 581t, 596t

Platinum coupled with titanium in HCl, 566t

Plugging tendencies of flood water, 12-99

Polarization current, measurement of, 571t

Polarization measurements, cathodic, inhibitor evaluation from, 517t

Polarization measurements in stainless steel pitting corrosion study, 39t

Polluted atmospheres, 541t

Polyamid, oil well tubing coating of, 5-121

Polybischloromethyl oxetane, properties of, 11-108

Polyester fiber glass equipment, 625t

POLYESTERS

Industrial corrosives vs, 635t

Metal finishing plating solutions vs, 635t

Pickling and dipping solutions vs, 625t

Reinforced, highway tank trucks using, 2-94

Stripping solutions for salvage vs, 635t

Polyethylene, coating resistance of to acids and alkalies, 117t

", jackets of for steel pipe, 6-100

", rope of for anodes, 12-106

", tapes of for underground pipe, 7-101

Polyphosphates, addition of to cooling waters, 20t

Polysulfide elastomers, underground pipe protection with, 7-101

Polysulfides, bolt caps filled with, 6-95

POLYVINYL CHLORIDE

Chlorine environments vs, 355t

Piping of vs chemical attack, 8-105

Plastisols, application of, 8-107

Sheet, plasticized, for modified starch service, 113t

Tapes, for underground pipe, 7-101

Polyurethane, oil well tubing coated with, 5-121

Polyurethane coatings, properties of, 12-93

Polyurethane tube coatings, 4-100

Potassium dichromate as a hydrogen sulfide inhibitor, 303t

Potassium fluoride, rate of dissolution of Zr in HF affected by, 286t

Potential measuring device on pipe, design of, 417t

Potential profiles, 576t

Potential studies used in pitting phenomena study, 25t

Potential-time curves of Zr in HF, 286t

Potentials, anode-to-hull, 587t

", pH vs for lead, in cathodic protection of cable sheath, 389t

", zirconium in HF, 286t

Potentiometer, commercial portable null, 571t

Potentiometer-voltmeter, 571t

Potentiostat, classical, application of to study of passivity, 369t

P—Continued

Power plant, coatings engineer's role in design and planning of, 7-107

" ", electrical generating, 6-95

Preheater exchanger, tube failure in, 627t

Preheater tubing, deterioration of, 627t

Pressure, high, organic coatings tested at for oil well tubing, 5-121

Pretreatment prior to lining steel pipe, 275t

Prime, hot vinyl, 642t

Primers, aluminum alkyd paint used over blast cleaned steel, 428t

", rubber-base paints applied with for transformers, 1-111

", wash, 311t, 315t

", ", ship bottom, 315t

Probability, stress corrosion cracking of copper alloys, 433t

Process equipment, cathodic protection of, 123t

Processing, chemical, 200 and 300 series stainless steels in, 147t

Products pipe line, cathodic protection of, 12-104

" " ", inhibitors inside, 131t

" " ", oil soluble inhibitors for, 158t

Program, coating and lining selection, 10-85

", maintenance coating for pulp and paper plant, 488t

", paint testing, 503t

Properties needed in offshore drilling structure coatings, 5-131

Pulp and paper, maintenance coating program in plants of, 488t

" " ", industry, annual purchases of corrosion resistant materials by, 121t

Pump and valve material, chlorine vs, 355t

Pumps, design and materials for, 473t

Pumps, iron, flood waters vs, 12-99

Punch cards, NACE abstract, 251t, 254t

" ", " ", photoelectric selector for, 251t

Q

Quantitative measurement of pitting attack, 25t

Questionnaire replies, corrosion in HF alkylation units, 237t

", material for handling chlorine mixtures, 355t

R

R alloy (aluminum), electrode potential behavior of in phosphoric acid, 63t

Racks, atmospheric corrosion testing, 533t

Radioactive tracers, leaks in bonded lead lined vessels located with, 2-98

Rain, atmospheric, corrosion test panels exposed to, 533t

", ", non-ferrous metals corrosion related to, 529t

Rate-of-pickling on tin-plate steel, 135t

Rate of solution movement, influence of on corrosion, 455t

Reactive coatings, 508t

R—Continued

Reactive wash primers, 311t

Reactors, low purity water used in, 83t

Recirculating coolant tests, 395t

Reconditioning and coating underground steel pipe, 279t

Records and reports of pulp plant maintenance coating program, 488t

Recovery of graphitically embrittled nickel, 1-112

Rectifiers, on ships, 581t

", products pipe line, 12-104

Redox probe field technique, 335t

Refinery, inhibition of cooling water in, 233t

", nickel alloy lining for isomerization unit, 8-109

", oil, thick-film synthetic coatings in, 171t

", sour water stripper corrosion in, 358t

Refinery equipment, aqueous hydrogen sulfide vs, 189t

Refining, nickel, 547t

", petroleum, organic inhibitors for, 321t

Refining industry, butane isomerization units, 185t

" ", HF alkylation units, 237t

Refining of uranium, corrosion problems in, 168t

Refractories, special corrosion resistant, 10-92

Regenerator, copper liquor, 547t

Reinforced concrete bridge, inhibiting attack of steel in, 331t

Reinforced polyesters for highway tank trucks, 2-94

Reinforcement, glass fiber for coatings, 4-102

Reproducibility of atmospheric corrosion test results, 533t

Residual fuel, oil ash corrosion problems in, 443t, 601t, 5-126

Residues attack chemical distilling column, 11-99

Resins, polyester, 635t

", sprayed, 12-106

", thermosetting, reinforced, chlorine mixtures vs, 355t

Resonance type instruments for tank ship corrosion loss measurement, 561t

Rhodium, titanium in HCl exposed to, 566t

Rigid plastisols, 8-107

Ringworm corrosion, oil well tubing attacked by, 49t

Rivets, coating of, 6-102

Roof construction and maintenance, industrial, 513t

Rope, plastic, for anode suspension, 12-106

Rotational casting of plastisols, 8-107

Rotrode technique on reactive coatings, 508t

RUBBER

Air pollutants vs, 541t

Natural, steel vessels lined with for sodium hypochlorite service, 113t

Silicone, underground pipe protected with, 7-101

Synthetic, 643t

", tropical sea water vs, 291t

Urethane, new formulations give versatility to, 4-100

Rubber base coatings, steam resistance of, 202t

Rubber base paints, transformers protected with, 1-111

R—Continued

Rubber linings, annual purchases of by industries, 121t

Rubberized asphalt mastic coatings for offshore structures, 5-131

Rust, types of on polished steel, 526t

Rusting, internal can surfaces, 11-100

S

S2 alloy (aluminum), electrode potential behavior of in phosphoric acid, 63t

SAFETY

In chemical cleaning, 17t

Polyethylene coating application related to, 123t

Sour gas condensate production, methods of achieving in, 413t

Toxicity of boiler deposits, 5-126

Salinity of atmospheres, metals corrosion related to, 631t

SALT

Concentration of on oil well steel, 299t

Concentration of on reinforcing steel in concrete, 382t

Content, steel reinforced concrete bridge affected by, 331t

Sea, deposits of on ferrous metals, 526t

Solutions, lead for cable sheath tested in, 389t

Solutions, titanium and zirconium resistance to, 341t

Salt crock testing of polyethylene, 6-100

Salt spray cabinet test on reinforcing steel in concrete, 382t

Salt water (see Water, salt)

Salt-fog, resistance of rubber-base paint to, 1-111

Salts, neutral, influence of on corrosion, 455t

", polyethylene coating chemical resistance to, 117t

Sand blasted steel, anchor patterns on, 428t

Saran, hot spray application of in shipyards, 3-116

Scale, cargo tank removal of, 557t

", outer oxide, on stainless steel, 613t

", removal of by acids, 17t

", removal of from steel pipe, 275t

Scale deposits, HCl used in removal of from steel, 69t

Scale inhibitors for cooling water, 233t

Scales, inner oxide, on stainless steel, 613t

Scales on steels (Types 302, 309 and 330), 141t

Scaling, chromium-nickel steel, 141t

Scanning device, photoelectric for corrosion data, 251t

Scraper trap deposits, pipe line, 131t

Scrapers, pipe line, 158t

Screening effects in pitting corrosion, 25t

Screening of inhibitors, chloride stress corrosion, 450t

" " ", oil well equipment, 303t

" " ", water flood corrosion, 7-97

Screening tests for chemical resistant coatings, 10-85

Screening test for inhibitor film persistence, 554t

S—Continued

Screens, filter, pipe line, 131t

Screw shell failure from stress corrosion cracking, 433t

Scrubbing tower, steel fogging type, lead-acid brick used to reline, 2-98

Search systems, corrosion data, 251t

Sea water (see Water, salt)

Secondary recovery, inhibitors for evaluated, 307t

Sediment, inhibitors for pipe lines evaluated by measuring of, 158t

Sensitizing, stainless steels, 200 and 300 series, 147t

", " ", cladding, 10-88

Service life, industrial roofing, 513t

" ", sulfuric acid pipe lines, relation of to velocity, 326t

Severe environments, rubber-base transformer finish used in, 1-111

Sheath, lead, telephone cable, 9-116

Shelter, atmospheric corrosion test racks having, 533t

Sheltered and open tests, metals in India, 631t

Shepard's cane, earth resistivity measurements with, 571t

Sherritt Gordon Mines, nickel refining at, 547t

Ships, cathodic protection of, 339t, 403t, 483t, 557t, 581t, 587t, 596t, 2-87

", coatings for bottoms of, 315t

", coatings for hulls of, 483t

", tank, 561t, 557t

", wooden-hulled aluminum-frame minesweepers, 403t

Shipyards, hot spray application of Saran in, 3-116

Sigma phase, effect of on intergranular corrosion of Type 316 and 316L stainless steel, 221t

" ", in Types 316 and 316L stainless steel, 213t

Silica, accumulation of at metal/scale interface for chromium-nickel steels, 141t

Silicon, aluminum alloys affected by trace elements of, 63t

", compounds of added to residual fuel oil, 601t

", high temperature oxidation of steel affected by content of, 613t

", nickel chromium alloys containing, 194t

Silicon carbide, refractories of, 10-92

Silicon iron anode in ducts to protect cable, 423t

Silicone rubbers, underground pipes coated with, 7-101

Silicones, steam resistance of, 202t

Silt, ducts containing, 423t

", recirculating water system having, 492t

Silver, titanium coupled with in HCl, 566t

Skin temperatures, Type 316 stainless steel, 257t

Slag, inclusions of in welding, 2t

", molten, metals vs, 10-92

", oil-fired boilers containing, 5-126

", steel tubes accumulate on heating of vanadium compounds, 443t

Slurries, abrasive, in pumps, 473t

Slurry, nickel powder, 547t

Slush moulding of plastisol parts, 8-107

Smog, photo-chemical, 541t

Smoke, air pollution from, 541t

Sodium, oil ash corrosion related to presence of, 5-126

Sodium benzoate, inhibition of antifreezes with, 607t

S—Continued

Sodium carbonate, air pollution from, 541t

Sodium chloride, anodes of AZ 63 and Mg-1% Mn alloy vs, 76t

" ", steel wires have corrosion fatigue in, 262t

" ", stressed austenitic stainless steels vs, 373t

Sodium dichromate, pitting reduced by addition of, 269t

Sodium dinonylnaphthalene, anti-freezes containing, 607t

Sodium fluoride, rate of dissolution of Zr in HF affected by addition of, 286t

" ", titanium-platinum couples in HCl containing, 566t

Sodium hydroxide, nickel tubing vs, 1-112

Sodium hypochlorite vs natural rubber linings, 113t

Sodium metasilicate, anti-freezes inhibited with, 607t

Sodium nitrate for steel as chloride stress corrosion inhibitor, 450t

Sodium nitrate, anti-freeze inhibition with, 607t

Sodium nitrite as inhibitor in products pipe lines, 158t

Sodium pyrophosphate as a hydrogen sulfide inhibitor, 303t

Sodium silicate, inhibition of anti-freezes with, 607t

Sodium sulfate, oil ash corrosion related to, 601t

Sodium sulfate-vanadium pentoxide mixture vs Type 310 stainless steel, 443t

Sodium sulfite for steel as chloride stress corrosion inhibitor, 450t

Sodium tetrasilicate plus sodium tetraborate, corrosion of aluminum in glycol-water inhibited by, 395t

Soft drinks, effect of copper on corrosiveness of, 11-100

SOIL

Cathodically protected steel in, 591t

Corrosivity classification system for, 77t

Corrosivity of measured, 77t

Corrosivity of to buried metals, 1-107

Electrical measurements in, 576t

High resistivity, cathodic protection of pipe lines in, 497t

Lead vs, 389t

Specific resistivity of measured, 77t

Soil resistivity, instruments for measuring, 571t

" ", survey of, 497t

Solid particulates in air pollution, 541t

Solvents, polyurethane coatings vs, 12-93

Soot blower tubes, 622t

Sorting machine, photoelectric, 251t

Sound velocity, tank ship corrosion loss measurements involving, 561t

Sour gas condensate production, 413t

Sour water strippers, corrosion in, 358t

Sour-crude immersion, polyurethane coatings tested by, 12-93

Snow, cathodic protection of products pipe line in, 12-104

Spalling of reinforced concrete in marine atmospheres, 382t

Spectrographic examination of corrosion products on copper, 199t

Spot tests on polyurethanes, 12-93

Spraying, metal, oil ash corrosion vs, 601t

Stability limits of metals in solid solutions, 455t

Stable static potential, obtaining of on lead electrode, 389t

Stack, polyester, fiber glass, 635t

Staining, internal, can surface, 11-100

Starch granules, abrasive action vs hard rubber and phenolic resins, 113t

Static electrode potential behavior of aluminum alloys, 63t

Static water drop test, nitrogen compound inhibitors evaluated by, 128t

Statistical analysis, cracking susceptibility variables in oil country tubing, 437t

" ", low purity water as a corrosion factor in nuclear reactor cooling systems, 83t

Steam, oil soluble inhibitors fogged with, 241t

", stress corrosion crack paths of alpha aluminum bronze in atmosphere of, 295t

Steam generators, stress corrosion cracking of, 450t

Steam resistant coatings for carbon steel hospital ware, 202t

Sterilizers, steam resistant coatings for, 202t

STEEL

Alloy, buried specimens of vs soils, 1-107

AOI 5LX-52, pipe sewer outfall composed of for use in ocean, 363t

Cathodic protection of in sea water, 483t

Cathodically protected, hydrogen embrittlement of, 591t

Chlorine mixtures vs, 355t

Chromium, accelerated cavitation of related to hardness, 269t

" (0-5 percent), hydrogen sulfide iso-corrosion curves for, 125t

Chromium-low nickel-manganese, for chemical manufacturing processes, 147t

Cold rolled, physical properties of, 635t

Concrete bridge reinforced with, 331t

Copper, low phosphorous, effect of manganese in, 533t

Galvanized, atmospheric corrosion of, 409t

Grit blasted, paint performance on, 428t

High phosphorous, atmospheric corrosion of, 533t

High strength, delayed failure of, 207t

" ", stress corrosion and hydrogen embrittlement tests on, 399t

Inhibitor evaluation on in acidic environments, 321t

Marine atmosphere vs, 526t

Milling systems for, 8-105

N-80, hydrogen embrittlement of, 591t

Nickel (low), oil well tubing composed of, 49t

Oil-brine-hydrogen sulfide mixtures vs, 299t, 303t

Pompton and Utica, corrosion fatigue of, 262t

STEEL (Continued)

Reinforcing in concrete in marine atmospheres, 382t

SAE 1010, iron phosphate coatings on, 508t

Spring (1095), fruit cutter blade of, 6-100

Structural, coatings of, 6-102

", fracture of, 591t

", power plants use, 6-95

Sulfur dioxide vs, 541t

Tin coated for foods, 11-100

Tin-plate, factors influencing rate-of-pickling test on, 135t

Type 422, net fracture stress of vs temperature, 399t

Type 446, high temperature gases vs, 622t

Type XON^{-4} inhibitors to protect, 469t

STEEL, ALLOY (LOW)

Atmospheric corrosion vs, 533t

Industrial atmospheres vs, 526t

Oil well tubing composed of, 49t

Tank ships, use on, 557t

Weldments of vs NaCl, 2t

STEEL, CARBON

Filters of, 547t

HF vs, 237t

High temperature vs, 619t

High temperature gases vs, 627t

High temperature water systems vs, 183t

Liquid-phase fuming nitric acid vs, 245t

Low, cooling waters vs, 233t

Low, hydrogen effusion rates on, 179t

Offshore platforms of corrode, 8-103

Sour water vs in refineries, 358t

Steam resistant coatings for hospital ware composed of, 202t

Sulfuric acid-containing pipe lines of, 326t

Weldments of vs NaCl, 2t

STEEL, MILD

Carbon tetrachloride vs, 447t

Chemical plant exposures vs, 341t

Corrosion of in India, 631t

Ethylene glycol vs, 607t

HCl vs, 517t

In 73% caustic, cathodic protection of, 123t

Inhibitor fogging and flotation with coupons of, 241t

Light naphtha process equipment using, 189t

SAE 1010, cooling tower water vs, 97t

STEEL, STAINLESS

200 and 300 series in chemical manufacturing processes, 147t

Aluminum - frame minesweepers having components of, 403t

Ammonium nitrate stored in, 6-99

Atmospheric corrosion of, 533t

Cast, erosion resistance of, 269t

Cladding of, 10-88

Effect of cathodic reaction on pitting behavior of, 25t

Chromium-nickel (18-8) vs aldehydes, organic acids, organic esters, chlorides, sulfates, and organo - nitrogen compounds, 147t

STEEL, STAINLESS (Continued)

Chromium-nickel, high temperature oxidation of, 141t

Electrochemical study of pitting corrosion in, 32t, 39t

Industrial atmospheres vs, 526t

Nickel refinery equipment of, 547t

No. 20 alloy, sulfuric and sulfurous acids vs, 113t

Pit growth in when exposed to ferric chloride, 32t

Pitting corrosion of, 25t

Polarization measurements in when exposed to ferric chloride, 39t

Type 330, oxidation of, 141t

Silicon's effect on high temperature oxidation of, 613t

Uranium refining process vs, 168t

STEEL, STAINLESS, AUSTENITIC

Chloride stress corrosion cracking of, 69t

High temperature oxidation of, 141t

Hydrogen sulfide iso-corrosion curves for, 125t

Stress corrosion cracking of, 373t, 9-103

Type 302, cathodic protection of in sulfuric-organic acid, 123t

" ", oxidation of, 141t

Type 302B, dehydrogenation process headers of, 619t

" ", high temperature vs, 619t

Type 304, nitric acid vs, 257t

" ", sulfurous acid fumes vs, 113t

" ", oxidation of at 2000 F, 141t

Type 310, dehydrogenation process catalyst tubes of, 619t

" ", high temperature vs, 619t

" ", hot gases vs, 622t

" ", molten boron oxide vs, 85t

" ", synthetic fuel oil ash vs, 443t

" ", tubing deterioration of, 627t

Type 316, high temperature vs, 619t

" ", in 77% H_3PO_4 at various skin temperatures, 257t

" ", sour water strippers of vs hydrogen sulfide, 358t

" ", stress corrosion cracking of, 336t

" ", sulfur dioxide vs, 113t

" ", valve seat rings of fail in water treating system, 1t

Type 316 and 316L, intergranular corrosion of, 213t, 221t

Types 316 and 317, phosphoric acid vs, 351t

Type 321, high temperature vs, 619t

Type 347, high temperature vs, 619t

" ", hot gases vs, 622t

" ", stress corrosion cracking of, 450t

Vs aldehydes, organic acids, organic esters, chlorides, sulfates and organo-nitrogen compounds, 147t

Steel-tin beverage cans, 477t

Steel and copper compounds in aluminum cooling towers, 20t

Steel cable for magnesium anodes, 12-106

Steel piping, water tower, 492t

Steel wires, corrosion fatigue of, 262t

S—Continued

Storage, canned goods, 11-100

", nitric acid and ammonium nitrate, 6-99

Stray currents, underground structures vs, 455t

" ", underground corrosion related to, 1-107

Stray current areas, DC corrosion meters used in, 68t

Strength, high tensile, materials for, 10-88

Stress, high tensile, steel specimens vs, 207t, 591t

STRESS CORROSION CRACKING

- Alpha aluminum bronze in ammonia and steam atmospheres, 295t
- Aluminum vs, 455t
- Aluminum bronze alloys, wrought, 101t
- Aluminum-magnesium alloys, 55t, 337t
- Ammonium nitrate storage tanks, 6-99
- Copper alloys, 433t
- In HF alkylation units, 237t
- Inhibitors screening to prevent, 450t
- Mechanism of in AZ 31B magnesium alloy, 7-106
- Oil country tubular goods, 437t, 646t
- Oil well tubing, 49t
- Steels, high strength, 399t

STRESS CORROSION CRACKING, STEELS, STAINLESS

- 200 and 300 series for chemical manufacturing processes, 147t
- Austenitic, in chlorides, 69t, 373t, 9-103
- ", Type 316 ELC tank, 547t
- ", Type 316 tubes in corn syrup evaporator, 113t

Strippers, sour water, 358t

Stripping solutions for salvage, polyesters vs, 635t

Structural design plus coatings, 6-102

Structure-to-soil potentials, 576t

Submarine test cable, use of with steel pipe line in ocean, 363t

Sub-surface corrosion of aluminum, field measurement of, 9-114

Sugar and syrup production, materials of construction for, 113t

Sulfate ion, pitting tendencies of with stainless steels, 32t

Sulfates, stainless steels (200 and 300 series) vs, 147t

Sulfated orange oxide vs metals, 168t

Sulfide corrosion cracking of steels, heat treatment used against, 437t

Sulfide ions, hydrogen embrittlement of steel related to, 591t

Sulfide precipitation of nickel and cobalt, 547t

Sulfides, cooling water contaminated by, 547t

", removal of from refinery waters, 358t

Sulfite, oil ash corrosion intensified by, 5-126

Sulfur, canned goods containing, 11-100

", iron containing, atmospheric corrosion of, 526t

", residual fuel oils containing, 601t

Sulfur content of fuel related to oil ash corrosion, 5-126

S—Continued

Sulfur dioxide, atmospheric corrosion of non-ferrous metals by, 529t

" ", atmospheric corrosion of iron by, 526t

Sulfur dioxide and trioxide, air pollution from, 541t

Sulfur pollution, non-ferrous metals exposed to, 529t

Sulfurous compounds, accelerated corrosion of zinc by, 533t

Suppliers, pulp plant coating, 488t

Surface finishing, cavitation attack related to, 269t

", Types 201 and 202 stainless steel, 147t

SURFACE PREPARATION

- Aluminum cooling towers for painting, 20t
- Anchor pattern profile affects paint performance, 428t
- Carbon steel for exposure to fuming nitric acid, 245t
- Polyethylene coating use related to, 117t
- Pulp plant, 488t
- Refinery metal for thick-film coatings, 171t
- Wash primers, connection of with, 311t

Surface preparation for painting, 503t

Surface treatment, stainless steel (Type 309), 141t

" ", steam resistant coating effectiveness influenced by, 202t

" ", steel pipe prior to lining, 275t

" ", zirconium corrosion rate in HCl affected by, 103t

Surge protection cell, 497t

Synergized polyphosphate treatments in cooling tower systems, 97t

Synthesis gas, attack on metals by from methane-oxygen combustion, 622t

Synthetic coatings, thick-film, oil refinery applications of, 171t

Synthol process, metals deterioration in, 627t

Sweet corrosion cracking of oil field tubing, 437t

T

Tank ships, inhibitors for, 241t

" ", internal corrosion of, 557t

" ", measuring corrosion loss on, 561t

Tank trucks, highway, reinforced polyesters for, 2-94

TANKS

- Coal tar lined, 12-99
- Linings for, 10-85
- Polyester fiber glass, 635t
- Stainless steel (Type 316 ELC), stress corrosion cracking of, 547t
- Storage, inhibitors for, 241t
- ", coating of, 6-102

Tantalum, platinum clad anodes of for ships, 596t

Tantalum resistance to calcium chloride, 341t

Tapes, annual purchases of by industries, 121t

", plastic, underground corrosion of pipe combatted with, 7-101

Tar system lines, HF vs, 237t

Teflon, steam resistance of, 202t

T—Continued

Telephone cables, differential aeration of, 9-116

TEMPERATURE

- Aluminum-magnesium alloys vs, 337t
- Critical, high temperature alloys in molten boron oxide, 85t
- Influence of on corrosion fatigue, 262t
- Influence of on corrosion rate, 455t
- Low, bend test of cathodically protected steel pipe, 591t
- Oil well tubing tested for effect of, 49t
- Service, influence of on wrought aluminum - magnesium alloys, 55t
- Zirconium corrosion rate in HCl affected by, 103t

TEMPERATURE, HIGH

- Aluminum-magnesium alloys at, 55t
- Attack on metals by synthesis gas from methane-oxygen combustion, 622t
- Corrosion in a hydrocarbon conversion system, 619t
- Corrosion product films on aluminum, 7t
- Determining of corrosion rates under heat flux conditions, 257t
- Graphitic embrittlement of nickel heat exchanger tubing, 1-112
- Hydrogen effusion measurement in dynamic aqueous systems, 179t
- Intergranular corrosion of Type 316 and 316L stainless steel, 213t
- Iso-corrosion rate curves for hydrogen-hydrogen sulfide, 125t
- Metal deterioration in atmospheres containing carbon monoxide and hydrogen, 627t
- Molten boron oxide vs alloys, 85t
- New bonding process gives added versatility to cladding, 10-88
- Nickel-chromium alloys, internal oxidation of, 194t
- Nitric acid vs heat exchanger tubing, 6-99
- Oil ash corrosion problems, 443t, 601t, 5-126
- Organic coatings tested at for oil well tubing, 5-121
- Oxidation of chromium-nickel steels, 141t
- Silicon's effect on oxidation of stainless steel at, 613t
- Special corrosion resistant refractories, 10-92
- Type 310 stainless steel vs synthetic fuel oil ash (in laboratory), 443t
- Water, system of, 183t

Temperature dependence on time in aqueous corrosion of aluminum, 13t

Temperature differential in heat exchangers, 6-99

Temperature inversion, air pollution related to, 541t

Tensile strength, high temperature alloy, change of in molten boron oxide, 85t

Tensile testing of atmospheric corrosion test specimens, 533t

Teredo vs wood, 45t

T—Continued

Testing, atmospheric corrosion, procedures employed in, 533t

", cladding materials, 10-88

", long and short term, zirconium in HCl, 103t

TESTING, LABORATORY

- Aluminum and alloys by repetitive oscillographic method, 63t
- Aluminum in water, 9t, 13t
- Aluminum-magnesium alloys at service temperatures vs stress corrosion cracking, 55t
- Anchor pattern profile relation to paint performance on steel, 428t
- Automobile anti-freeze inhibitors, 607t
- Behavior of construction materials for minesweepers, 403t
- Carbonated beverage can perforation, 477t
- Cathodic protection, lead cable sheath, 389t
- " ", mild steel in 73% caustic, 123t
- " ", steel pipe carrying sea water, 417t
- Cavitation-erosion of materials, 269t
- Chemical and solvent resistance of polyurethane coatings, 12-93
- Coatings for chemical plants, 10-85
- Coatings, ship bottom, 315t
- Cooling tower system inhibitors evaluated, 97t
- Copper condenser tubes for water treatment, 492t
- Corrosion fatigue, influence of temperature on, 262t
- Criteria for cathodic protection of steel in sea water, 483t
- Determining of corrosion rates under heat flux conditions, 257t
- Die casting alloys vs detergent solutions, 327t
- Effect of silicon on high temperature oxidation of stainless steel, 613t
- Fuming nitric acid vs AISI 1020, 245t
- High temperature corrosion product films on aluminum, 7t
- High temperature oxidation of chromium-nickel steels, 141t
- HCl vs austenitic stainless steel, 69t
- Hydrogen embrittlement of cathodically protected steel, 591t
- Hydrogen sulfide at high temperatures vs steels, 125t
- Hydrogen sulfide inhibitor effectiveness, 303t
- Impedance characteristics of isolated aluminum oxide films, 283t
- Inhibitor evaluation from cathodic polarization measurements, 517t
- Inhibitor film persistence, 554t
- Inhibitor fogging and flotation, 241t
- Inhibitors, aluminum glycol-water cooling system, 395t
- ", carbon tetrachloride - water vapor (for mild steel), 447t
- ", cooling water, 233t
- ", secondary recovery, evaluation of, 307t
- Intergranular attack of austenitic stainless steels, 213t

T—Continued

TESTING, LABORATORY (Continued)

Intergranular corrosion of Type 316 and 316L stainless steel, 221t

Materials selection for dehydrogenation process catalyst tubes, 619t

N-80 and low alloy materials in 5% NaCl plus carbon dioxide, 49t

Nickel-chromium alloys oxidized in air, 194t

Oil ash (synthetic fuel) vs Type 310 stainless steel, 443t

Oil-brine-hydrogen sulfide mixtures vs steel, 299t

Organic coatings for oil well tubing, 5-121

Organic inhibitors for petroleum refining, 321t

Organic nitrogen compounds as inhibitors, 128t

Paint systems for chemical plants, 503t

Phosphoric acid vs Types 316 and 317 stainless steel, 351t

Pickling bath inhibitors for steel pipe, 275t

Pit growth in 18-8 stainless steel exposed to ferric chloride, 32t

Platinum for active ship anodes, 596t

Polarization measurements for study of pitting corrosion in stainless steel exposed to ferric chloride, 39t

Polyesters vs industrial corrosives, 635t

Polyethylene jackets for steel pipe, 6-100

Rates of dissolution and passivation of Hf-free Zr in HF, 286t

Reactive coatings thickness measurement, 508t

Reinforcing steel in concrete vs salt spray, 382t

Screening tests of inhibitors to prevent chloride stress corrosion, 450t

Steam resistant coatings for carbon steel hospital ware, 202t

Steels, high strength (4340), effect of hydrogen concentration on, 207t

Stress corrosion crack paths in alpha aluminum bronze, 295t

Stress corrosion cracking, Az 31B magnesium alloy, 7-106

" " ", N-80 and J-55, 437t

" " ", stainless steel, austenitic, in chloride waters, 373t

" " ", steel, Type 422, 399t

Tin plate steel, lag time of determined, 135t

Titanium and zirconium resistance to calcium chloride, alkali solutions, chlorine, hypochlorite, sulfuric acid, nitric acid, HCl and NaCl, 341t

Weldments, carbon and low alloy steel, NaCl vs, 2t

Wrought aluminum bronze alloys, stress corrosion cracking susceptibility of, 101t

Zirconium vs HCl at atmospheric pressure, 103t

TESTING, ON LOCATION

Aluminum sub-surface corrosion, 9-114

Atmospheric corrosion of metals, 533t

Cathodic protection, steel pipe carrying sea water, 417t

TESTING, ON LOCATION (Continued)

Coatings for chemical plants, 10-85

Criteria for cathodic protection of steel in sea water, 483t

Element spacing in duct anodes for cables, 423t

Filming amines vs iron and copper in condensate cycle, 8-99

Inhibition of low temperature hydrogen sulfide corrosion in pipe still, 189t

Inhibitor fogging and flotation, 241t

Inhibitors, cooling water, 233t

", product pipe line, 131t, 158t

Materials for butane dehydrogenation process, 619t

Materials for gas generator-waste heat boiler, 622t

Metals in tropical marine environments, 631t

Monel, Inconel, steel, aluminum and copper corrosion rates in water reclaimer tower, 358t

Organic coatings in tropical environments, 291t

Paint systems for chemical plants, 503t

Phosphoric acid vs Types 316 and 317 stainless steel, 351t

Platinum anodes for active ships, 596t

Polyesters vs industrial corrosion, 635t

Screening inhibitors for water flood corrosion prevention, 7-97

Soil corrosivity, 77t

Soils vs buried metals and coating materials, 1-107

Steam resistant coatings for carbon steel hospital ware, 202t

Steels, stainless (200 and 300 series) for chemical processing, 147t

Sweet corrosion cracking of copper, 437t

Uranium refining process vs metals corrosion, 168t

Zinc in marine environments, 409t

Textiles, ozone vs, 541t

", sulfur dioxide vs, 541t

Theoretical concepts of pitting corrosion, 25t

Thermal conductivity of refractories, 10-92

Thermal convection loop, use of in aqueous dynamic systems, 179t

Thermocouple wires, molten boron oxide vs, 85t

Thermoplastics, properties and uses of, 11-108

Thick-film synthetic coatings in oil refinery applications, 171t

Thickness, tank ship plate, measurement of, 561t

Tin, titanium coupled with HCl, 566t

Tin alloys in atmospheric exposure, 3-113

Tin-nickel alloy resistance, 3-113

Tin plate, staining of, 11-100

Tin plate steel, rate of pickling on, 135t

Tin-steel on carbonated beverage cans, 477t

Tin sulfide on cans, 11-100

TITANIUM

Alloys containing vs molten boron oxide, 85t

Chemical plant exposure of, 341t, 643t

Dissolution rate of in HF, 286t

HCl vs, 566t

Milling system for, 8-105

Nickel-chromium alloys containing, 194t

Platinum clad anodes of for ships, 596t

Tubing in nickel extraction plant, 4-95

Titanium and stainless steel pumps, 473t

Topography, air pollution related to, 541t

Tower footings, transmission, 6-95

Towers, water treatment, 492t

Toxic hazards in chemical cleaning, 17t

Toxicity of boiler deposits, 5-126

Transformers, rubber-base paint coatings on, 1-111

Treatment of water, 492t

Triethylenetetramine as a hydrogen sulfide inhibitor, 303t

Tropical environment, metals tested in, 631t

" ", performance of organic coatings in, 291t

" ", synthetic rubbers and vinyls in, 643t

Trusses, steel, coating of, 6-102

Tube sheets, nitric acid vs, 6-99

Tubes, 27-chrome alloy, high temperature vs, 619t

", urethane coatings for, 4-100

TUBING

Aluminum, on minesweepers, 403t

Copper, water, stress corrosion cracking of, 433t

", water tower, silt deposits on, 492t

Nickel, heat exchanger, graphitic embrittlement of, 1-112

Nipple tests, 12-99

Oil and gas well, organic coatings for, 5-121

Oil well, mechanical properties of, 49t

Preheater, Type 310, determination of, 627t

Sour gas well, resistance of, 413t

Special alloy, high pressure gas wells protected with, 73t

Stainless steel (Type 310), synthetic oil ash vs, 443t

Tubular goods, oil country, stress corrosion cracking of, 437t

Tubular heat flux corrosion tests, 257t

Turbines, filming amines used to protect, 8-99

", gas, treatment of residual oil in, 601t

Turbine oil test (ASTM), 321t

Turbine type rust tests on inhibitors, 131t

U

Ultrasonic measurement of tank ship losses, 561t

Undercoating for marine atmospheres, 3-113

Underground cable, differential aeration on, 9-116

Underground corrosion, 576t

" ", cathodically protected steel, 591t

" ", duct anodes protect cables from, 423t

" ", instruments for measuring, 571t

" ", piping, 547t

" ", plastics and synthetic elastomers for coatings, 7-101

Summary of 45-year Nat Bur of Standards research on, 1-107

Underground structures, 68t, 455t

Underwater metal surfaces in fresh water, 335t

Uranium, corrosion problems in refining of, 168t

Urethane, coatings of, new formulations for, 4-100

", " ", properties of, 12-93

", steam resistance of, 202t

Utility plant condensate system, filming amines control corrosion in, 8-99

V

Vacuum annealing, zirconium corrosion rate in HCl affected by, 103t

Vacuum bonding process, 10-88

Vacuum tube millivoltmeter (DC), 571t

Valve seat rings fail in water treating system, 1t

Valves, chlorinated polyether, pressure temperature ratings of, 11-108

Valves, chlorine mixtures vs, 355t

Vanadium, oil ash corrosion resulting from, 443t, 601t, 5-126

", titanium coupled with in HCl, 566t

Vanadium-containing fuels, oil ash corrosion problems with, 601t

Vanadium pentoxide, oil ash corrosion from, 601t, 5-126

Vanadium pentoxide-sodium sulfate mixtures vs Type 310 stainless steel, 443t

Vapor condensation condition, stress corrosion of austenitic stainless steels in chloride waters during, 373t

Vapor phase butane isomerization, 185t

Variables in paint testing, 503t

Variable interaction: a statistical solution, 83t

Varistors, DC corrosion meters used with, 68t

Velocity, steel pipe line life in sulfuric acid affected by, 326t

", water treatment system affected by, 492t

Velocity problems, steel suitability for handling chlorine mixtures in terms of, 355t

Vibratory method, erosion resistance of alloys determined by, 269t

Vinyl chloride, unplasticized, properties of, 11-108

Vinyl mastic coating for offshore drilling structures, 5-131

Vinyl prime, hot, 642t

Vinyl resin, testing of for oil well tubing coating, 5-121

Vinyls, properties of, 12-93

", steam resistance of, 202t

", tropical environments and sea water vs, 291t, 643t

V—Continued

Visual observations on water stream in high temperature velocity loop, 183t

Voltmeter, dual sensitivity, 571t

", moving coil deflection, 571t

", portable DC vacuum tube, 571t

", potentiometer, 571t

W

Wagner's analysis of cathodic protection compared with operating data for ships, 339t

Wash primers, development and characteristics of, 311t

" ", components of, 508t

WATER

- Aluminum alloys in cooling towers vs, 20t
- Anode installations in to protect product pipe lines, 12-104
- Chloride containing, austenitic stainless steels in, 9-103
- " ", stress corrosion of austenitic stainless steels in, 373t
- Circulating, corrosion by, 492t
- Color of in loop streams, 183t
- Cooling, 233t, 413t, 417t, 547t, 9-103
- ", chlorides in, 9-103
- ", inhibition of, 233t
- Deionized, aluminum alloys vs, 13t
- ", nuclear reactor fuel element jacketing corroded by, 83t
- Distilled, inhibitor screening tests in for aluminum protection, 395t
- Effect of in corrosion of AISI 1020 in fuming nitric acid, 245t
- Fresh, cathodic protection of naval vessels in, 2-87
- ", organic coatings in tropics tested in, 291t
- ", ship bottom coatings vs, 315t
- High purity, aluminum alloys in, 7t
- Hot, boehmite formed on aluminum in presence of, 283t
- Low purity, nuclear reactor fuel element jacketing corroded by, 83t
- Polyurethane coatings vs, 12-93
- Soil corrosivity measured by chemical analysis of, 77t
- Stress corrosion cracking of copper alloys in, 433t

W—Continued

WATER (Continued)

- Stripped, disposal of in refineries, 358t
- Tap and distilled vs aluminum, 9t
- Tap, distilled and sea: chemical resistance of polyethylene coatings to, 117t
- Tap, nuclear reactor fuel elements jacketing corroded by, 83t
- Underground telephone cables exposed to, 9-116
- Urethane coatings exposed to, 4-100

WATER, SALT

- Carbon steels vs on offshore platforms, 8-103
- Cathodic protection of naval vessel in, 2-87
- Cathodic protection of steel in, 483t
- Cathodic protection of steel pipes carrying, 417t
- Cement mortar coated steel pipe sewer outfall vs, 363t
- Coatings for ship bottoms vs, 315t
- Concrete reinforced with steel vs, 382t
- Inhibitors for use in, 241t
- Organic coatings tested in presence of in tropics, 291t
- Platinum anodes in for active ships, 596t
- Power generating plants affected by, 6-95
- Wooden hulled aluminum-frame minesweepers vs, 403t
- Ships vs, 581t, 587t
- Titanium and zirconium resistance to, 341t
- Water flood operation involving, 12-99
- Weldments, steel, testing of in, 2t
- Zinc exposed to, 409t

Water absorption of acidic gases from hydrocarbons in refineries, 385t

Water boxes of condensers suffer graphitization, 6-95

Water condensate tank vs chlorides, 69t

Water drainage of telephone cable conduits, 9-116

Water flood, inhibitors for secondary recovery, 307t

" ", inhibitors screened for prevention of corrosion by, 7-97

Water flooding, corrosion control practices in, 12-99

W—Continued

Water pollution, electrical generating plant, 6-95

" ", elimination of in refineries, 358t

Water quality tests, 12-99

Water reclaimer towers, inhibitor injection into, 358t

Water stream in elevated temperature high velocity loop, 183t

Water treatment, 547t

" ", in aluminum cooling towers, 21t

" ", inhibitors for water cooling tower systems, 97t

" ", system, valve seat ring (Type 316 SS) fails in after 9 months, 1t

" ", test facility, four-tower, 492t

Water vapor, atmospheres containing carbon tetrachloride, inhibitors for, 447t

" ", non-ferrous metals exposed to, 529t

" ", non-ferrous metals vs, 529t

Waterproofing of industrial roofing, 513t

Wax coating for underground steel pipe, 279t

Weather, air pollution related to, 541t

", atmospheric corrosion testing related to, 533t

Weather conditions, metals corrosion in India related to, 631t

Weld decay, HF alkylation units, 237t

Weld splatter, removal of, 6-102

Welding, cost of on underground steel pipe, 279t

", phosphoric acid vs stainless steel samples subjected to, 351t

", Types 316 and 316L stainless steel, effect on, 221t

Welding clad plate, 10-88

Welding practices on industrial structures, 6-102

Welding techniques related to fracture of steel weldments, 2t

Weldments, steel, NaCl solution vs, 2t

Welds, zirconium, corrosion rates of in HCl, 103t

Wellhead chokes, failure of in sour gas production, 413t

WELLS

- Gas, high pressure, well completion and corrosion control in, 73t
- Oil, inhibitors for secondary recovery, 307t
- ", polyurethane coatings for equipment used in, 4-100
- ", water flood operation of, 12-99

W—Continued

WELLS (Continued)

- Sour condensate, tubing for, 49t
- Sour gas, 413t
- Sour oil, tubing for, 49t
- Sweet oil, tubing for, 49t

Well completion and corrosion control of high pressure gas wells, 73t

Wetting units, reinforced concrete bridge protected with, 331t

Wire and sheet, relative corrosion rates of, 533t

Wood, aluminum used with on minesweepers, 403t

", marine boring organisms vs, 45t

Wrought aluminum magnesium, alloys of vs temperature, 55t

X

XO^{n-}_4 inhibitors, action of, 469t

X-ray diffraction, oxide films on stainless steel studied by, 613t

Z

ZINC

- Atmospheric corrosion of, 529t
- Corrosion of in India, 631t
- Detergent solutions vs, 327t
- Inhibitive effects of synergized polyphosphate increased by addition of, 97t
- pH of in solutions determines corrosion rate of, 455t
- Tin as undercoat on, 3-113
- Titanium coupled with in HCl, 566t

Zinc chromate, aluminum box painted with for exposure to sea water, 403t

Zinc chromate primer, 508t

Zinc in marine enviroments, 409t

Zinc lead silicate for offshore drilling structures, 5-131

Zinc oxide, wash primer pigment replaced with, 508t

Zinc phosphatizing, 508t

Zinc spray, offshore drilling structures protected with, 5-131

Zinc tetraoxychrome-polyvinyl butyral primer, reactive coatings of on steel, 508t

Zinc-pigmented coating inside tank ships, 557t

ZIRCONIUM

- Chemical plant exposure of, 341t, 643t
- Hafnium-free, rates of dissolution and passivation of in HF, 286t
- HCl vs at atmospheric pressure, 103t
- Sodium and potassium hydroxides vs, 103t
- Titanium coupled with in HCl, 566t

Alphabetical Author Index

CORROSION, Technical and Technical Topics Sections, Volume 15, 1959

A

Akimov, G. V.
Factors Influencing Corrosion 455t

Allen, E. R. Jr.
Discussion—Simple Screening Test for Determination of Inhibitor Film Persistence.. 556t

Alexander, A. L.
Performance of Organic Coatings in Tropical Environments, with B. W. Forgeson and C. R. Southwell 291t
Discussion—Controlling Internal Corrosion of Tank Ships..... 560t
Discussion 643t

Andrews, C. R.
See Roller, David..... 85t

Anderson, E. A.
Zinc in Marine Environments. 409t

Anderson, Thomas F.
See Barnett, Robert E..... 635t

Anderson W. A.
See Dix, E. H., Jr..... 55t
Discussion 338t

Annamalai, P. L.
See Rajagopalan, K. S..... 631t

Aziz, P. M.
Mechanism by Which Non-Ferrous Metals Corrode in the Atmosphere, with H. P. Godard..... 529t
Discussion—Observation on the Mechanisms and Kinetics of Aqueous Aluminum Corrosion..... 642t

B

Backensto, E. B.
Iso-Corrosion Rate Curves for High Temperature Hydrogen-Hydrogen Sulfide—A Contribution to the Work of NACE Technical Group Committee, T-8, with J. W. Sjoberg. Publication 59-10..... 125t

Ballard, D. A.
Justification and Economics Engineering Approach to a Paint Testing Program, with V. B. Volkening..... 503t

Barnard, K. N.
Service Experience with Lead-Silver Alloy Anodes in Cathodic Protection of Ships, with G. L. Christie and D. G. Gage..... 581t

Barnett, Robert E.
Polyester Fiber Glass Equipment, with Thomas F. Anderson..... 635t

Barusch, M. R.
Control of Internal Corrosion of Petroleum Products Pipelines with Oil Soluble Inhibitors, with L. G. Haskell and R. L. Piehl.... 158t

Baskette, L.
Solving Corrosion Problems at Electrical Generating Plants 6-95

Beck, F. H.
See Staehle, R. W..... 373t

Behn, D.R.
Discussion—Corrosion in Sour Water Strippers..... 362t

Bell, E. G.
See Bobalek, E. G..... 202t

Belue, M. W., Jr.
Planning a Maintenance Coating Program for a Pulp and Paper Plant..... 488t

B—Continued

Benes, Richard
Corrosion in the Corn Wet Milling Industry, with Fred J. Holsinger and Russell E. Pierson..... 113t

Bennett, G. A. (Cdr.)
Electrical Bonding of Cathodically Protected to Unprotected Ships, with N. S. Dempster and A. J. Wallace..... 587t

Berman, L. U.
See Schwoegler, E. J..... 128t

Bigos, Joseph
Anchor Pattern Profile and Its Effect on Paint Performance 428t

Bishop, Claude R.
Discussion—Corrosion Resistance of Titanium and Zirconium in Chemical Plant Exposures..... 644t

Bloom, M. C.
See Krulfeld, M..... 179t
See Waldron, L. J..... 2-87

Bobalek, E. G.
Evaluation of Steam Resistant Coatings For Carbon Steel Hospital Ware, with W. R. R. Park, E. G. Bell and W. R. Dawson..... 202t

Boggs, James E.
See Shannon, Donald W..... 299t
See Shannon, Donald W..... 303t

Bowen, H. C.
Variable Interaction: A Statistical Solution, with C. Groot and J. L. Jaech... 83t

Brady, James M.
Advantages of Reinforced Polyesters for Use on Highway Tank Trucks..... 2-94

Brasher, D. M. (Miss)
Classification of Topics Relating to Corrosion..... 254t

Bregman, J. I.
Developments in Cooling Tower System Treatments (Part 1—Polyvalent Ion-Polyphosphate Inhibitors), with T. R. Newman..... 97t

Brink, E. G.
Discussion—Corrosion Resistance of Titanium and Zirconium in Chemical Plant Exposures..... 643t
Discussion—Planning A Maintenance Coating Program for a Pulp and Paper Plant..... 491t

Brooks, W. B.
Mechanisms and Some Theoretical Aspects of Stress Corrosion Cracking of Austenitic Stainless Steels.. 9-103

Brown, B F.
Notch Sensitivity Effects in Stress Corrosion and Hydrogen Embrittlement Tests on High Strength Steels 399t

Brown, J. R.
Evaluation of Protective Coatings for Ship Bottoms.. 315t

Brown, John R.
Discussion—Mechanical Properties and Corrosion Resistance of Oil Well Tubing 53t

Brown, Roy W.
Potentialities and Applications of Special Corrosion Resistant Refractories, with H. G. Noble 10-92

B—Continued

Bruckner, W. H.
Cathodic Protection of Lead Cable Sheath, with Ole G. Jansson..... 389t
Studies on the Susceptibility of Cathodically Protected Steel to Hydrogen Embrittlement, with K. M. Myles.... 591t
Discussion 644t-646t

Buck, Roger III
Effects of Foreign Metals on Corrosion of Titanium in Boiling 2M Hydrochloric Acid, with Billy W. Sloope and Henry Leidheiser, Jr.... 566t

Bundy, Alfred D.
Discussion—Some Properties and Uses of Chlorinated Polyether 11-110

Burns, Donald L.
Discussion—Corrosion in Sour Water Strippers 362t

Burd, Byron B.
Discussion—The Corrosion of Zirconium in Hydrochloric Acid at Atmospheric Pressure 112t

C

Calkins, K. W.
Corrosion Inhibitors for Carbon Tetrachloride—Water Vapor Atmospheres, with R. W. Hawley..... 447t

Caplan, D.
High Temperature Oxidation of Chromium-Nickel Steels, with M. Cohen..... 141t

Carr, D. M.
Five Case Histories on Corrosion Problems in Nitric Acid and Ammonium Nitrate Production and Storage 6-99

Cartledge, G. H.
Action of the XO_4^{n-} Inhibitors 469t

Caterson, Alan G.
Discussion—The Corrosion of Zirconium in Hydrochloric Acid at Atmospheric Pressure 112t

Caughey, R. H.
See Hoyt, W. B..... 627t

Cessna, J. C.
Electrical Resistance Method for Studying Corrosion Inhibitors in Automotive Anti-Freezes 607t

Chinn, W. K.
See Rogers, T. H..... 430t

Chittum, Joe
Discussion—Stress Corrosion Cracking of Oil Country Tubular Goods 646t
Discussion—Corrosion Control Practices in the Wilmington Water Flood Operation... 12-102

Christie, G. L.
See Barnard, K. N..... 581t

Christofferson, DuWayne
Discussion—Oil Refinery Applications of Thick-Film Synthetic Coatings..... 642t

Clarke, John M.
Discussion—Design and Materials for Reduced Pump Corrosion..... 476t

Cohen, M.
See Caplan, D..... 141t

C—Continued

Comeaux, Roy V.
Corrosion of Refinery Equipment by Aqueous Hydrogen Sulfide—A Contribution to the Work of Group Committee T-8 on Refining Industry Corrosion. Publication 59-12 ..... 189t

Compton, K. G.
Instruments for Measurements in Underground Corrosion Work 571t

Condry, James T.
See Johnson, Wayne A..... 9-112

Cook, A. R.
Discussion—Controlling Internal Corrosion of Tank Ships..... 560t

Cook, W. B.
See Maier, R. W..... 171t

Copenhagen, W. J.
See Lewis, D. A..... 382t

Copson, H. R.
Some Experiments on Internal Oxidation of Nickel Chromium Alloys, with F. S. Lang..... 194t
Principles and Procedures Employed in the Design and Interpretation of Atmospheric Corrosion Tests 533t

Corely, John J.
Discussion—Wash Primer Development and Characteristics 314t

Cornet, I.
Influence of Temperature on Corrosion Fatigue, with Simcha Golan..... 262t

Costanzo, F. E.
Discussion 335t

Craig, H. Lee, Jr.
Discussion—Stress Corrosion Cracking of Oil Country Tubular Goods 646t

Craig, W. G.
See Lemmon, J. C..... 513t

Creed, S. H.
Corrosion Keeps Knife Sharp on Fruit Canning Machine.... 6-100

D

Daly, J. J., Jr.
See Koehler, E. L..... 477t
Can Corrosion Problems.... 11-100

Davis, Gordon
Bridge Caulking Technique Helps Solve Aerial Pipeline Crossing Problem 3-118

Davis, R. A.
New Bonding Process Gives Added Versatility to Cladding 10-88

Davis, Robert L.
Discussion—Methods of Installing Cathodic Protection Anodes for Offshore Structures 12-106

Dawson, W. R.
See Bobalek, E. G..... 202t

Dean, Mills III
Discussion—Principles and Criteria for Cathodic Protection of Steel in Sea Water—A Review 487t

Dean, Roy O.
Equivalent Electrical Circuit Analogy of Structure-To-Soil Potentials 576t

D—Continued

DeBoer, F. E.
Discussion—Impedance Characteristics of Isolated Aluminum Oxide Films.....643t

Degnan, T. F.
Effect of Velocity on Life Expectancy of Steel Pipelines in Commercial Strengths of Sulfuric Acid 326t

De Lorenzo, John F.
Nickel Alloy Lining Cuts Costs in a Refinery Isomerization Unit 8-109

Dempster, N. S.
Corrosion of Aluminum Alloy in Glycol-Water Cooling Systems 395t
See Bennett, G. A.....587t

Dexter, George T.
Discussion—New Bonding Process Gives Added Versatility to Cladding....10-90

Dial, Roy E.
Discussion—Potentialities and Application of Special Corrosion Resistant Refractories.10-92

Dillon, C. P.
Discussion—Failure of Type 316 Stainless Steel Autoclave Components 336t

Dillon, R. L.
Observations on the Mechanisms and Kinetics of Aqueous Aluminum Corrosion (Part 2—Kinetics of Aqueous Aluminum Corrosion) 13t
Discussion 336t
Discussion 642t

Dix, E. H., Jr.
Influence of Service Temperature on the Resistance of Wrought Aluminum-Magnesium Alloys to Corrosion, with W. A. Anderson and M. Byron Shumaker 55t
Discussion 338t

Dravnieks, A.
Discussion—Iso-Corrosion Rate Curves for High Temperature Hydrogen-Hydrogen Sulfide.126t
Discussion—Mechanism of Stress Corrosion of Austenitic Stainless Steels in Chloride Waters 381t
Discussion—An Industrial Experience of Attack on Metals by Synthesis Gas from Methane-Oxygen Combustion.626t

E

Eberle, F.
An Industrial Experience of Attack on Metals by Synthesis Gas from Methane-Oxygen Combustion, with R. D. Wylie 622t

Ebling, H.
Discussion—Comparative Corrosion Resistance of 200 and 300 Series Stainless Steels in Chemical Manufacturing Processes 155t

Eddy, L. C.
Discussion—Cathodic Protection of Lead Cable Sheath.....644t

Edwards, K. N.
Acetylenic Alcohol-Inhibited Pickling Bath as a Pretreatment Prior to Lining Steel Pipe, with L. J. Nowacki and E. R. Mueller.....275t

Ellis, Wayne P.
Discussion—Filming Amines Control Corrosion in Utility Plant Condensate System..8-103

Engle, J. P.
Chloride Stress Corrosion Cracking of the Austenitic Stainless Steels—A Contribution to the Work of NACE Task Group T-8A on Chemical Cleaning, with G. L. Floyd and R. B. Rosene Publication 59-5 ..... 69t

Evans, Dwight J.
New Instruments and Techniques for Ultrasonic Measurement of Tank Ship Corrosion Losses.561t

F

Fiebach, Seymour J.
Discussion—Performance of Organic Coatings in Tropical Environments 643t

Fincher, D. R.
Corrosion Problems Associated With Sour Gas Condensate Production 413t

Firestone, John Tom
Discussion—New Bonding Process Gives Added Versatility to Cladding....10-90

Fisher, A. O.
Laboratory Methods for Determining Corrosion Rates Under Heat Flux Conditions, with F. L. Whitney, Jr.....257t

Floyd, G. L.
See Engle, J. P..... 69t

Fontana, M. G.
See Greene, N. D..... 25t
See Greene, N. D..... 32t
See Greene, N. D..... 39t
See Staehle, R. W.....373t

Forgeson, B. W.
See Alexander, A. L.....291t

Foster, R. S.
A Resume of Procedures For Testing and Evaluating Chemical Resistant Coatings and Linings, with V. B. Volkening 10-85

Francis, H. T.
See Koehler, E. L.....477t

Fraser, John P.
Discussion—Delayed Failure of High Strength Steels.....212t

Freedman, A. J.
Discussion—Corrosion Prevention in Tankers and Storage Tanks by Fogging or Flotation with an Inhibitor Solution.....244t
Discussion—Corrosion in Sour Water Strippers 362t

G

Gage, D. G.
See Barnard, K. N.....581t

Galloway, Edward E.
Filming Amines Control Corrosion in Utility Plant Condensate System 8-99

Garner, Cordell
High Temperature, High Pressure Testing of Organic Coatings for Oil and Gas Well Tubing..5-121

Gegner, P. J.
Corrosion Resistance of Titanium and Zirconium in Chemical Plant Exposures..341t
Discussion 643t

Gilman, Harry
Discussion—New Bonding Process Gives Added Versatility to Cladding....10-90
Accumulated Residues Attack Chemical Distilling Column.11-99

Glass, Dean C.
Discussion—Methods of Installing Cathodic Protection Anodes for Offshore Structures..12-106

Gleekman, Lewis W.
Discussion—Design and Materials for Reduced Pump Corrosion.476t

Gleser, Sol M.
Discussion 335t
Discussion—Methods of Testing Characteristics of Polyethylene Jackets for Steel Pipe.....6-100
Discussion—Glass Fiber Reinforcement for Coatings.12-106

Godard, Hugh P.
Discussion—Influence of Service Temperature on the Resistance of Wrought Aluminum-Magnesium Alloys to Corrosion 61t
See Aziz, P. M.....529t
Discussion—Observations on the Mechanisms and Kinetics of Aqueous Aluminum Corrosion 642t
Rapid Field Measurement of Sub-Surface Corrosion of Aluminum 9-114

G—Continued

Golan, Simcha
See Cornet, I.....262t

Goodman, Barnard
New Formulations Give Versatility to Urethane Coatings.4-100

Gore, Robert T.
Behavior of Tin Alloys in Atmospheric Exposures ...3-113

Graham, B. A.
Glass Fiber Reinforcement for Coatings 4-102
Discussion 12-106

Greathouse, W. D.
See McGlasson, R. L.....437t

Greenblatt, J. H.
Behavior of AZ 63 Alloy and Magnesium—1 Percent Manganese Alloy Anodes in Sodium Chloride Electrolyte, with E. Zinck..... 76t
Comparisons of Wagner's Analysis of Cathodic Protection With Operating Data for Ships 339t
Discussion 643t

Greene, N. D.
A Critical Analysis of Pitting Corrosion, with M. G. Fontana 25t
An Electrochemical Study of Pitting Corrosion in Stainless Steels (Part 1—Pit Growth), with M. G. Fontana..... 32t
An Electrochemical Study of Pitting Corrosion in Stainless Steels (Part 2—Polarization Measurements), with M. G. Fontana 39t
The Classical Potentiostat: Its Application to the Study of Passivity 369t

Gribble, Charles G., Jr.
Discussion—New Bonding Process Gives Added Versatility to Cladding....10-90

Groot, C.
See Bowen, H. C..... 83t
Discussion—The Corrosion of Zirconium in Hydrochloric Acid at Atmospheric Pressure 112t

Gross, William F.
Discussion—Wash Primer Development and Characteristics 313t

H

Habib, Emile E.
Discussion—Oil Refinery Applications of Thick-Film Synthetic Coatings 642t

Hackerman, Norman
See Legault, R. A.....517t

Hadley, R. L.
See Smith, H. J.....327t

Hamstead, A. C.
Comparative Corrosion Resistance of 200 and 300 Series Stainless Steels in Chemical Manufacturing Processes, with L. S. Van Delinder.....147t

Haskell, L. G.
See Barusch, M. R.....158t

Hawley, R. W.
See Calkins, K. W.....447t

Haygood, A. J.
Aluminum Cooling Towers and Their Treatment, with J. Dean Minford..... 20t

Henry, R. C.
See Thompson, R. B.....321t

Hochman, H.
Deterioration of Wood by Marine Boring Organisms.. 45t

Hockridge, Ralph
Rubber-Base Transformer Finish for Severe Environments..1-111

Holsinger, Fred J.
See Benes, Richard.....113t

Hoyt, W. B.
High Temperature Metal Deterioration in Atmospheres Containing Carbon-Monoxide and Hydrogen, with R. H. Caughey.....627t

H—Continued

Hudson, R. M.
Factors Influencing the Rate-of-Pickling Test on Tin-Plate Steel, with G. L. Stragand..135t

Hugo, J. P.
Discussion 336t

Hussein, M. Kamal
See Khairy, E. M..... 63t

J

Jackson, Brian R.
Discussion—Corrosion Control Practices in the Wilmington Water Flood Operation...12-102

Jaech, J. L.
See Bowen, H. C..... 83t

James, W. J.
See Straumanis, M. E.....286t

Jansson, Ole G.
See Bruckner, W. H.....389t

Jasek, Albert W.
Discussion—Control of Internal Corrosion of Petroleum Products Pipelines with Oil Soluble Inhibitors 165t

Jenkins, Vance N.
Discussion—Wash Primer Development and Characteristics 314t

Johnson, H. T.
See Koehler, E. L.....477t

Johnson, J. E.
Duct Anode Development and Experience in Protection of Underground Cables from Corrosion 423t

Johnson, Wayne A.
Methods of Installing Cathodic Protection Anodes for Offshore Structures, with James T. Condry 9-112
Discussion 12-106

Jones, C. H.
Corrosion Control Practices in the Wilmington Water Flood Operation 12-99

Jones, L. W.
Discussion—Corrosion Control Practices in the Wilmington Water Flood Operation...12-102

Jones, David T.
Discussion—Duct Anode Development and Experience in Protection of Underground Cables from Corrosion.....646t
Case Histories of Differential Aeration Corrosion in Underground Telephone Cables..9-116

K

Kato, T. R.
See Meyers, F. H., Jr.....168t

Keeling, Harry J.
Corrosion Protection Features of the Hyperion Ocean Outfall.363t

Keller, Wayne H.
Discussion—Corrosion Resistance of Titanium and Zirconium in Chemical Plant Exposures..643t

Khairy, E. M.
An Electrochemical Study of Aluminum and Aluminum Alloys, with M. Kamal Hussein 63t

Klement, J. F.
Stress Corrosion Crack Paths in Alpha Aluminum Bronze in Ammonia and Steam Atmospheres, with R. E. Maersch and P. A. Tully.....295t

Knox, John A.
Simple Screening Test for Determination of Inhibitor Film Persistence, with Roy Stout 554t

Knuckey, P. J.
See Ride, R. N.....251t

Koehler, E. L.
Corrosion Processes in Carbonated Beverage Cans, with J. J. Daly, Jr., H. T. Francis, and H. T. Johnson.....477t

K—Continued

Koehler, J. Franklin
Controlling Internal Corrosion of Tank Ships.....557t

Kronstein, Max
Methods for Investigating the Characteristics of Reactive Coatings 508t

Krulfeld, M.
Corrosion Rate Measurement by Hydrogen Effusion in Dynamic Aqueous Systems at Elevated Temperature and Pressure, with M. C. Bloom and R. E. Seebold.....179t

Kuhn, W. E.
The Corrosion of Zirconium in Hydrochloric Acid at Atmospheric Pressure 103t

Kulman, Frank E.
Discussion—Cathodic Protection of Lead Cable Sheath.....645t

L

Landers, J. E.
Discussion—Mechanical Properties and Corrosion Resistance of Oil Well Tubing 53t

Lang, F. S.
See Copson, H. R.....194t

Larrabee, C. P.
Mechanisms by Which Ferrous Metals Corrode in the Atmosphere 526t

Law, R. J.
Discussion—Design and Materials for Reduced Pump Corrosion 476t

Legault, R. A.
Corrosion Inhibitor Evaluation from Cathodic Polarization Measurements, with Norman Hackerman 517t

Leidheiser, Henry, Jr.
See Buck, Roger III.....566t

Lemmon, J. C.
Analysis of Industrial Roof Construction and Maintenance, with W. G. Craig.....513t

Lewis, D. A.
Corrosion of Reinforcing Steel in Concrete in Marine Atmospheres 382t

Logan, Hugh L.
Corrosion of Type 310 Stainless Steel by Synthetic Fuel Oil Ash 443t
Mechanism of Stress Corrosion Cracking 7-106

Long, Austin K.
Discussion—Wash Primer Development and Characteristics 314t
Discussion—Oil Refinery Applications of Thick-Film Synthetic Coatings 642t
Discussion—Glass Fiber Reinforcement for Coatings.12-106

Louk, A. V.
Discussion—Corrosion Control Practices in the Wilmington Water Flood Operation...12-102

M

MacEwan, J. U.
Corrosion of Steel Weldments, with H. H. Yates..... 2t

MacLennan, D. F.
Impedance Characteristics of Isolated Aluminum Oxide Films 283t
Discussions 643t

MacQueen, R. B.
See Maier, R. W.....171t

McDaniel, H. M.
Methods of Testing Characteristics of Polyethylene Jackets for Steel Pipe 6-100

McFarland, R.
Discussion—The Corrosion of Zirconium in Hydrochloric Acid at Atmospheric Pressure ...112t
Discussion—Design and Materials for Reduced Pump Corrosion 476t

McGlasson, R. L.
Discussion—Mechanical Properties and Corrosion Resistance of Oil Well Tubing 53t
Stress Corrosion Cracking of Oil Country Tubular Goods, with W. D. Greathouse.....437t
Discussion 646t

McIntosh, R. B.
Corrosion Experience Associated With Hydrometallurgical Refining of Nickel at Sherritt Gordon Mines.....547t

Maersch, R. E.
See Klement, J. F.....295t

Maier, R. W.
Oil Refinery Applications of Thick-Film Synthetic Coatings, with W. B. Cook and R. B. MacQueen.....171t
Discussion 642t

Martin, J. B.
See Miller, C. S.....11-108

Mason, David M.
See Rittenhouse, John B.....245t

Mason, J. F., Jr.
Minimum Corrosion for Butane Isomerization Units—A Contribution to the Work of NACE Group Committee T-8 on Refining Industry Corrosion, with C. M. Schillmoller Publication 59-11 .....185t
Corrosion in Sour Water Strippers 358t

Mears, R. B.
Discussion—Cathodic Protection of Lead Cable Sheath.....644t

Meyer, F. H., Jr.
Corrosion Problems Associated with Uranium Refining, with F. J. Podlipec and T. R. Kato.....168t

Meyer, Robert H.
Corrosion Inhibitor Testing Inside a Products Pipe Line.131t

Myles, K. M.
See Bruckner, W. H.....591t

Mikhailovsky, Y. N.
See Tomashov, N. D..... 77t

Miller, C. S.
Some Properties and Uses of Chlorinated Polyether, with J. B. Martin.....11-108

Miller, D. N.
Whole System Installed in Nine Months—Cathodic Protection of Southern Pacific's High-Pressure Products Pipe Line.....12-104

Minford, J. Dean
See Haygood, A. J..... 20t

Moore, K. L.
Discussion—Corrosion Prevention in Tankers and Storage Tanks by Fogging or Flotation with An Inhibitor Solution.....244t

Morgan, Albert R., Jr.
Corrosion of Types 316 and 317 Stainless Steel by 75 Percent and 85 Percent Phosphoric Acid 351t
Discussion 644t

Morgan, John H.
Internal Cathodic Protection of Large Steel Pipes Carrying Sea Water 417t

Morley, Harland A.
Improved Methods Plus Hot Spray Speed Application of Saran Coatings 3-116

Morrison, A. V.
Discussion—Design and Materials for Reduced Pump Corrosion 476t

Mueller, E. R.
See Edwards, K. N.....275t

Muir, Parke Denton
Discussion—Simple Screening Test for Determination of Inhibitor Film Persistence.556t

Mullarkey, E. J.
Applications of Lead-Acid Brick Systems in Chemical Plants.2-98

M—Continued

Munger, C. G.
Comparative Effectiveness of Coatings for Offshore Drilling Structures 5-131
Industrial Coating Performance Improved by Good Design.6-102

Murray, R. G.
Four-Tower Water Treatment Test Facility, with M. E. Tester.....492t

N

Neidhard, Richard D.
Discussion—Filming Amines Control Corrosion in Utility Plant Condensate System..8-103

Neiman, A. S.
See Straumanis, M. E.....286t

Nel, L. G.
Discussion 336t

Newman, T. R.
See Bregman, J. I..... 97t
A Laboratory Method for Evaluating Corrosion Inhibitors for Secondary Recovery....307t

Noble, H. G.
See Brown, Roy W.....10-92

Norris, R. S.
Solving Some Oil Ash Corrosion Problems 5-126

Nowacki, L. J.
See Edwards, K. N.....275t

Nowak, S. K.
Discussion—Influence of Service Temperature on the Resistance of Wrought-Aluminum-Magnesium Alloys to Corrosion 337t

O

Oakes, Ed W.
Discussion—Planning A Maintenance Coating Program for A Pulp and Paper Plant.....491t

Oosterhout, J. C. D.
Corrosion Prevention in Tankers and Storage Tanks by Fogging or Flotation with an Inhibitor Solution, with M. E. Stanley and W. S. Quimby.....241t

P

Palmer, Warren D.
Discussion—Coatings for Underwater Metal Surfaces in Fresh Water Exposures....335t
Discussion—Some Corrosion Problems of Tank Trucks and Their Solutions.....2-96

Panter, George
Discussion—Observations on the Mechanisms and Kinetics of Aqueous Aluminum Corrosion.336t

Park, W. R. R.
See Bobalek, E. G.....202t

Parker, Ivy M.
Discussion—Control of Internal Corrosion of Petroleum Products Pipelines with Oil Soluble Inhibitors 165t

Partridge, E. G.
Use of Plastics and Synthetic Elastomers for Underground Coatings 7-101

Patterson, Dean
Offshore Platform Shows Corrosion Rate of Carbon Steel in Gulf of Mexico Exposure..8-103

Peabody, A. W.
Use of Magnesium for Cathodic Protection of Pipe Lines in High Resistivity Soil.....497t

Peckner, D.
Erosion of Materials by Cavitation Attack 269t

Pedlow, J. Watson
Recent Developments in Applying Polyvinylchloride Plastisols 8-107

Pemberton, George M.
Evaluating the Economy of Reconditioning and Coating Underground Steel Pipe....279t

Peterson, M. H.
Principles and Criteria for Cathodic Protection of Steel in Sea Water—A Review....483t
See Waldron, L. J.....2-87

Phelps, E. H.
Discussion—Mechanism of Stress Corrosion of Austenitic Stainless Steels in Chloride Waters 381t

Phillips, J. H.
Evaluation of Performance of Screening Tests of Inhibitors to Prevent Chloride Stress Corrosion, with W. J. Singley..450t

Piccardo, Jack E.
Design and Materials for Reduced Pump Corrosion...473t

Piehl, R. L.
See Barusch, M. R.....158t

Pierson, Russell E.
See Benes, Richard.....113t

Pike, Vernon B.
Discussion—Cathodic Protection of Lead Cable Sheath.....645t

Podlipec, F. J.
See Meyers, F. H., Jr.....168t

Pokorny, J. J.
Discussion—Cathodic Protection of Lead Cable Sheath.....645t

Prange, F. A.
Mechanical Properties and Corrosion Resistance of Oil Well Tubing..... 49t
Corrosion in a Hydrocarbon Conversion System 619t

Prather, W. J.
Coatings Engineers Help in Power Plant Planning.....7-107

Preiser, H. S.
Some Platinum Anode Designs for Cathodic Protection of Active Ships, with B. H. Tytell.....596t

Prior, J. E.
Corrosion of Valve Seat Ring Results in Flexible Metal.... 1t

Puckett, George J.
Discussion—The Corrosion of Zirconium in Hydrochloric Acid at Atmospheric Pressure...112t

Q

Quimby, W. S.
See Oosterhout, J. C. D.....241t

R

Radavich, John F.
Effect of Silicon on High Temperature Oxidation of Stainless Steels 613t

Rajagopalan, K. S.
Corrosion of Metals at Mandapam Camp,India, with M. Sundaram and P. L. Annamalai.....631t

Rench, Joe E.
Discussion—Wash Primer Development and Characteristics 314t

Renshaw, W. G.
Discussion—Comparative Corrosion Resistance of 200 and 300 Series Stainless Steels in Chemical Manufacturing Processes 156t

Ride, R. N.
Photoelectric Information Selector, with P. J. Knuckey.....251t

Rittenhouse, John B.
Study of Chemical Factors Affecting Corrosion of Carbon Steel AISI 1020 by Liquid-Phase Fuming Nitric Acid, with David M. Mason.....245t

Robinson, J. L.
Discussion—Behavior of AZ 63 Alloy and Magnesium—1 Percent Manganese Alloy Anodes in Sodium Chloride Electrolyte 643t

Rockwell, W. C.
Material Selection in Chemical Milling Process 8-105

R—Continued

Rogers, T. H.
Uses and Abuses of Aluminum in Wooden-Hulled, Aluminum-Frame Minesweepers, with W. K. Chinn.....403t

Roller, David
Effect of Molten Boron Oxide on Selected High Temperature Alloys, with C. R. Andrews. 85t

Rosene, R. B.
See Engle, J. P..... 69t

Roth, Stanley
Discussion—Wash Primer Development and Characteristics 314t

Rowe, Leonard C.
Automotive Corrosion Resistance —Past and Present.....167t

S

Scheil, M. A.
Discussion—Mechanical Properties and Corrosion Resistance of Oil Well Tubing 53t
Discussion—Comparative Corrosion Resistance of 200 and 300 Series Stainless Steels in Chemical Manufacturing Processes 157t
Discussion—Corrosion Problems Associated with Uranium Refining 170t

Schillmoller, C. M.
See Mason, J. F., Jr.....185t
See Mason, J. F., Jr.....358t
Discussion—Corrosion of Types 316 and 317 Stainless Steel by 75 Percent and 85 Percent Phosphoric Acid 644t

Schuhmacher, Gordon S.
Discussion—Corrosion Control Practices in the Wilmington Water Flood Operation...12-102

Schwoegler, E. J.
The Evaluation of Certain Organic Nitrogen Compounds as Corrosion Inhibitors, with L. U. Berman.....128t

Scott, Willard R.
Discussion—Corrosion Control Practices in the Wilmington Water Flood Operation...12-102

Seebold, R. E.
See Krulfeld, M.....179t
Visual Observations on the Water Stream In an Elevated Temperature High Velocity Loop 183t

Segraves, William B.
Discussion—Corrosion in a Hydrocarbon Conversion System 621t

Severance, W. A.
Discussion—Wash Primer Development and Characteristics 314t

Shannon, Donald W.
Factors Affecting the Corrosion of Steel by Oil-Brine-Hydrogen Sulfide Mixtures, with James E. Boggs.....299t
An Analytical Procedure for Testing the Effectiveness of Hydrogen Sulfide Corrosion Inhibitors, with James E. Boggs.....303t

S—Continued

Shaw, Homer L.
Discussion—Filming Amines Control Corrosion in Utility Plant Condensate System..8-103

Shields, Hobart
Selecting Corrosion and Scale Inhibitors for Cooling Water, with L. V. Sorg and R. L. Stutz.....233t

Shumaker, M. Byron
See Dix, E. H., Jr..... 55t
Discussion 338t

Simons, C. S.
Materials Selection and Design Problems in a Nickel-Cobalt Extraction Plant 4-95

Singley, W. J.
See Phillips, J. H.....450t

Sjoberg, J. W.
See Backensto, E. B.....125t

Sloope, Billy W.
See Buck, Roger III.....566t

Slunder, C. J.
The Residual Oil Ash Corrosion Problem—A Review 601t

Smith, G. B.
Equipment and Procedure for the Evaluation of Stress Corrosion Susceptibility of a Wrought Copper Base Alloy.101t

Smith, H. J.
Corrosion of Die Casting Alloys in Detergent Solutions Measured by Electrical Resistance Method, with R. L. Hadley.....327t

Sorg, L. V.
See Shields, Hobart.....233t

Southwell, C. R.
See Alexander, A. L.....291t

Spalding, James C., Jr.
Discussion—High Temperature, High Pressure Testing of Organic Coatings for Oil and Gas Well Tubing.....5-124

Staehle, R. W.
Mechanism of Stress Corrosion of Austenitic Stainless Steels in Chloride Waters, with F. H. Beck and M. G. Fontana...373t

Stanbury, Charles M.
Discussion—Oil Refinery Applications of Thick-Film Synthetic Coatings 642t

Stanley, M. E.
See Oosterhout, J. C. D.....241t

Stedman, R. F.
See Thompson, R. B.....321t

Stern, Milton
Discussion—Corrosion Resistance of Titanium and Zirconium in Chemical Plant Exposures..644t

Stout, Roy
See Knox, John A.....554t

Stragand, G. L.
See Hudson, R. M.....135t

Stratfull, R. F.
Progress Report on Inhibiting the Corrosion of Steel In a Reinforced Concrete Bridge.331t

S—Continued

Straumanis, M. E.
Rates of Dissolution and Passivation of Hafnium-Free Zirconium in Hydrofluoric Acid, with W. J. James and A. S. Neiman.....286t

Stutz, R. L.
See Shields, Hobart.....233t

Sudrabin, L. P.
Discussion—Development of the Redox Probe Field Technique 335t

Suman, Robert P.
Discussion—High Temperature, High Pressure Testing of Organic Coatings for Oil and Gas Well Tubing.....5-124

Sundaram, M.
See Rajagopalan, K. S.....631t

Szymanski, Walter A.
Recovery of Graphitically Embrittled Nickel 1-112

T

Tester, M. E.
See Murray, R. G.....492t

Thompson, D. H.
Probability as Related to Stress Corrosion Cracking of Copper Alloys 433t

Thompson, R. B.
Evaluation of Organic Corrosion Inhibitors for Special Applications in Petroleum Refining, with R. F. Stedman, Charles Wankat and R. C. Henry...321t
Discussion—Corrosion in Sour Water Strippers 362t

Tomashov, N. D.
Corrosivity of Soil, with Y. N. Mikhailovsky..... 77t

Tonetti, Serge (Lt. Col.)
Discussion—Planning a Maintenance Coating Program for a Pulp and Paper Plant.....491t

Troiano, Alexander R.
Delayed Failure of High Strength Steels 207t

Troutner, V. H.
High Temperature Corrosion Product Films on Aluminum. 7t
Observations on the Mechanisms and Kinetics of Aqueous Aluminum Corrosion (Part 1—Role of the Corrosion Product Film in the Uniform Aqueous Corrosion of Aluminum).... 9t

Tully, P. A.
See Klement, J. F.....295t

Tytell, B. H.
See Preiser, H. S.....596t

V

Van Delinder, L. S.
See Hamstead, A. C.....147t

Van Orden, Jerold Miles
Discussion—Delayed Failure of High Strength Steels.....212t

Vollmer, L. W.
Discussion—Influence of Temperature on Corrosion Fatigue 268t

Vore, Herbert G.
Discussion—New Bonding Process Gives Added Versatility to Cladding....10-90

V—Continued

Volkening, V. B.
See Ballard, D. A.....503t
See Foster, R. S.....10-85

W

Waldron, L. J.
Experimental Studies of Cathodic Protection for Naval Vessels, with M. H. Peterson and M. C. Bloom.....2-87

Wallace, A. J.
See Bennett, G. A.....587t

Wallace, E. W.
Discussion—Corrosion Control Practices in the Wilmington Water Flood Operation...12-102

Wankat, Charles
See Thompson, R. B.....321t

Warren, Donald
The Effect of Sigma Phase vs Chromium Carbides on the Intergranular Corrosion of Type 316 and 316L Stainless Steel (Part 1—A Survey of the Literature) 213t
The Effect of Sigma Phase vs Chromium Carbides on the Intergranular Corrosion of Type 316 and 316L Stainless Steel (Part 2—Laboratory Investigation) 221t

Wells, E. R.
Characteristic Properties of Polyurethane Protective Coatings 12-93

Wells, Harold C.
Discussion—Wash Primer Development and Characteristics 313t

Whiting, L. R.
Wash Primer Development and Characteristics 311t

Whitney, F. L., Jr.
See Fisher, A. O.....257t

Wilson, W. L.
See Gegner, P. J.....341t
Discussion—Potentialities and Applications of Special Corrosion Resistant Refractories.10-98

Woodward, W. Searle
Uses for Varistors With Direct Current Corrosion Meters... 68t

Wright, Charles C.
A Field Method for Screening Inhibitors for Prevention of Water Flood Corrosion.....7-97

Wright, Kenneth E.
Discussion—Wash Primer Development and Characteristics 314t

Wylie, R. D.
See Eberle, F.....622t

Y

Yates, H. H.
See MacEwan, J. U..... 2t

Yocom, John E.
Deterioration of Materials in Polluted Atmospheres 541t

Z

Zinck, E.
See Greenblatt, J. H..... 76t

....503t
...10-85

thodic
seis,
....2-87

....587t

trol
rton
..12-102

....321t

vs
he
of
ess
of
....213t
vs
he
of
ess
ry
....221t

f

...12-93

....313t

....311t

....257t

....341t
and
Corro-
ies.10-98

rect
rs... 68t

ing
n of
....7-97

....314t

....622t

.... 2t

in
....541t

.... 76t

INDEX TO CORROSION ABSTRACTS, Volume 15, 1959

Numbers in this table are those printed in the lower outer margins of the Corrosion Abstract Section, cumulative through the volume. Topical headings in the left column are those of the first and second subdivisions of the NACE Abstract Filing Index, revision of September 1952. This index may be found reproduced in full as part of the Index to Technical Material Published in Corrosion in the December, 1955 issue of Corrosion. Principal difference between this index and that published in the December, 1951 issue is the addition of designation **6.11 Design, Influence on Corrosion.** Refer to footnotes for changes in **8. Industries** not affecting validity of indexing of previous abstracts.

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
1. GENERAL													
1. Miscellaneous													1
2. Importance	1						127		169		223		2
3. Reviews													3
4. Bibliographies							127						4
5. Directories of Material													5
6. Books	1			55			127		169		224		6
7. Organized Studies of Corrosion	2			55			123						7
8. Personalities and Directories of Individuals													8
2. TESTING													
1. General				56									1
2. On Location Tests				56					170				2
3. Laboratory Methods and Tests	3	19		56			123		171		224		3
4. Instrumentation		19		58	87		129				223		4
5. Specifications and Standardization											229		5
6. Preparation and Cleaning of Specimens													6
7. Other													7
3. CHARACTERISTIC PHENOMENA													
1. General													1
2. Forms				58	93	101	130	151		197	229	245	2
3. Biological Effects											232		3
4. Chemical Effects				59		102	130			197			4
5. Physical and Mechanical Effects				60	83	102	130		172	198		246	5
6. Electrochemical Effects			29		90		132		174			246	6
7. Metallurgical Effects	3		32	65	90	104	132	151		200	232	248	7
8. Miscellaneous Principles	6		34	63	94		136	155	178	203	234	248	8
9. Other													9
4. CORROSIVE ENVIRONMENTS													
1. General													1
2. Atmospheric				70									2
3. Chemicals, Inorganic				72					179				3
4. Chemicals, Organic					95				180				4
5. Soil					95								5
6. Water and Steam			35		96				181				6
7. Molten Metals			35		96				181				7
8. Miscellaneous Principles													8
9. Other													9
5. PREVENTIVE MEASURES													
1. General													1
2. Cathodic Protection				72	96					206			2
3. Metallic Coatings		20	38		97	104		156		208	237		3
4. Non-Metallic Coatings and Paints			40	74		107	137	156	182				4
5. Oil and Grease Coatings								157					5
6. Packaging					98								6
7. Treatment of Medium											237		7
8. Inhibitors and Passivators			42			103	138		184				8
9. Surface Treatment		22	44	76		108		158	186				9
10. Other													10
11. Design, Influence of											238		11
12. Metallurgical Treatment											238		12
6. MATERIALS OF CONSTRUCTION													
1. General													1
2. Ferrous Metals and Alloys	10			77	91	108		158	187	212		249	2
3. Non-Ferrous Metals and Alloys—Heavy	11	23	44	80		111		159	188	216		250	3
4. Non-Ferrous Metals and Alloys—Light		24	48	83		120			190	217			4
5. Metals—Multiple or Combined Discussion													5
6. Non-Metallic Materials		26		83		126	135		191				6
7. Duplex Materials			49				140				240		7
8. Other													8
7. EQUIPMENT													
1. Engines, Bearings and Turbines			50							222			1
2. Valves, Pipes and Meters			50								240		2
3. Pumps, Compressors, Propellers, and Impellers													3
4. Heat Exchangers			51				140						4
5. Containers													5
6. Unit Process Equipment		25					140				242		6
7. Electrical, Telephone and Radio							142				242		7
8. Wires and Cables (Non-electrical)													8
9. Specifications													9
10. Other													10
8. INDUSTRIES													
1. Group 1	12										244		1
2. Group 2													2
3. Group 3					100						244		3
4. Group 4	12	27	51	83			142	160	192			252	4
5. Group 5					100			166					5
6. Group 6													6
7. Group 7													7
8. Group 8	13		52				146	166	194			252	8
9. Group 9	13		54				146				244		9
10. Group 10							150						10

* The following designations apply to the several groups listed under 8. INDUSTRIES:

1. Air conditioning, architecture and building, refrigeration, sewage and water.
2. Communications, power.
3. Agriculture, beverage, dairy, fermentation, food, sugar, starch.
4. Fuel, solids; fuel, gases; petroleum refining and production, rubber, atomic energy.
5. Ceramics, glass, pulp and paper, wood products.
6. Laundry soap and detergents, textile.
7. Graphic arts, instruments, jewelry, photography.
8. Chemical manufacturing, distilled liquor, electroplating, leather and tanning, metal fabrication and finishing, pharmaceuticals.
9. Aircraft, automotive, pipe line, railroad, shipping.
10. Explosives, metallurgy, mining ordnance and war materials, other.

ecember,
dex and
designa-
changes
bstracts.

	Dec.
	1
	2
	3
	4
	5
	6
	7
	8
	1
	2
	3
	4
	5
	6
	7
	1
245	2
	3
	4
246	5
246	6
248	7
248	8
	9
	1
	2
	3
	4
	5
	6
	7
	8
	9
	1
	2
	3
	4
	5
	6
	7
	8
	9
	10
	11
	12
	1
249	2
250	3
	4
	5
	6
	7
	8
	1
	2
	3
	4
	5
	6
	7
	8
	9
	10
	1
	2
	3
252	4
	5
	6
	7
252	8
	9
	10

ed liquor,
ng, metal
ceuticals.
railroad,

ordnance

R—Continued

Rogers, T. H.
Uses and Abuses of Aluminum in Wooden-Hulled, Aluminum-Frame Minesweepers, with W. K. Chinn.....403t

Roller, David
Effect of Molten Boron Oxide on Selected High Temperature Alloys, with C. R. Andrews. 85t

Rosene, R. B.
See Engle, J. P..... 69t

Roth, Stanley
Discussion—Wash Primer Development and Characteristics 314t

Rowe, Leonard C.
Automotive Corrosion Resistance —Past and Present.....167t

S

Scheil, M. A.
Discussion—Mechanical Properties and Corrosion Resistance of Oil Well Tubing 53t
Discussion—Comparative Corrosion Resistance of 200 and 300 Series Stainless Steels in Chemical Manufacturing Processes 157t
Discussion—Corrosion Problems Associated with Uranium Refining 170t

Schillmoller, C. M.
See Mason, J. F., Jr.....185t
See Mason, J. F., Jr.....358t
Discussion—Corrosion of Types 316 and 317 Stainless Steel by 75 Percent and 85 Percent Phosphoric Acid 644t

Schuhmacher, Gordon S.
Discussion—Corrosion Control Practices in the Wilmington Water Flood Operation...12-102

Schwoegler, E. J.
The Evaluation of Certain Organic Nitrogen Compounds as Corrosion Inhibitors, with L. U. Berman.....128t

Scott, Willard R.
Discussion—Corrosion Control Practices in the Wilmington Water Flood Operation...12-102

Seebold, R. E.
See Krulfeld, M.....179t
Visual Observations on the Water Stream In an Elevated Temperature High Velocity Loop 183t

Segraves, William B.
Discussion—Corrosion in a Hydrocarbon Conversion System 621t

Severance, W. A.
Discussion—Wash Primer Development and Characteristics 314t

Shannon, Donald W.
Factors Affecting the Corrosion of Steel by Oil-Brine-Hydrogen Sulfide Mixtures, with James E. Boggs.....299t
An Analytical Procedure for Testing the Effectiveness of Hydrogen Sulfide Corrosion Inhibitors, with James E. Boggs.....303t

S—Continued

Shaw, Homer L.
Discussion—Filming Amines Control Corrosion in Utility Plant Condensate System..8-103

Shields, Hobart
Selecting Corrosion and Scale Inhibitors for Cooling Water, with L. V. Sorg and R. L. Stutz.....233t

Shumaker, M. Byron
See Dix, E. H., Jr..... 55t
Discussion 338t

Simons, C. S.
Materials Selection and Design Problems in a Nickel-Cobalt Extraction Plant 4-95

Singley, W. J.
See Phillips, J. H.....450t

Sjoberg, J. W.
See Backensto, E. B.....125t

Sloope, Billy W.
See Buck, Roger III.....566t

Slunder, C. J.
The Residual Oil Ash Corrosion Problem—A Review 601t

Smith, G. B.
Equipment and Procedure for the Evaluation of Stress Corrosion Susceptibility of a Wrought Copper Base Alloy.101t

Smith, H. J.
Corrosion of Die Casting Alloys in Detergent Solutions Measured by Electrical Resistance Method, with R. L. Hadley.....327t

Sorg, L. V.
See Shields, Hobart.....233t

Southwell, C. R.
See Alexander, A. L.....291t

Spalding, James C., Jr.
Discussion—High Temperature, High Pressure Testing of Organic Coatings for Oil and Gas Well Tubing.....5-124

Staehle, R. W.
Mechanism of Stress Corrosion of Austenitic Stainless Steels in Chloride Waters, with F. H. Beck and M. G. Fontana...373t

Stanbury, Charles M.
Discussion—Oil Refinery Applications of Thick-Film Synthetic Coatings 642t

Stanley, M. E.
See Oosterhout, J. C. D.....241t

Stedman, R. F.
See Thompson, R. B.....321t

Stern, Milton
Discussion—Corrosion Resistance of Titanium and Zirconium in Chemical Plant Exposures..644t

Stout, Roy
See Knox, John A.....554t

Stragand, G. L.
See Hudson, R. M.....135t

Stratfull, R. F.
Progress Report on Inhibiting the Corrosion of Steel In a Reinforced Concrete Bridge.331t

S—Continued

Straumanis, M. E.
Rates of Dissolution and Passivation of Hafnium-Free Zirconium in Hydrofluoric Acid, with W. J. James and A. S. Neiman.....286t

Stutz, R. L.
See Shields, Hobart.....233t

Sudrabin, L. P.
Discussion—Development of the Redox Probe Field Technique 335t

Suman, Robert P.
Discussion—High Temperature, High Pressure Testing of Organic Coatings for Oil and Gas Well Tubing.....5-124

Sundaram, M.
See Rajagopalan, K. S.....631t

Szymanski, Walter A.
Recovery of Graphitically Embrittled Nickel 1-112

T

Tester, M. E.
See Murray, R. G.....492t

Thompson, D. H.
Probability as Related to Stress Corrosion Cracking of Copper Alloys 433t

Thompson, R. B.
Evaluation of Organic Corrosion Inhibitors for Special Applications in Petroleum Refining, with R. F. Stedman, Charles Wankat and R. C. Henry...321t
Discussion—Corrosion in Sour Water Strippers 362t

Tomashov, N. D.
Corrosivity of Soil, with Y. N. Mikhailovsky..... 77t

Tonetti, Serge (Lt. Col.)
Discussion—Planning a Maintenance Coating Program for a Pulp and Paper Plant.....491t

Troiano, Alexander R.
Delayed Failure of High Strength Steels 207t

Troutner, V. H.
High Temperature Corrosion Product Films on Aluminum. 7t
Observations on the Mechanisms and Kinetics of Aqueous Aluminum Corrosion (Part 1—Role of the Corrosion Product Film in the Uniform Aqueous Corrosion of Aluminum).... 9t

Tully, P. A.
See Klement, J. F.....295t

Tytell, B. H.
See Preiser, H. S.....596t

V

Van Delinder, L. S.
See Hamstead, A. C.....147t

Van Orden, Jerold Miles
Discussion—Delayed Failure of High Strength Steels.....212t

Vollmer, L. W.
Discussion—Influence of Temperature on Corrosion Fatigue 268t

Vore, Herbert G.
Discussion—New Bonding Process Gives Added Versatility to Cladding....10-90

V—Continued

Volkening, V. B.
See Ballard, D. A.....503t
See Foster, R. S.....10-85

W

Waldron, L. J.
Experimental Studies of Cathodic Protection for Naval Vessels, with M. H. Peterson and M. C. Bloom.....2-87

Wallace, A. J.
See Bennett, G. A.....587t

Wallace, E. W.
Discussion—Corrosion Control Practices in the Wilmington Water Flood Operation...12-102

Wankat, Charles
See Thompson, R. B.....321t

Warren, Donald
The Effect of Sigma Phase vs Chromium Carbides on the Intergranular Corrosion of Type 316 and 316L Stainless Steel (Part 1—A Survey of the Literature) 213t
The Effect of Sigma Phase vs Chromium Carbides on the Intergranular Corrosion of Type 316 and 316L Stainless Steel (Part 2—Laboratory Investigation) 221t

Wells, E. R.
Characteristic Properties of Polyurethane Protective Coatings 12-93

Wells, Harold C.
Discussion—Wash Primer Development and Characteristics 313t

Whiting, L. R.
Wash Primer Development and Characteristics 311t

Whitney, F. L., Jr.
See Fisher, A. O.....257t

Wilson, W. L.
See Gegner, P. J.....341t
Discussion—Potentialities and Applications of Special Corrosion Resistant Refractories.10-98

Woodward, W. Searle
Uses for Varistors With Direct Current Corrosion Meters... 68t

Wright, Charles C.
A Field Method for Screening Inhibitors for Prevention of Water Flood Corrosion.....7-97

Wright, Kenneth E.
Discussion—Wash Primer Development and Characteristics 314t

Wylie, R. D.
See Eberle, F.....622t

Y

Yates, H. H.
See MacEwan, J. U..... 2t

Yocom, John E.
Deterioration of Materials in Polluted Atmospheres 541t

Z

Zinck, E.
See Greenblatt, J. H..... 76t

CORROSION ABSTRACTS

As Published in

CORROSION

Volume 15–1959

Official Publication

NATIONAL ASSOCIATION OF CORROSION ENGINEERS

1061 M & M Building, Houston 2, Texas

PAGE NUMBERS BY MONTHS

Pages (a)		Pages (a)	
1a- 18a	January	127a-150a	July
19a- 28a	February	151a-168a	August
29a- 54a	March	169a-196a	September
55a- 86a	April	197a-222a	October
87a-100a	May	223a-244a	November
101a-126a	June	245a-256a	December

INDEX TO CORROSION ABSTRACTS, Volume 15, 1959

Numbers in this table are those printed in the lower outer margins of the Corrosion Abstract Section, cumulative through the volume. Topical headings in the left column are those of the first and second subdivisions of the NACE Abstract Filing Index, revision of September 1952. This index may be found reproduced in full as part of the Index to Technical Material Published in Corrosion in the December, 1955 issue of Corrosion. Principal difference between this index and that published in the December, 1951 issue is the addition of designation **6.11 Design, Influence on Corrosion.** Refer to footnotes for changes in **8. Industries** not affecting validity of indexing of previous abstracts.

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
1. GENERAL													
1. Miscellaneous													1
2. Importance	1						127		169		223		2
3. Reviews													3
4. Bibliographies							127						4
5. Directories of Material													5
6. Books	1			55			127		169		224		6
7. Organized Studies of Corrosion	2			55			128						7
8. Personalities and Directories of Individuals													8
2. TESTING													
1. General				56									1
2. On Location Tests				56					170				2
3. Laboratory Methods and Tests	3	19		56			123		171		224		3
4. Instrumentation		19		58	87		129				221		4
5. Specifications and Standardization											229		5
6. Preparation and Cleaning of Specimens													6
7. Other													7
3. CHARACTERISTIC PHENOMENA													
1. General													1
2. Forms				58	33	101	130	151		197	229	245	2
3. Biological Effects											232		3
4. Chemical Effects				59		102	130			197			4
5. Physical and Mechanical Effects				60	83	102	130		172	193		246	5
6. Electrochemical Effects			29		90		132		174			246	6
7. Metallurgical Effects	3		32	65	90	104	132	151		200	232	243	7
8. Miscellaneous Principles	6		34	61	94		136	155	178	203	234	248	8
9. Other													9
4. CORROSIVE ENVIRONMENTS													
1. General													1
2. Atmospheric				70									2
3. Chemicals, Inorganic				72					179				3
4. Chemicals, Organic					95				180				4
5. Soil					95								5
6. Water and Steam			35		96				181				6
7. Molten Metals			35		96				181				7
8. Miscellaneous Principles													8
9. Other													9
5. PREVENTIVE MEASURES													
1. General													1
2. Cathodic Protection				72	96					206			2
3. Metallic Coatings		20	38		97	104		156		208	237		3
4. Non-Metallic Coatings and Paints			40	74		107	137	156	182				4
5. Oil and Grease Coatings								157					5
6. Packaging					98								6
7. Treatment of Medium											237		7
8. Inhibitors and Passivators			42			103	138		184				8
9. Surface Treatment		22	44	76		103		158	186				9
10. Other													10
11. Design, Influence of											238		11
12. Metallurgical Treatment											233		12
6. MATERIALS OF CONSTRUCTION													
1. General													1
2. Ferrous Metals and Alloys	10			77	91	108		158	187	212		249	2
3. Non-Ferrous Metals and Alloys—Heavy	11	23	44	80		111		159	188	216		250	3
4. Non-Ferrous Metals and Alloys—Light		24	48	83		120			190	217			4
5. Metals—Multiple or Combined Discussion													5
6. Non-Metallic Materials		26		83		125	133		191				6
7. Duplex Materials			49				140				240		7
8. Other													8
7. EQUIPMENT													
1. Engines, Bearings and Turbines			50							222			1
2. Valves, Pipes and Meters			50								240		2
3. Pumps, Compressors, Propellers, and Impellers													3
4. Heat Exchangers			51				140						4
5. Containers													5
6. Unit Process Equipment		25					140				242		6
7. Electrical, Telephone and Radio							142				242		7
8. Wires and Cables (Non-electrical)													8
9. Specifications													9
10. Other													10
8. INDUSTRIES													
1. Group 1	12										244		1
2. Group 2													2
3. Group 3					100						244		3
4. Group 4	12	27	51	83			142	160	192			252	4
5. Group 5					100			166					5
6. Group 6													6
7. Group 7													7
8. Group 8	13		52				146	166	194			252	8
9. Group 9	13		54				146				244		9
10. Group 10							150						10

* The following designations apply to the several groups listed under 8. INDUSTRIES:

1. Air conditioning, architecture and building, refrigeration, sewage and water.
2. Communications, power.
3. Agriculture, beverage, dairy, fermentation, food, sugar, starch.
4. Fuel, solids; fuel, gases; petroleum refining and production, rubber, atomic energy.
5. Ceramics, glass, pulp and paper, wood products.
6. Laundry soap and detergents, textile.
7. Graphic arts, instruments, jewelry, photography.
8. Chemical manufacturing, distilled liquor, electroplating, leather and tanning, metal fabrication and finishing, pharmaceuticals.
9. Aircraft, automotive, pipe line, railroad, shipping.
10. Explosives, metallurgy, mining ordnance and war materials, other.

CORROSION

Official Publication

NATIONAL ASSOCIATION
OF
CORROSION ENGINEERS

•

VOLUME 15

JANUARY THROUGH DECEMBER

1959

•

EDITORIAL AND BUSINESS OFFICES
1061 M & M BLDG., HOUSTON 2, TEXAS

•

ERRATA–CORROSION, Volumes 14 and 15

Comparison of Corrosion Engineering or Materials Engineering Functions in Various Chemical Plants by L. W. Gleekman. Corrosion, Vol. 14, 540t (1958) Nov.

Entry under heading "Investigates Paint Problems" for General Chemical Div., Allied Chemical & Dye, Camden, New Jersey, should read:

X

instead of

No

The letter "X" will indicate that this company *does* investigate paint problems.

Zinc in Marine Environments by E. A. Anderson. Corrosion, Vol. 15, No. 8, 409t-412t (1959) August.

On page 411t, Tables 10 and 11 at bottom of this errata page should be substituted for Tables 10 and 11.

On page 411t, column 1, second line from the bottom should be changed to read:

vanized sheets were perforated after 26

Design and Materials for Reduced Pump Corrosion by Jack E. Piccardo. Corrosion, Vol. 15, No. 9, 473t-476t (1959) September.

Page 476t, middle column, first two lines of J. E. Piccardo's reply to A. V. Morrison should read as follows:

1. Cavitation erosion is a dynamic action within the fluid and cannot be over-

Effects of Foreign Metals on Corrosion of Titanium in Boiling 2M Hydrochloric Acid by Roger Buck, III, Billy W. Sloope and Henry Leidheiser, Jr. Corrosion, Vol. 15, 566t-570t (1959) Nov.

On page 570t, column 3, two sets of numbered references appear. The top set, numbered one through seven with all numbers in parenthesis, apply to Table 4 of the article rather than to the text. The six references immediately below this group apply to the text.

Abstract Section. Pages of the Corrosion Abstracts section in the January and February 1959 issues were numbered incorrectly in the lower outside margins where the "a" series numbers are carried. The January issue should have begun with 1a and ended with 18a. The February issue should have begun with 19a and ended with 28a. Corrected numbers are reproduced below for pasteup correction of these two issues:

1a	2a	3a	4a	5a	6a	7a
8a	9a	10a	11a	12a	13a	14a
15a	16a	17a	18a	19a	20a	21a
22a	23a	24a	25a	26a	27a	28a

TABLE 11—Calculated and Observed Coating Life

Location	Weight of Coating (a)	Time to 100% Rust—Years		Time to Perforation of Black Iron—Years
		Observed	Calculated	
Key West	2.5	>26	99	..
Key West	2.0	>26	79	..
Key West	1.5	>26	60	..
Key West	1.25	>26	50	..
Key West	0.75	>26	30	..
Key West	None	....	..	3.9
Sandy Hook	2.5	>25	30	..
Sandy Hook	2.0	>25	24	..
Sandy Hook	1.5	17.9	18	..
Sandy Hook	1.25	15.2	15	..
Sandy Hook	0.75	11.3	9	..
Sandy Hook	None	....	..	7.3 (b)
State College	2.5	>32	50	..
State College	2.0	>32	40	..
State College	1.5	>32	30	..
State College	1.25	>32	25	..
State College	0.75	23.5	15	..
State College	None	....	..	26

(a) In ounces per square foot of sheet.
(b) Average of sheets showing failure—final average may be higher.

TABLE 10—Atmospheric Corrosion of Corrugated Galvanized Sheets

Location	Steel Gauge	Weight of Coating (a)	Time in Years To—				
			First Rust	100% Rust	Sheet Perforation	Rust (b) Spots	Perforation from Below (b)
Key West	22	None	.....	.....	3.9	.....	.....
Key West	16	2.5	>26	>26	>26	>26	21.9–>26
Key West	22	2.5	>26	>26	>26	25.5	24.3–>26
Key West	22	2.0	>26	>26	>26	22.8	25.5
Key West	22	1.5	>26	>26	>26	19.8	21.5
Key West	22	1.25	21.5–>26(c)	>26	>26	19.8	22.8
Key West	22	0.75	18.3(d)	>26	>26	12.5(d)	17.5(d)
Key West	28	0.75	18.7(d)	>26	>26	13.1(d)	18.9(d)
Sandy Hook	22	None	.....	.....	7.3(d)	(e)	(e)
Sandy Hook	16	2.5	11.8	>25	>25	(e)	(e)
Sandy Hook	22	2.5	13.1	>25	>25	(e)	(e)
Sandy Hook	22	2.0	9.9	>25	>25	(e)	(e)
Sandy Hook	22	1.5	7.6	17.9	>25	(e)	(e)
Sandy Hook	22	1.25	6.8	15.2	>25	(e)	(e)
Sandy Hook	22	0.75	4.8	11.3	>25	(e)	(e)
Sandy Hook	28	0.75	4.9	11.1	>25	.....	.....
State College	22	None	.....	.....	26	(e)	(e)
State College	16	2.5	24.6	>32	>32	(e)	(e)
State College	22	2.5	26.3(d)	>32	>32	(e)	(e)
State College	22	2.0	22.5	>32	>32	(e)	(e)
State College	22	1.5	17.1	>32	>32	(e)	(e)
State College	22	1.25	14.6	>32	>32	(e)	(e)
State College	22	0.75	10.0	23.5	>32	(e)	(e)
State College	28	0.75	11.1	24.0	>32	(e)	(e)

(a) In ounces per square foot of sheet coated both side.
(b) Rust spots and perforation due to corrosion from below penetration zinc coating on upper side.
(c) Only one sheet showed first rusting—remaining 16 showed no rust in 32 years.
(d) Average of sheets showing failure—final average may be higher.
(e) Corrosion from below did not occur at this site.